



ARCHITECTURAL ELEVATIONS

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE



CITY COMMISSION
SECOND READING


SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
 TENANT SIGNAGE	AREA	18 SQ. FT PER TENANT MAX
	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
 PARKING GARAGE ENTRY/EXIT	AREA	100 SQ. FT MAX
	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
 PLAQUES (PEDESTRIAN SIGNAGE)	AREA	4 SQ. FT MAX
	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
 BUILDING SIGNAGE	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 9' FEET MINI
 AWNING OR CANOPY	AREA	4 SQ. FT MAX
	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX

ELEVATION - PONCE DE LEON - HOTEL



SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
TENANT SIGNAGE	AREA	18 SQ. FT PER TENANT MAX
	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
PARKING GARAGE ENTRY/EXIT	AREA	100 SQ. FT MAX
	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
PLAQUES (PEDESTRIAN SIGNAGE)	AREA	4 SQ. FT MAX
	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
BUILDING SIGNAGE	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MIN
AWNING OR CANOPY	AREA	4 SQ. FT MAX
	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX

ELEVATION - PONCE DE LEON - HOTEL




SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
TENANT SIGNAGE	AREA	18 SQ. FT PER TENANT MAX
	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
PARKING GARAGE ENTRY/EXIT	AREA	100 SQ. FT MAX
	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
PLAQUES (PEDESTRIAN SIGNAGE)	AREA	4 SQ. FT MAX
	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
BUILDING SIGNAGE	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MINI
AWNING OR CANOPY	AREA	4 SQ. FT MAX
	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE



ELEVATION - PONCE DE LEON - RESIDENTIAL TOWER 1



SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
	AREA	18 SQ. FT PER TENANT MAX
TENANT SIGNAGE	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
	AREA	100 SQ. FT MAX
PARKING GARAGE ENTRY/EXIT	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
	AREA	4 SQ. FT MAX
PLAQUES (PEDESTRIAN SIGNAGE)	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE. - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
BUILDING SIGNAGE	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MIN
	AREA	4 SQ. FT MAX
AWNING OR CANOPY	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX
	AREA	4 SQ. FT MAX


ELEVATION - MALAGA - RESIDENTIAL TOWER 1



SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
	AREA	18 SQ. FT PER TENANT MAX
TENANT SIGNAGE	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
	AREA	100 SQ. FT MAX
PARKING GARAGE ENTRY/EXIT	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
	AREA	4 SQ. FT MAX
PLAQUES (PEDESTRIAN SIGNAGE)	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
BUILDING SIGNAGE	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MAX
	AREA	4 SQ. FT MAX
AWNING OR CANOPY	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX

ELEVATION - COCONUT GROVE DRIVE ENTRY (SOUTHEAST)

SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
TENANT SIGNAGE	AREA	18 SQ. FT PER TENANT MAX
	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
PARKING GARAGE ENTRY/EXIT	AREA	100 SQ. FT MAX
	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
PLAQUES (PEDESTRIAN SIGNAGE)	AREA	4 SQ. FT MAX
	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
BUILDING SIGNAGE	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE. - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MIN
AWNING OR CANOPY	AREA	4 SQ. FT MAX
	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX



ELEVATION - COCONUT GROVE DRIVE ENTRY (SOUTHEAST)

SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
	AREA	18 SQ. FT PER TENANT MAX
TENANT SIGNAGE	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
	AREA	100 SQ. FT MAX
PARKING GARAGE ENTRY/EXIT	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
	AREA	4 SQ. FT MAX
PLAQUES (PEDESTRIAN SIGNAGE)	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
	AREA	-
BUILDING SIGNAGE	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE. - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MAX
	AREA	4 SQ. FT MAX
	LENGTH	50% OF AWNING OR CANOPY
AWNING OR CANOPY	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX
	AREA	-
	LENGTH	-



ARCHITECTURAL ELEVATIONS

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE



ELEVATION - GALIANO - TOWNHOUSES



1 ENLARGED EAST ELEVATION
1/2" = 1' 0"


SIGNAGE LEGEND			
TYPE	REQUIREMENTS		
	AREA	18 SQ. FT PER TENANT MAX	
TENANT SIGNAGE	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX	
	LETTERING HEIGHT	18 INCHES MAX	
	HEIGHT OF SIGNAGE	18 FEET MAX	
	AREA	100 SQ. FT MAX	
PARKING GARAGE ENTRY/EXIT	LENGTH	12 FEET MAX	
	LETTERING HEIGHT	10 INCHES MAX	
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING	
	AREA	4 SQ. FT MAX	
PLAQUES (PEDESTRIAN SIGNAGE)	LENGTH	2 FEET MAX	
	LETTERING HEIGHT	-	
	HEIGHT OF SIGNAGE	8 FEET MAX	
	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE. - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE	
BUILDING SIGNAGE	LENGTH	50% OF LINEAL BUILDING FRONTAGE	
	LETTERING HEIGHT	30 INCHES MAX	
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MIN	
	AREA	4 SQ. FT MAX	
AWNING OR CANOPY	LENGTH	50% OF AWNING OR CANOPY	
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE	
	HEIGHT OF SIGNAGE	12 FEET MAX	
	AREA	4 SQ. FT MAX	

ELEVATION - GALIANO - TOWNHOUSES

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE

SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
	AREA	18 SQ. FT PER TENANT MAX
TENANT SIGNAGE	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
	AREA	100 SQ. FT MAX
PARKING GARAGE ENTRY/EXIT	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
	AREA	4 SQ. FT MAX
PLAQUES (PEDESTRIAN SIGNAGE)	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
	AREA	-
BUILDING SIGNAGE	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MAX
AWNING OR CANOPY	AREA	4 SQ. FT MAX
	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX



ARCHITECTURAL ELEVATIONS




ELEVATION - MALAGA - TOWNHOUSES



SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
	AREA	18 SQ. FT PER TENANT MAX
TENANT SIGNAGE	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
	AREA	100 SQ. FT MAX
PARKING GARAGE ENTRY/EXIT	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
	AREA	4 SQ. FT MAX
PLAQUES (PEDESTRIAN SIGNAGE)	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
	AREA	-
BUILDING SIGNAGE	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MAX
	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
AWNING OR CANOPY	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX
	AREA	4 SQ. FT MAX

ELEVATION - SEVILLA - RESIDENTIAL TOWER 2



SIGNAGE LEGEND			
TYPE	REQUIREMENTS		
	AREA	REQUIREMENTS	
TENANT SIGNAGE	AREA	18 SQ. FT PER TENANT MAX	
	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX	
	LETTERING HEIGHT	18 INCHES MAX	
	HEIGHT OF SIGNAGE	18 FEET MAX	
PARKING GARAGE ENTRY/EXIT	AREA	100 SQ. FT MAX	
	LENGTH	12 FEET MAX	
	LETTERING HEIGHT	10 INCHES MAX	
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING	
PLAQUES (PEDESTRIAN SIGNAGE)	AREA	4 SQ. FT MAX	
	LENGTH	2 FEET MAX	
	LETTERING HEIGHT	-	
	HEIGHT OF SIGNAGE	8 FEET MAX	
BUILDING SIGNAGE	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE. - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE	
	LENGTH	50% OF LINEAL BUILDING FRONTAGE	
	LETTERING HEIGHT	30 INCHES MAX	
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MAX	
AWNING OR CANOPY	AREA	4 SQ. FT MAX	
	LENGTH	50% OF AWNING OR CANOPY	
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE	
	HEIGHT OF SIGNAGE	12 FEET MAX	

ELEVATION - SEVILLA - OFFICE



SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
TENANT SIGNAGE	AREA	18 SQ. FT PER TENANT MAX
	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
PARKING GARAGE ENTRY/EXIT	AREA	100 SQ. FT MAX
	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
PLAQUES (PEDESTRIAN SIGNAGE)	AREA	4 SQ. FT MAX
	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
BUILDING SIGNAGE	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MAX
AWNING OR CANOPY	AREA	4 SQ. FT MAX
	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE




ELEVATION - PALERMO (NORTH) - OFFICE



SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
 TENANT SIGNAGE	AREA	18 SQ. FT PER TENANT MAX
	LENGTH	50% OF LINEAL NET FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
 PARKING GARAGE ENTRY/EXIT	AREA	100 SQ. FT MAX
	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
 PLAQUES (PEDESTRIAN SIGNAGE)	AREA	4 SQ. FT MAX
	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
 BUILDING SIGNAGE	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MIN
 AWNING OR CANOPY	AREA	4 SQ. FT MAX
	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX

ELEVATION - PALERMO (NORTH) - RESIDENTIAL TOWER 2



ARCHITECTURAL ELEVATIONS

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE




AN ARCADIS COMPANY



AGAVE PENCE


ELEVATION - PALERMO (SOUTH) - RETAIL



SIGNAGE LEGEND			
TYPE	REQUIREMENTS		
TENANT SIGNAGE	AREA	18 SQ. FT PER TENANT MAX	
	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX	
	LETTERING HEIGHT	18 INCHES MAX	
	HEIGHT OF SIGNAGE	18 FEET MAX	
PARKING GARAGE ENTRY/EXIT	AREA	100 SQ. FT MAX	
	LENGTH	12 FEET MAX	
	LETTERING HEIGHT	10 INCHES MAX	
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING	
PLAQUES (PEDESTRIAN SIGNAGE)	AREA	4 SQ. FT MAX	
	LENGTH	2 FEET MAX	
	LETTERING HEIGHT	-	
	HEIGHT OF SIGNAGE	8 FEET MAX	
BUILDING SIGNAGE	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE. - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE	
	LENGTH	50% OF LINEAL BUILDING FRONTAGE	
	LETTERING HEIGHT	30 INCHES MAX	
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 9' FEET MIN	
AWNING OR CANOPY	AREA	4 SQ. FT MAX	
	LENGTH	50% OF AWNING OR CANOPY	
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE	
	HEIGHT OF SIGNAGE	12 FEET MAX	


ELEVATION - PALERMO (SOUTH) - HISTORIC ARTS CENTER

SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
 TENANT SIGNAGE	AREA	18 SQ. FT PER TENANT MAX
	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
 PARKING GARAGE ENTRY/EXIT	AREA	100 SQ. FT MAX
	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
 PLAQUES (PEDESTRIAN SIGNAGE)	AREA	4 SQ. FT MAX
	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
 BUILDING SIGNAGE	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MAX
 AWNING OR CANOPY	AREA	4 SQ. FT MAX
	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX



ELEVATION - COCONUT GROVE DRIVE (NORTHEAST) - RETAIL

SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
	AREA	18 SQ. FT PER TENANT MAX
TENANT SIGNAGE	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
	AREA	100 SQ. FT MAX
PARKING GARAGE ENTRY/EXIT	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
	AREA	4 SQ. FT MAX
PLAQUES (PEDESTRIAN SIGNAGE)	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
	AREA	-
BUILDING SIGNAGE	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MAX
AWNING OR CANOPY	AREA	4 SQ. FT MAX
	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX




ARCHITECTURAL ELEVATIONS

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE



ELEVATION - COCONUT GROVE DRIVE (SOUTHWEST) - RETAIL



SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
TENANT SIGNAGE	AREA	18 SQ. FT PER TENANT MAX
	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
PARKING GARAGE ENTRY/EXIT	AREA	100 SQ. FT MAX
	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
PLAQUES (PEDESTRIAN SIGNAGE)	AREA	4 SQ. FT MAX
	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
BUILDING SIGNAGE	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MIN
AWNING OR CANOPY	AREA	4 SQ. FT MAX
	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX


ELEVATION - COCONUT GROVE DRIVE (SOUTHWEST) - RETAIL

SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
	AREA	18 SQ. FT PER TENANT MAX
TENANT SIGNAGE	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
	AREA	100 SQ. FT MAX
PARKING GARAGE ENTRY/EXIT	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
	AREA	4 SQ. FT MAX
PLAQUES (PEDESTRIAN SIGNAGE)	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
	AREA	-
BUILDING SIGNAGE	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MAX
	HEIGHT OF SIGNAGE	12 FEET MAX
AWNING OR CANOPY	AREA	4 SQ. FT MAX
	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX




1 ENLARGED COCONUT GROVE SOUTH ELEVATION
3/22/2024

ELEVATION - COCONUT GROVE DRIVE ENTRY (NORTHWEST)



SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
	AREA	18 SQ. FT PER TENANT MAX
TENANT SIGNAGE	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
	AREA	100 SQ. FT MAX
PARKING GARAGE ENTRY/EXIT	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
	AREA	4 SQ. FT MAX
PLAQUES (PEDESTRIAN SIGNAGE)	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
	AREA	-
BUILDING SIGNAGE	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MINI
AWNING OR CANOPY	AREA	4 SQ. FT MAX
	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX



ARCHITECTURAL ELEVATIONS

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE






LANDSCAPE DRAWINGS

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE





NOTES:


1. ALL SIDEWALKS CONNECTING TO FRED B. HARTNETT PARK WILL BE REVIEWED AND COORDINATED WITH THE CITY



OVERALL ILLUSTRATIVE - ON-SITE PUBLIC REALM PLAN



NOTES:
1. ALL SIDEWALKS CONNECTING TO FRED B. HARTNETT PARK WILL BE REVIEWED AND COORDINATED WITH THE CITY




LANDSCAPE DRAWINGS

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE AT PONCE CIRCLE



OVERALL ON-SITE PUBLIC REALM PLAN



NOTES:
1. ALL SIDEWALKS CONNECTING TO FRED B. HARTNETT PARK WILL BE REVIEWED AND COORDINATED WITH THE CITY

HARDSCAPE KEY PAING


- ① MARBLE STONE PAVING - UNPAVED
- ② GRANITE PAVING - PEEKSTONE
- ③ LIGHT GREY
- ④ GRANITE PAVING - VENECLIAN
- ⑤ LIGHT GREY
- ⑥ GRANITE PAVING - DARK GREY
- ⑦ CORNELL PAVING - VENECLIAN
- ⑧ MEDIUM GREY
- ⑨ PAVING TYPE A
- ⑩ AQUOLIN - MEDIUM TAN
- ⑪ PAVING TYPE B
- ⑫ MARBLE MOSAIC MOSÉ - WHITE
- ⑬ PAVING TYPE C
- ⑭ TRANSPARENT STONE PAVING
- ⑮ WHITE SPOTTED
- ⑯ PAVING TYPE D
- ⑰ CANTONIA
- ⑱ GRANITE PAVING - VENECLIAN
- ⑲ RAMP COLOURED CONCRETE TO TABLE
- ⑳ SHELL STONE
- ㉑ PINK GRANITE (BRICKLASH)

WALLS & STAIRS CURBS


- ㉒ SEAT WALL
- ㉓ PRECAST CONCRETE CURB
- ㉔ GRANITE CURB & CUTTER
- ㉕ FLUSH GRANITE CURB
- ㉖ PLANTED CURB

SITE AMENITIES


- ★ PUBLIC ART
- ☐ BENCH
- ||||| BIKE RACKS
- BOLLARD
- ◆ STREETLIGHTS
- CATERINARY LIGHTS
- LITTER & RECYCLING RECEPTACLES
- PLANTER POTS
- TREE PIT
- WATER FOUNTAIN
- WATER DECKUSE
- PLANTING AREA
- MATCH LINE
- PROPERTY LINE
- BUILDING OVERLAP




PUBLIC REALM PLAN - CENTRAL PARCEL



- NOTES:
1. ALL SIDEWALKS CONNECTING TO FRED B. HARTNETT PARK WILL BE REVIEWED AND COORDINATED WITH THE CITY


[illegible]

PUBLIC REALM PLAN - SOUTH PARCEL



NOTES:
1. ALL SIDEWALKS CONNECTING TO FRED B. HARTNETT PARK WILL BE REVIEWED AND COORDINATED WITH THE CITY

HARDSCAPE KEY	
PAVING	
(P1)	MARBLELLA STONE PAVING - UNPAVED
(P2)	GRANITE PAVING - PEDESTRIAN LIGHT GREY
(P3)	GRANITE PAVING - VEHICULAR LIGHT GREY
(P4)	GRANITE PAVING - VEHICULAR DARK GREY
(P5)	COBBLE PAVING - VEHICULAR MEDIUM GREY
(P6)	PAVER TYPE A - ACCQUY - MEDIUM TALL
(P7)	PAVER TYPE B - MASONRY Mosaic ASSET - VEHICULAR
(P8)	PAVER TYPE C - IMPERFORATED STONE PAVING WITH PLANTED JOISTS
(P9)	PAVER TYPE D - CAVERNA
(P10)	GRANITE PAVING - VEHICULAR
(P11)	BAMP (COLORED CONCRETE) @ TABLE
(P12)	SHELL STONE
(P13)	PINK GRANITE (VEHICULAR)
WALLS/STAIRS/CURBS	
(W1)	SEAT WALL
(W2)	FRASCAT CONCRETE CURB
(W3)	GRANITE CURB & GUTTER
(W4)	FLUSH GRANITE CURB
(W5)	PLANTER CURB
SITE AMENITIES	
(A1)	PUBLIC ART
(A2)	BENCH
(A3)	BING BACKS
(A4)	BOLLARD
(A5)	STREETLIGHTS
(A6)	CATERNARY LIGHTS
(A7)	LITTER & RECYCLING RECEPTACLES
(A8)	PLANTER POTS
(A9)	TRICE PIT
(A10)	WATER FOUNTAIN
(A11)	WATER FEATURE
(A12)	PLANTING AREA
(A13)	MATCH LINE
(A14)	PROPERTY LINE
(A15)	BUILDING OVERHANG




LANDSCAPE DRAWINGS

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE




PUBLIC REALM - DETAILS AND CALCS




1 BENCH
Scale: NTS




2 TREE PIT UPLIGHT
Scale: NTS



3 BIKE RACK
Scale: NTS



4 LITTER & RECYCLING RECEPTACLE
Scale: NTS



5 Pavers - Pedestrian
Scale: NTS

LANDSCAPE / OPEN SPACE CALCULATIONS

Townhouse/ Apt Street Type	0.48 acres	76,210 sf
All other Street Types	6.32 acres	966,674 sf
TOTAL	6.80 acres	1,042,884 sf

A. CIVILIAN LANDSCAPE / OPEN SPACE	REQUIRED	PROVIDED
Square foot of open space required by Art c/c of Townhouse Code		
Townhouse/ Apt Street Type	26,220 sf x 30%	7,866 sf
All other Street Types	246,576 sf x 30%	73,973 sf
TOTAL	43,196 sf	81,839 sf

B. TOWNHOUSE/ APT STREET TYPE LANDSCAPE / OPEN SPACE



On site	Required	Provided
Landscape Area at Ground Level	2,827 sf	n/a
Landscape Area at Rooftop	n/a	n/a
Paved Area at Ground Level	1,798 sf	n/a
Paved Area at Rooftop	7,270 sf	n/a
Subtotal	13,260 sf	n/a
Off site		
Landscape Area at Ground Level	4,552 sf	n/a
Landscape Area at Rooftop	n/a	n/a
Paved Area at Ground Level	n/a	n/a
Paved Area at Rooftop	4,552 sf	n/a
Subtotal	4,552 sf	n/a
TOTAL	7,866 sf	13,260 sf

C. ALL OTHER STREET TYPE LANDSCAPE / OPEN SPACE


On site	Required	Provided
Landscape Area at Ground Level	4,900 sf	n/a
Landscape Area at Rooftop	61,752 sf	n/a
Paved Area at Ground Level	0	n/a
Paved Area at Rooftop	67,760 sf	n/a
Subtotal	176,680 sf	n/a
Off site		
Landscape Area at Ground Level	4,492 sf	n/a
Landscape Area at Rooftop	n/a	n/a
Paved Area at Ground Level	74,688 sf	n/a
Paved Area at Rooftop	76,546 sf	n/a
Subtotal	155,726 sf	n/a
TOTAL	332,406 sf	13,260 sf

OVERALL TOTAL 61,881 SF 271,682 SF


PUBLIC REALM - DETAILS



2 | GALIANO STREET SECTION LOOKING NORTH




3 | GALIANO STREET SECTION LOOKING EAST
1"=10'-0"




LANDSCAPE DRAWINGS


PUBLIC REALM - DETAILS




1 GALIANO AND PALERMO ENLARGEMENT PLAN



2 | GALIANO STREET SECTION LOOKING NORTH
1"=10'-0"



3 | GALIANO STREET SECTION LOOKING EAST
1"=10'-0"



OVERALL ILLUSTRATIVE ON-SITE PLANTING PLAN



- NOTES:
1. ALL SIDEWALKS CONNECTING TO FRED B. HARTNETT PARK WILL BE REVIEWED AND COORDINATED WITH THE CITY
 2. WHERE ON-STREET PARKING OCCURS, STREET TREES SHALL BE LOCATED 3' MIN. FROM THE BACK OF CURB, WHERE POSSIBLE.
 3. ADEQUATE SOIL TYPE AND VOLUME WILL BE PROVIDED FOR ALL STREET TREES AND WILL BE REVIEWED AND COORDINATED WITH PUBLIC SERVICE.




LANDSCAPE DRAWINGS

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE



OVERALL ON-SITE PLANTING PLAN




- NOTES
1. ALL SIDEWALKS CONNECTING TO FRED B. HARTNETT PARK WILL BE REVIEWED AND COORDINATED WITH THE CITY
 2. WHERE ON-STREET PARKING OCCURS, STREET TREES SHALL BE LOCATED 3' MIN. FROM THE BACK OF CURB, WHERE POSSIBLE.
 3. ADEQUATE SOIL TYPE AND VOLUME WILL BE PROVIDED FOR ALL STREET TREES AND WILL BE REVIEWED AND COORDINATED WITH PUBLIC SERVICE.

KEY PLAN




PLANTING PLAN - NORTH PARCEL




Plant Schedule - Tree Planting					Plant Schedule - Tree Planting				
QTY	SIZE	SPACING	LOCATION	COMMENTS	QTY	SIZE	SPACING	LOCATION	COMMENTS
100	12"	12"	Along Ponce de Leon Avenue	Florida Palmyra	100	12"	12"	Along Sevilla Avenue	Florida Palmyra
100	12"	12"	Along Ponce de Leon Avenue	Florida Palmyra	100	12"	12"	Along Sevilla Avenue	Florida Palmyra
100	12"	12"	Along Ponce de Leon Avenue	Florida Palmyra	100	12"	12"	Along Sevilla Avenue	Florida Palmyra
100	12"	12"	Along Ponce de Leon Avenue	Florida Palmyra	100	12"	12"	Along Sevilla Avenue	Florida Palmyra
100	12"	12"	Along Ponce de Leon Avenue	Florida Palmyra	100	12"	12"	Along Sevilla Avenue	Florida Palmyra
100	12"	12"	Along Ponce de Leon Avenue	Florida Palmyra	100	12"	12"	Along Sevilla Avenue	Florida Palmyra
100	12"	12"	Along Ponce de Leon Avenue	Florida Palmyra	100	12"	12"	Along Sevilla Avenue	Florida Palmyra
100	12"	12"	Along Ponce de Leon Avenue	Florida Palmyra	100	12"	12"	Along Sevilla Avenue	Florida Palmyra
100	12"	12"	Along Ponce de Leon Avenue	Florida Palmyra	100	12"	12"	Along Sevilla Avenue	Florida Palmyra

- NOTES:
1. ALL SIDEWALKS CONNECTING TO FRED B. HARTNETT PARK WILL BE REVIEWED AND COORDINATED WITH THE CITY.
 2. WHERE ON-STREET PARKING OCCURS, STREET TREES SHALL BE LOCATED 7' MIN. FROM THE BACK OF CURB, WHERE POSSIBLE.
 3. ADEQUATE SOIL TYPE AND VOLUME WILL BE PROVIDED FOR ALL STREET TREES AND WILL BE REVIEWED AND COORDINATED WITH PUBLIC SERVICE.



PLANTING PLAN - CENTRAL PARCEL


[illegible][illegible][illegible]

Year	Order	Comments
19-20	1000	Florida Pop
19-20	1000	Florida Pop
19-20	1000 to 1000	Florida Pop
19-20	1000	Florida Pop
19-20	1000	Florida Pop
19-20	1000	Florida Pop

1. ALL SIDEWALKS CONNECTING TO FRED B. HARTNETT PARK WILL BE REVIEWED AND COORDINATED WITH THE CITY
2. WHERE ON-STREET PARKING OCCURS, STREET TREES SHALL BE LOCATED 3' MIN. FROM THE BACK OF CURB, WHERE POSSIBLE.
3. ADEQUATE SOIL TYPE AND VOLUME WILL BE PROVIDED FOR ALL STREET TREES AND WILL BE REVIEWED AND COORDINATED WITH PUBLIC SERVICE.




PLANTING PLAN - SOUTH PARCEL









NO.	PLANT SPECIES	SIZE	QUANTITY	REMARKS
101	Platanus racemosa	12" DBH	200	Planting Plan
102	Quercus agrifolia	12" DBH	200	Planting Plan
103	Quercus agrifolia	12" DBH	200	Planting Plan
104	Quercus agrifolia	12" DBH	200	Planting Plan
105	Quercus agrifolia	12" DBH	200	Planting Plan
106	Quercus agrifolia	12" DBH	200	Planting Plan
107	Quercus agrifolia	12" DBH	200	Planting Plan
108	Quercus agrifolia	12" DBH	200	Planting Plan
109	Quercus agrifolia	12" DBH	200	Planting Plan
110	Quercus agrifolia	12" DBH	200	Planting Plan
111	Quercus agrifolia	12" DBH	200	Planting Plan
112	Quercus agrifolia	12" DBH	200	Planting Plan
113	Quercus agrifolia	12" DBH	200	Planting Plan
114	Quercus agrifolia	12" DBH	200	Planting Plan
115	Quercus agrifolia	12" DBH	200	Planting Plan
116	Quercus agrifolia	12" DBH	200	Planting Plan
117	Quercus agrifolia	12" DBH	200	Planting Plan
118	Quercus agrifolia	12" DBH	200	Planting Plan
119	Quercus agrifolia	12" DBH	200	Planting Plan
120	Quercus agrifolia	12" DBH	200	Planting Plan

- NOTES:
1. ALL SIDEWALKS CONNECTING TO FRED B. HARTNETT PARK WILL BE REVIEWED AND COORDINATED WITH THE CITY.
 2. WHERE ON-STREET PARKING OCCURS, STREET TREES SHALL BE LOCATED 3' MIN. FROM THE BACK OF CURB, WHERE POSSIBLE.
 3. ADEQUATE SOIL TYPE AND VOLUME WILL BE PROVIDED FOR ALL STREET TREES AND WILL BE REVIEWED AND COORDINATED WITH PUBLIC SERVICE.



PLANTING - DETAILS AND CALCS



GENERAL NOTES:

- The Landscape Contractor is to locate and verify all underground and overhead utilities prior to beginning work. Contact proper utility companies and/or General Contractor prior to digging for field verification. The Owner and the Landscape Architect shall not be responsible for any damages to utility or irrigation lines (see Roadway Plans for more utility notes).
- Landscape Contractor is to verify all current drawings and check for discrepancies and bring to the attention of the Landscape Architect prior to commencing with the work.
- All unutilized and unplanted tree pits are to be properly mulched and flagged during installation.
- All planting plans are issued as directives for site layout. Any deviations, site changes, etc. are to be brought to the attention of the Landscape Architect for confirmation prior to installation.

PLANTING NOTES:

- All plant material is to be Florida Number 1 or better pursuant to the Florida Department of Agriculture's Grades and Standards for Nursery Plants.
- All plants are to be top dressed with a minimum 2" layer of Mulchmate mulch. Eucalyptus mulch is equal.
- Planting plans shall show precedence over plant list in case of discrepancies.
- Site changes are to be made without the prior consent of the Landscape Architect and Owner. Additions and/or deletions to the plant material must be approved by the project engineer.
- Landscape Contractor is responsible for providing their own square footage takeoffs and field verification for 100% cost coverage for all areas specified.
- All landscape areas are to be provided with automatic irrigation system which provide 100% coverage, and 50% watering.
- All trees in lawn areas are to receive a 24" diameter mulched saucer at the base of the trunk.
- Trees are to be planted within parking islands after soil is brought up to grade. Directly over road beds are not acceptable.
- Planting soil for topsoil and landfill shall be 50/50 mix, non-saline free. Planting soil for annual beds to be comprised of 50% Canadian peat moss, 20% soil free coarse sand and 30% perlite.
- Tree and shrub pits will be supplemented with "Agilum-Pel" 21 gram size with a 20-10-5 analysis, or substitute application accepted by Landscape Architect. Deliver in manufacturer's standard containers showing weight, analysis and name of manufacturer.

LANDSCAPE UPGRADES

10000

4. No. of trees required
5. 5. Plants required (No. Trees x 200)
6. 6. Plants required (No. Trees x 200)

Information Required to be Furnished to the Owner

	QUANTITY	REMARKS
4. No. of trees required	100	1.00
5. 5. Plants required (No. Trees x 200)	200	2.00
6. 6. Plants required (No. Trees x 200)	200	2.00

10000

4. No. of trees required

5. 5. Plants required (No. Trees x 200)

6. 6. Plants required (No. Trees x 200)

10000

4. No. of trees required

5. 5. Plants required (No. Trees x 200)

6. 6. Plants required (No. Trees x 200)

10000

4. No. of trees required

5. 5. Plants required (No. Trees x 200)

6. 6. Plants required (No. Trees x 200)

10000

4. No. of trees required

5. 5. Plants required (No. Trees x 200)

6. 6. Plants required (No. Trees x 200)

10000

4. No. of trees required

5. 5. Plants required (No. Trees x 200)

6. 6. Plants required (No. Trees x 200)

10000


4. No. of trees required

5. 5. Plants required (No. Trees x 200)

6. 6. Plants required (No. Trees x 200)

10000

OVERALL ON-SITE ACTIVATED ROOFTOP HARDSCAPE PLAN



1 OVERALL ROOFTOP SITE PLAN
1/1/2017



CITY COMMISSION
SECOND READING


MEDITERRANEAN VILLAGE
AT PONCE CIRCLE




LANDSCAPE DRAWINGS

237

ACTIVATED ROOFTOP HARDSCAPE PLAN - NORTH PARCEL



ACTIVATED ROOFTOP HARDSCAPE PLAN - CENTRAL PARCEL



HARDSCAPE KEY


1	ROOFTOP DECK
2	ROOFTOP DECK
3	ROOFTOP DECK
4	ROOFTOP DECK
5	ROOFTOP DECK
6	ROOFTOP DECK
7	ROOFTOP DECK
8	ROOFTOP DECK
9	ROOFTOP DECK
10	ROOFTOP DECK
11	ROOFTOP DECK
12	ROOFTOP DECK
13	ROOFTOP DECK
14	ROOFTOP DECK
15	ROOFTOP DECK
16	ROOFTOP DECK
17	ROOFTOP DECK
18	ROOFTOP DECK
19	ROOFTOP DECK
20	ROOFTOP DECK
21	ROOFTOP DECK
22	ROOFTOP DECK
23	ROOFTOP DECK
24	ROOFTOP DECK
25	ROOFTOP DECK
26	ROOFTOP DECK
27	ROOFTOP DECK
28	ROOFTOP DECK
29	ROOFTOP DECK
30	ROOFTOP DECK
31	ROOFTOP DECK
32	ROOFTOP DECK
33	ROOFTOP DECK
34	ROOFTOP DECK
35	ROOFTOP DECK
36	ROOFTOP DECK
37	ROOFTOP DECK
38	ROOFTOP DECK
39	ROOFTOP DECK
40	ROOFTOP DECK
41	ROOFTOP DECK
42	ROOFTOP DECK
43	ROOFTOP DECK
44	ROOFTOP DECK
45	ROOFTOP DECK
46	ROOFTOP DECK
47	ROOFTOP DECK
48	ROOFTOP DECK
49	ROOFTOP DECK
50	ROOFTOP DECK
51	ROOFTOP DECK
52	ROOFTOP DECK
53	ROOFTOP DECK
54	ROOFTOP DECK
55	ROOFTOP DECK
56	ROOFTOP DECK
57	ROOFTOP DECK
58	ROOFTOP DECK
59	ROOFTOP DECK
60	ROOFTOP DECK
61	ROOFTOP DECK
62	ROOFTOP DECK
63	ROOFTOP DECK
64	ROOFTOP DECK
65	ROOFTOP DECK
66	ROOFTOP DECK
67	ROOFTOP DECK
68	ROOFTOP DECK
69	ROOFTOP DECK
70	ROOFTOP DECK
71	ROOFTOP DECK
72	ROOFTOP DECK
73	ROOFTOP DECK
74	ROOFTOP DECK
75	ROOFTOP DECK
76	ROOFTOP DECK
77	ROOFTOP DECK
78	ROOFTOP DECK
79	ROOFTOP DECK
80	ROOFTOP DECK
81	ROOFTOP DECK
82	ROOFTOP DECK
83	ROOFTOP DECK
84	ROOFTOP DECK
85	ROOFTOP DECK
86	ROOFTOP DECK
87	ROOFTOP DECK
88	ROOFTOP DECK
89	ROOFTOP DECK
90	ROOFTOP DECK
91	ROOFTOP DECK
92	ROOFTOP DECK
93	ROOFTOP DECK
94	ROOFTOP DECK
95	ROOFTOP DECK
96	ROOFTOP DECK
97	ROOFTOP DECK
98	ROOFTOP DECK
99	ROOFTOP DECK
100	ROOFTOP DECK



MEDITERRANEAN VILLAGE
AT PONCE CIRCLE




ACTIVATED ROOFTOP HARDSCAPE PLAN - SOUTH PARCEL




CITY COMMISSION
SECOND READING

OVERALL ON-SITE ACTIVATED ROOFTOP PLANTING PLAN



CITY COMMISSION
SECOND READING



1. ADEQUATE SOIL TYPE AND VOLUME WILL BE PROVIDED FOR ALL ROOFTOP TREES AND WILL BE REVIEWED AND COORDINATED WITH PUBLIC SERVICE.




**MEDITERRANEAN VILLAGE
AT PONCE CIRCLE**




ACTIVATED ROOFTOP PLANTING PLAN - CENTRAL PARCEL



ACTIVATED ROOFTOP PLANTING PLAN - SOUTH PARCEL





OFF-SITE IMPROVEMENTS

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE




OVERALL NEIGHBORHOOD/STREETSCAPE ENHANCEMENTS

STREETSCAPE
IMPROVEMENTS TO EAST AND
WEST SIDE OF PONCE DE
LEON BLVD

SITE AND SURROUNDING
STREET IMPROVEMENTS

NEIGHBORHOOD
STREETSCAPE
IMPROVEMENTS

OFF-SITE IMPROVEMENTS




PONCE DE LEON STREETSCAPE ENHANCEMENTS

*EAST AND SIDE OF PONCE DE LEON



- NOTES:
1. STREETSCAPE IMPROVEMENTS TO BE DESIGNED AND PREPARED BY CITY OF CORAL GABLES CONSULTANT AND PAID FOR BY THE DEVELOPER.
 2. EXISTING BASE INFORMATION WAS PULLED FROM PUBLIC GIS INFORMATION AND AERIAL PHOTOS. ALL EXISTING CONDITIONS SHALL BE VERIFIED IN THE FIELD.




PLEASE REFER TO DEVELOPMENT AGREEMENT




OFF-SITE IMPROVEMENTS

EAST NEIGHBORHOOD ENHANCEMENTS




STREET SECTIONS

TYPICAL RESIDENTIAL STREET SECTION



COCONUT GROVE DRIVE SECTION



OFF-SITE IMPROVEMENTS

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE

ALPHA

RTKL
AN ARCADIS COMPANY

MAHAN RYKIEL
ARCHITECTS

WEST NEIGHBORHOOD ENHANCEMENTS



RAISED
CROSSWALKS
(TRAFFIC CALMING)

NARROWED
STREETS

NEW SHADE
TREES

OFF-SITE IMPROVEMENTS

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE



AN ARCADIS COMPANY



AGAVE FORCE



PROJECT RENDERINGS

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE



AN ARCADIS COMPANY



AGAVE PONCE

FRED B. HARTNETT PARK - LOOKING SOUTHEAST



PLAZA AT PONCE AND PALERMO - LOOKING SOUTHEAST

CITY COMMISSION
SECOND READING

**MEDITERRANEAN VILLAGE
AT PONCE CIRCLE**



PROJECT RENDERINGS

257

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE

LOOKING SOUTHEAST ON PONCE DE LEON



OFFICE ENTRANCE ON SEVILLA

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE

RTKL

AN ARCADIS COMPANY



AGAVE PONCE

PROJECT RENDERINGS

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE

AERIAL LOOKING SOUTHWEST



LOADING ENTRANCE ON SEVILLA

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE

RTKL
AN ARCADIS COMPANY



AGAVE PONCE

PROJECT RENDERINGS

261

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE



MALAGA AVENUE - LOOKING NORTHEAST AT COCONUT GROVE DRIVE



PROJECT RENDERINGS

MALAGA AVENUE AT COCONUT GROVE DRIVE

CITY COMMISSION
SECOND READING

**MEDITERRANEAN VILLAGE
AT PONCE CIRCLE**

RTKL

AN ARCADIS COMPANY



AGAVE PONCE

PROJECT RENDERINGS

263

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE AT PONCE CIRCLE

AERIAL LOOKING SOUTHWEST





CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE AT PONCE CIRCLE



AN ARCADIS COMPANY



AGAVE PONCE

RETAIL ENTRANCE ON PONCE DE LEON

PROJECT RENDERINGS

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE AT PONCE CIRCLE

AERIAL LOOKING SOUTHEAST



PROJECT RENDERINGS



AERIAL LOOKING NORTHWEST

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE

RTKL
AN ARCADIS COMPANY



PROJECT RENDERINGS

267



CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE AT PONCE CIRCLE



PROJECT RENDERINGS