



PROPOSAL NUMBER
904836
PROPOSAL NAME
1258 Obispo 08/2025
EXTERNAL PURCHASE ORDER ID
1258 Obispo 08/2025

QUOTE ITEMS

LINE NUM	LINE NAME	ASSEMBLY SYSTEM	ASSEMBLY	UNIT PRICE	TOTAL QUANTITY	TOTAL PRICE																																																																																					
1	D1	ES-46T LMI - SWING DOOR	SINGLE LEAF	\$3,675.94	1	\$3,675.94																																																																																					
		<table><tr><td>SIZE</td><td>39 1/2" X 86"</td><td>FBC CERTIFICATION</td><td colspan="2"></td></tr><tr><td>WEIGHT</td><td>177.71 LBS (80.78 KG)</td><td>INTERNAL PSF</td><td colspan="2">EXTERNAL PSF</td></tr><tr><td>AREA</td><td>23.59 FT²</td><td>100.00</td><td colspan="2">90.00</td></tr><tr><td>FINISH</td><td>AAMA 2605 BLACK</td><td>CODE</td><td colspan="2">FL 21835.2</td></tr><tr><td>INTERIOR FINISH</td><td>AAMA 2605 BLACK</td><td colspan="3"></td></tr><tr><td>GLASS</td><td>1/4" CLEAR HS SB70 + 0.09 PVB TRANSLUCENT WHITE + 3/16" CLEAR HS</td><td colspan="3"></td></tr><tr><td>MUNTINS</td><td>NO</td><td colspan="3"></td></tr><tr><td>OPENING</td><td>LEFT OPENING (XL)</td><td colspan="3"></td></tr><tr><td>TRANSOM</td><td>NO</td><td colspan="3"></td></tr><tr><td>LOCATION</td><td>SINGLE</td><td colspan="3"></td></tr><tr><td>SILL TYPE</td><td>STANDARD</td><td colspan="3"></td></tr><tr><td>HANDLE TYPE</td><td>ARIA</td><td colspan="3"></td></tr><tr><td>HANDLE COLOR</td><td>STANDARD</td><td colspan="3"></td></tr><tr><td>STRAP ANCHOR</td><td>NO</td><td colspan="3"></td></tr><tr><td>PROTECTIVE FILM</td><td>BOTH</td><td colspan="3"></td></tr><tr><td>GLASS COVER TYPE</td><td>STANDARD</td><td colspan="3"></td></tr><tr><td>PRE-GLAZED?</td><td>YES</td><td colspan="3"></td></tr></table>					SIZE	39 1/2" X 86"	FBC CERTIFICATION			WEIGHT	177.71 LBS (80.78 KG)	INTERNAL PSF	EXTERNAL PSF		AREA	23.59 FT ²	100.00	90.00		FINISH	AAMA 2605 BLACK	CODE	FL 21835.2		INTERIOR FINISH	AAMA 2605 BLACK				GLASS	1/4" CLEAR HS SB70 + 0.09 PVB TRANSLUCENT WHITE + 3/16" CLEAR HS				MUNTINS	NO				OPENING	LEFT OPENING (XL)				TRANSOM	NO				LOCATION	SINGLE				SILL TYPE	STANDARD				HANDLE TYPE	ARIA				HANDLE COLOR	STANDARD				STRAP ANCHOR	NO				PROTECTIVE FILM	BOTH				GLASS COVER TYPE	STANDARD				PRE-GLAZED?	YES			
SIZE	39 1/2" X 86"	FBC CERTIFICATION																																																																																									
WEIGHT	177.71 LBS (80.78 KG)	INTERNAL PSF	EXTERNAL PSF																																																																																								
AREA	23.59 FT ²	100.00	90.00																																																																																								
FINISH	AAMA 2605 BLACK	CODE	FL 21835.2																																																																																								
INTERIOR FINISH	AAMA 2605 BLACK																																																																																										
GLASS	1/4" CLEAR HS SB70 + 0.09 PVB TRANSLUCENT WHITE + 3/16" CLEAR HS																																																																																										
MUNTINS	NO																																																																																										
OPENING	LEFT OPENING (XL)																																																																																										
TRANSOM	NO																																																																																										
LOCATION	SINGLE																																																																																										
SILL TYPE	STANDARD																																																																																										
HANDLE TYPE	ARIA																																																																																										
HANDLE COLOR	STANDARD																																																																																										
STRAP ANCHOR	NO																																																																																										
PROTECTIVE FILM	BOTH																																																																																										
GLASS COVER TYPE	STANDARD																																																																																										
PRE-GLAZED?	YES																																																																																										
2	W1	ES-P252 LMI - CASEMENT	CASEMENT	\$1,856.46	1	\$1,856.46																																																																																					
		<table><tr><td>SIZE</td><td>39" X 53"</td><td>FBC CERTIFICATION</td><td colspan="2"></td></tr><tr><td>WEIGHT</td><td>97.61 LBS (44.37 KG)</td><td>INTERNAL PSF</td><td colspan="2">EXTERNAL PSF</td></tr><tr><td>AREA</td><td>14.35 FT²</td><td>80.00</td><td colspan="2">80.00</td></tr><tr><td>FINISH</td><td>AAMA 2605 BLACK</td><td>CODE</td><td colspan="2">FL 20692.1</td></tr><tr><td>INTERIOR FINISH</td><td>AAMA 2605 BLACK</td><td>NOA CERTIFICATION</td><td colspan="2"></td></tr><tr><td>GLASS</td><td>3/16" CLEAR HS SB70 + 0.09 PVB CLEAR + 3/16" CLEAR HS</td><td>INTERNAL PSF</td><td colspan="2">EXTERNAL PSF</td></tr><tr><td>SCREEN</td><td>YES</td><td>80.00</td><td colspan="2">80.00</td></tr><tr><td>MUNTINS</td><td>YES</td><td>CODE</td><td colspan="2">24-1007.06</td></tr><tr><td>OPENING</td><td>LEFT OPENING (XL)</td><td>MUNTIN DETAILS</td><td colspan="2"></td></tr><tr><td>STACKING</td><td>STANDARD</td><td>PANEL</td><td colspan="2">A</td></tr><tr><td>FRAME TYPE</td><td>FLUSH</td><td>PATTERN</td><td colspan="2">GRID</td></tr><tr><td>GLAZING TYPE</td><td>LMI</td><td>LITES ACROSS</td><td colspan="2">2</td></tr><tr><td>LIMIT DEVICE</td><td></td><td>LITES DOWN</td><td colspan="2">4</td></tr><tr><td>STRAP ANCHOR</td><td>NO</td><td>INTERNAL STYLE</td><td colspan="2">ES1014</td></tr><tr><td>PROTECTIVE FILM</td><td>BOTH</td><td>EXTERNAL STYLE</td><td colspan="2">ES1014</td></tr><tr><td>EXTERNAL BEAD TYPE</td><td>STANDARD (45GRADE)</td><td colspan="3"></td></tr><tr><td>PRE-GLAZED?</td><td>YES</td><td colspan="3"></td></tr></table>					SIZE	39" X 53"	FBC CERTIFICATION			WEIGHT	97.61 LBS (44.37 KG)	INTERNAL PSF	EXTERNAL PSF		AREA	14.35 FT ²	80.00	80.00		FINISH	AAMA 2605 BLACK	CODE	FL 20692.1		INTERIOR FINISH	AAMA 2605 BLACK	NOA CERTIFICATION			GLASS	3/16" CLEAR HS SB70 + 0.09 PVB CLEAR + 3/16" CLEAR HS	INTERNAL PSF	EXTERNAL PSF		SCREEN	YES	80.00	80.00		MUNTINS	YES	CODE	24-1007.06		OPENING	LEFT OPENING (XL)	MUNTIN DETAILS			STACKING	STANDARD	PANEL	A		FRAME TYPE	FLUSH	PATTERN	GRID		GLAZING TYPE	LMI	LITES ACROSS	2		LIMIT DEVICE		LITES DOWN	4		STRAP ANCHOR	NO	INTERNAL STYLE	ES1014		PROTECTIVE FILM	BOTH	EXTERNAL STYLE	ES1014		EXTERNAL BEAD TYPE	STANDARD (45GRADE)				PRE-GLAZED?	YES			
SIZE	39" X 53"	FBC CERTIFICATION																																																																																									
WEIGHT	97.61 LBS (44.37 KG)	INTERNAL PSF	EXTERNAL PSF																																																																																								
AREA	14.35 FT ²	80.00	80.00																																																																																								
FINISH	AAMA 2605 BLACK	CODE	FL 20692.1																																																																																								
INTERIOR FINISH	AAMA 2605 BLACK	NOA CERTIFICATION																																																																																									
GLASS	3/16" CLEAR HS SB70 + 0.09 PVB CLEAR + 3/16" CLEAR HS	INTERNAL PSF	EXTERNAL PSF																																																																																								
SCREEN	YES	80.00	80.00																																																																																								
MUNTINS	YES	CODE	24-1007.06																																																																																								
OPENING	LEFT OPENING (XL)	MUNTIN DETAILS																																																																																									
STACKING	STANDARD	PANEL	A																																																																																								
FRAME TYPE	FLUSH	PATTERN	GRID																																																																																								
GLAZING TYPE	LMI	LITES ACROSS	2																																																																																								
LIMIT DEVICE		LITES DOWN	4																																																																																								
STRAP ANCHOR	NO	INTERNAL STYLE	ES1014																																																																																								
PROTECTIVE FILM	BOTH	EXTERNAL STYLE	ES1014																																																																																								
EXTERNAL BEAD TYPE	STANDARD (45GRADE)																																																																																										
PRE-GLAZED?	YES																																																																																										

3

W2 - LEFT

ES-P252 LMI -
CASEMENT

CASEMENT


\$1,470.27

1

\$1,470.27


</

6	W3	ES-P252 LMI - CASEMENT	CASEMENT	\$1,856.46	1	\$1,856.46
---	----	---------------------------	----------	------------	---	------------




SIZE	39" X 53"	FBC CERTIFICATION	
WEIGHT	97.61 LBS (44.37 KG)	INTERNAL PSF	EXTERNAL PSF
AREA	14.35 FT ²	80.00	80.00
FINISH	AAMA 2605 BLACK	CODE	FL 20692.1
INTERIOR FINISH	AAMA 2605 BLACK	NOA CERTIFICATION	
GLASS	3/16" CLEAR HS SB70 + 0.09 PVB CLEAR + 3/16" CLEAR HS	INTERNAL PSF	EXTERNAL PSF
SCREEN	YES	80.00	80.00
MUNTINS	YES	CODE	24-1007.06
OPENING	LEFT OPENING (XL)	MUNTIN DETAILS	
STACKING	STANDARD	PANEL	A
FRAME TYPE	FLUSH	PATTERN	GRID
GLAZING TYPE	LMI	LITES ACROSS	2
LIMIT DEVICE		LITES DOWN	4
STRAP ANCHOR	NO	INTERNAL STYLE	ES1014
PROTECTIVE FILM	BOTH	EXTERNAL STYLE	ES1014
EXTERNAL BEAD TYPE	STANDARD (45GRADE)		
PRE-GLAZED?	YES		

7	W4	ES-P252 LMI - CASEMENT	CASEMENT	\$1,519.97	1	\$1,519.97
---	----	---------------------------	----------	------------	---	------------



SIZE	38" X 40"	FBC CERTIFICATION	
WEIGHT	73.77 LBS (33.53 KG)	INTERNAL PSF	EXTERNAL PSF
AREA	10.56 FT ²	80.00	80.00
FINISH	AAMA 2605 BLACK	CODE	FL 20692.1
INTERIOR FINISH	AAMA 2605 BLACK	NOA CERTIFICATION	
GLASS	3/16" CLEAR HS SB70 + 0.09 PVB CLEAR + 3/16" CLEAR HS	INTERNAL PSF	EXTERNAL PSF
SCREEN	YES	80.00	80.00
MUNTINS	YES	CODE	24-1007.06
OPENING	LEFT OPENING (XL)	MUNTIN DETAILS	
STACKING	STANDARD	PANEL	A
FRAME TYPE	FLUSH	PATTERN	GRID
GLAZING TYPE	LMI	LITES ACROSS	2
LIMIT DEVICE		LITES DOWN	3
STRAP ANCHOR	NO	INTERNAL STYLE	ES1014
PROTECTIVE FILM	BOTH	EXTERNAL STYLE	ES1014
EXTERNAL BEAD TYPE	STANDARD (45GRADE)		
PRE-GLAZED?	YES		

8 W5 ES-P252 LMI - CASEMENT \$1,856.46 1 \$1,856.46
CASEMENT





SIZE	39" X 53"	FBC CERTIFICATION	
WEIGHT	97.61 LBS (44.37 KG)	INTERNAL PSF	EXTERNAL PSF
AREA	14.35 FT ²	80.00	80.00
FINISH	AAMA 2605 BLACK	CODE	FL 20692.1
INTERIOR FINISH	AAMA 2605 BLACK	NOA CERTIFICATION	
GLASS	3/16" CLEAR HS SB70 + 0.09 PVB CLEAR + 3/16" CLEAR HS	INTERNAL PSF	EXTERNAL PSF
SCREEN	YES	80.00	80.00
MUNTINS	YES	CODE	24-1007.06
OPENING	LEFT OPENING (XL)	MUNTIN DETAILS	
STACKING	STANDARD	PANEL	A
FRAME TYPE	FLUSH	PATTERN	GRID
GLAZING TYPE	LMI	LITES ACROSS	2
LIMIT DEVICE		LITES DOWN	4
STRAP ANCHOR	NO	INTERNAL STYLE	ES1014
PROTECTIVE FILM	BOTH	EXTERNAL STYLE	ES1014
EXTERNAL BEAD TYPE	STANDARD (45GRADE)		
PRE-GLAZED?	YES		


9 W6 - LEFT ES-P252 LMI - CASEMENT \$1,470.27 1 \$1,470.27
CASEMENT






SIZE	26" X 53"	FBC CERTIFICATION	
WEIGHT	68.25 LBS (31.02 KG)	INTERNAL PSF	EXTERNAL PSF
AREA	9.57 FT ²	80.00	80.00
FINISH	AAMA 2605 BLACK	CODE	FL 20692.1
INTERIOR FINISH	AAMA 2605 BLACK	NOA CERTIFICATION	
GLASS	3/16" CLEAR HS SB70 + 0.09 PVB CLEAR + 3/16" CLEAR HS	INTERNAL PSF	EXTERNAL PSF
SCREEN	YES	80.00	80.00
MUNTINS	YES	CODE	24-1007.06
OPENING	LEFT OPENING (XL)	MUNTIN DETAILS	
STACKING	STANDARD	PANEL	A
FRAME TYPE	FLUSH	PATTERN	GRID
GLAZING TYPE	LMI	LITES ACROSS	1
LIMIT DEVICE		LITES DOWN	4
STRAP ANCHOR	NO	INTERNAL STYLE	ES1014
PROTECTIVE FILM	BOTH	EXTERNAL STYLE	ES1014
EXTERNAL BEAD TYPE	STANDARD (45GRADE)		
PRE-GLAZED?	YES		


10	W6 - RIGH	ES-P252 LMI - CASEMENT	CASEMENT	\$1,470.27	1	\$1,470.27
		SIZE 26" X 53" WEIGHT 68.25 LBS (31.02 KG) AREA 9.57 FT ² FINISH AAMA 2605 BLACK INTERIOR FINISH AAMA 2605 BLACK GLASS 3/16" CLEAR HS SB70 + 0.09 PVB CLEAR + 3/16" CLEAR HS SCREEN YES MUNTINS YES OPENING RIGHT OPENING (XR) STACKING STANDARD FRAME TYPE FLUSH GLAZING TYPE LMI LIMIT DEVICE STRAP ANCHOR NO PROTECTIVE FILM BOTH EXTERNAL BEAD TYPE STANDARD (45GRADE) PRE-GLAZED? YES	FBC CERTIFICATION INTERNAL PSF 80.00 EXTERNAL PSF 80.00 CODE FL 20692.1 NOA CERTIFICATION INTERNAL PSF 80.00 EXTERNAL PSF 80.00 CODE 24-1007.06 MUNTIN DETAILS PANEL A PATTERN GRID LITES ACROSS 1 LITES DOWN 4 INTERNAL STYLE ES1014 EXTERNAL STYLE ES1014			


11	W6 MULL	MULLION	1 X 4 X 1/8	\$58.60	1	\$58.60
		SIZE 1" X 53" WEIGHT 7.12 LBS (3.24 KG) AREA 0.37 FT ² FINISH AAMA 2605 BLACK INTERIOR FINISH AAMA 2605 BLACK GLASS MULLION TYPE 1 X 4 X 1/8 PRE-GLAZED? NO				


12	W7	ES-P252 LMI - FIXED WINDOW	FIXED	\$2,033.36	1	\$2,033.36
		SIZE 36" X 88" WEIGHT 129.19 LBS (58.72 KG) AREA 22.00 FT ² FINISH AAMA 2605 BLACK INTERIOR FINISH AAMA 2605 BLACK GLASS 3/16" CLEAR HS SB70 + 0.09 SGP CLEAR + 3/16" CLEAR HS MUNTIN POSITION NO RECEPTOR NO FRAME TYPE FLANGE GLAZING TYPE LMI STRAP ANCHOR NO PROTECTIVE FILM BOTH PRE-GLAZED? YES	FBC CERTIFICATION INTERNAL PSF 150.00 EXTERNAL PSF 110.00 CODE FL 26359.1 NOA CERTIFICATION INTERNAL PSF 150.00 EXTERNAL PSF 110.00 CODE 24-1101.03			


13	W8	ES-P252 LMI - FIXED WINDOW	FIXED	\$2,125.76	4	\$8,503.06
		SIZE 38" X 88" WEIGHT 135.91 LBS (61.78 KG) AREA 23.22 FT ² FINISH AAMA 2605 BLACK INTERIOR FINISH AAMA 2605 BLACK GLASS 3/16" CLEAR HS SB70 + 0.09 SGP CLEAR + 3/16" CLEAR HS MUNTIN NO POSITION SINGLE RECEPTOR NO FRAME TYPE FLANGE GLAZING TYPE LMI STRAP ANCHOR NO PROTECTIVE FILM BOTH PRE-GLAZED? YES	FBC CERTIFICATION INTERNAL PSF 135.00 EXTERNAL PSF 110.00 CODE FL 26359.1 NOA CERTIFICATION INTERNAL PSF 135.00 EXTERNAL PSF 110.00 CODE 24-1101.03			
14	W8 MULL	MULLION	1 X 4 X 1/8	\$93.01	3	\$279.03
		SIZE 1" X 88" WEIGHT 11.27 LBS (5.12 KG) AREA 0.61 FT ² FINISH AAMA 2605 BLACK INTERIOR FINISH AAMA 2605 BLACK GLASS MULLION TYPE 1 X 4 X 1/8 PRE-GLAZED? NO				
15	D2	ES-46T LMI - SWING DOOR	SINGLE LEAF	\$3,497.92	1	\$3,497.92
		SIZE 36" X 86" WEIGHT 163.75 LBS (74.43 KG) AREA 21.50 FT ² FINISH AAMA 2605 BLACK INTERIOR FINISH AAMA 2605 BLACK GLASS 1/4" CLEAR HS SB70 + 0.09 PVB TRANSLUCENT WHITE + 3/16" CLEAR HS MUNTINS NO OPENING RIGHT OPENING (XR) TRANSOM NO LOCATION SINGLE SILL TYPE STANDARD HANDLE TYPE ARIA HANDLE COLOR STANDARD STRAP ANCHOR NO PROTECTIVE FILM BOTH GLASS COVER TYPE STANDARD PRE-GLAZED? YES	FBC CERTIFICATION INTERNAL PSF 100.00 EXTERNAL PSF 90.00 CODE FL 21835.2			

16	D3	ES-46T LMI - SWING DOOR	SINGLE LEAF	\$3,497.92	1	\$3,497.92		
			SIZE 36" X 86"			FBC CERTIFICATION		
			WEIGHT 163.75 LBS (74.43 KG)			INTERNAL PSF		EXTERNAL PSF
			AREA 21.50 FT ²			100.00		90.00
			FINISH AAMA 2605 BLACK			CODE		FL 21835.2
			INTERIOR FINISH AAMA 2605 BLACK					
			GLASS 1/4" CLEAR HS SB70 + 0.09 PVB TRANSLUCENT WHITE + 3/16" CLEAR HS					
			MUNTINS NO					
			OPENING RIGHT OPENING (XR)					
			TRANSOM NO					
			LOCATION SINGLE					
			SILL TYPE STANDARD					
			HANDLE TYPE ARIA					
			HANDLE COLOR STANDARD					
			STRAP ANCHOR NO					
PROTECTIVE FILM BOTH								
GLASS COVER TYPE STANDARD								
PRE-GLAZED? YES								


17	W9	ES-P252 LMI - FIXED WINDOW	FIXED	\$2,699.30	1	\$2,699.30
						
SIZE			47" X 94"		FBC CERTIFICATION	
WEIGHT			177.16 LBS (80.53 KG)		INTERNAL PSF EXTERNAL PSF	
AREA			30.68 FT ²		135.00 110.00	
FINISH			AAMA 2605 BLACK		CODE FL 26359.1	
INTERIOR FINISH			AAMA 2605 BLACK		NOA CERTIFICATION	
GLASS			3/16" CLEAR HS SB70 + 0.09 SGP CLEAR + 3/16" CLEAR HS		INTERNAL PSF EXTERNAL PSF	
MUNTIN POSITION			NO		135.00 110.00	
RECEPTOR			NO		CODE 24-1101.03	
FRAME TYPE			FLANGE			
GLAZING TYPE			LMI			
STRAP ANCHOR			NO			
PROTECTIVE FILM			BOTH			
PRE-GLAZED?			YES			


18	D4	ES-46T LMI - SWING DOOR	SINGLE LEAF	\$3,761.07	1	\$3,761.07	
			SIZE	36" X 96"	FBC CERTIFICATION		
			WEIGHT	181.55 LBS (82.52 KG)	INTERNAL PSF	EXTERNAL PSF	
			AREA	24.00 FT ²	100.00	90.00	
			FINISH	AAMA 2605 BLACK	CODE	FL 21835.2	
			INTERIOR FINISH	AAMA 2605 BLACK			
			GLASS	1/4" CLEAR HS SB70 + 0.09 PVB TRANSLUCENT WHITE + 3/16" CLEAR HS			
			MUNTINS	NO			
			OPENING	RIGHT OPENING (XR)			
			TRANSOM	NO			
			LOCATION	SINGLE			
SILL TYPE	STANDARD						
HANDLE TYPE	ARIA						
HANDLE COLOR	STANDARD						
STRAP ANCHOR	NO						
PROTECTIVE FILM	BOTH						
GLASS COVER TYPE	STANDARD						
PRE-GLAZED?	YES						

19	W10 - LEFT	ES-P252 LMI - CASEMENT	CASEMENT	\$1,243.94	1	\$1,243.94																																																																			
			<table><tr><td>SIZE</td><td>26" X 40"</td><td colspan="2">FBC CERTIFICATION</td></tr><tr><td>WEIGHT</td><td>53.12 LBS (24.14 KG)</td><td>INTERNAL PSF</td><td>EXTERNAL PSF</td></tr><tr><td>AREA</td><td>7.22 FT²</td><td>80.00</td><td>80.00</td></tr><tr><td>FINISH</td><td>AAMA 2605 BLACK</td><td>CODE</td><td>FL 20692.1</td></tr><tr><td>INTERIOR FINISH</td><td>AAMA 2605 BLACK</td><td colspan="2">NOA CERTIFICATION</td></tr><tr><td>GLASS</td><td>3/16" CLEAR HS SB70 + 0.09 PVB CLEAR + 3/16" CLEAR HS</td><td>INTERNAL PSF</td><td>EXTERNAL PSF</td></tr><tr><td>SCREEN</td><td>YES</td><td>80.00</td><td>80.00</td></tr><tr><td>MUNTINS</td><td>YES</td><td>CODE</td><td>24-1007.06</td></tr><tr><td>OPENING</td><td>LEFT OPENING (XL)</td><td colspan="2">MUNTIN DETAILS</td></tr><tr><td>STACKING</td><td>STANDARD</td><td>PANEL</td><td>A</td></tr><tr><td>FRAME TYPE</td><td>FLUSH</td><td>PATTERN</td><td>GRID</td></tr><tr><td>GLAZING TYPE</td><td>LMI</td><td>LITES ACROSS</td><td>2</td></tr><tr><td>LIMIT DEVICE</td><td></td><td>LITES DOWN</td><td>3</td></tr><tr><td>STRAP ANCHOR</td><td>NO</td><td>INTERNAL STYLE</td><td>ES1014</td></tr><tr><td>PROTECTIVE FILM</td><td>BOTH</td><td>EXTERNAL STYLE</td><td>ES1014</td></tr><tr><td>EXTERNAL BEAD TYPE</td><td>STANDARD (45GRADE)</td><td colspan="2"></td></tr><tr><td>PRE-GLAZED?</td><td>YES</td><td colspan="2"></td></tr></table>			SIZE	26" X 40"	FBC CERTIFICATION		WEIGHT	53.12 LBS (24.14 KG)	INTERNAL PSF	EXTERNAL PSF	AREA	7.22 FT ²	80.00	80.00	FINISH	AAMA 2605 BLACK	CODE	FL 20692.1	INTERIOR FINISH	AAMA 2605 BLACK	NOA CERTIFICATION		GLASS	3/16" CLEAR HS SB70 + 0.09 PVB CLEAR + 3/16" CLEAR HS	INTERNAL PSF	EXTERNAL PSF	SCREEN	YES	80.00	80.00	MUNTINS	YES	CODE	24-1007.06	OPENING	LEFT OPENING (XL)	MUNTIN DETAILS		STACKING	STANDARD	PANEL	A	FRAME TYPE	FLUSH	PATTERN	GRID	GLAZING TYPE	LMI	LITES ACROSS	2	LIMIT DEVICE		LITES DOWN	3	STRAP ANCHOR	NO	INTERNAL STYLE	ES1014	PROTECTIVE FILM	BOTH	EXTERNAL STYLE	ES1014	EXTERNAL BEAD TYPE	STANDARD (45GRADE)			PRE-GLAZED?	YES		
SIZE	26" X 40"	FBC CERTIFICATION																																																																							
WEIGHT	53.12 LBS (24.14 KG)	INTERNAL PSF	EXTERNAL PSF																																																																						
AREA	7.22 FT ²	80.00	80.00																																																																						
FINISH	AAMA 2605 BLACK	CODE	FL 20692.1																																																																						
INTERIOR FINISH	AAMA 2605 BLACK	NOA CERTIFICATION																																																																							
GLASS	3/16" CLEAR HS SB70 + 0.09 PVB CLEAR + 3/16" CLEAR HS	INTERNAL PSF	EXTERNAL PSF																																																																						
SCREEN	YES	80.00	80.00																																																																						
MUNTINS	YES	CODE	24-1007.06																																																																						
OPENING	LEFT OPENING (XL)	MUNTIN DETAILS																																																																							
STACKING	STANDARD	PANEL	A																																																																						
FRAME TYPE	FLUSH	PATTERN	GRID																																																																						
GLAZING TYPE	LMI	LITES ACROSS	2																																																																						
LIMIT DEVICE		LITES DOWN	3																																																																						
STRAP ANCHOR	NO	INTERNAL STYLE	ES1014																																																																						
PROTECTIVE FILM	BOTH	EXTERNAL STYLE	ES1014																																																																						
EXTERNAL BEAD TYPE	STANDARD (45GRADE)																																																																								
PRE-GLAZED?	YES																																																																								


20	W10 - RIGH	ES-P252 LMI - CASEMENT	CASEMENT	\$1,243.94	1	\$1,243.94																			
		SIZE 26" X 40" WEIGHT 53.12 LBS (24.14 KG) AREA 7.22 FT² FINISH AAMA 2605 BLACK INTERIOR FINISH AAMA 2605 BLACK GLASS 3/16" CLEAR HS SB70 + 0.09 PVB CLEAR + 3/16" CLEAR HS SCREEN YES MUNTINS YES OPENING RIGHT OPENING (XR) STACKING STANDARD FRAME TYPE FLUSH GLAZING TYPE LMI LIMIT DEVICE STRAP ANCHOR NO PROTECTIVE FILM BOTH EXTERNAL BEAD TYPE STANDARD (45GRADE) PRE-GLAZED? YES		FBC CERTIFICATION <table><tr><td>INTERNAL PSF</td><td>EXTERNAL PSF</td></tr><tr><td>80.00</td><td>80.00</td></tr></table> CODE FL 20692.1 NOA CERTIFICATION <table><tr><td>INTERNAL PSF</td><td>EXTERNAL PSF</td></tr><tr><td>80.00</td><td>80.00</td></tr></table> CODE 24-1007.06 MUNTIN DETAILS <table><tr><td>PANEL</td><td>A</td></tr><tr><td>PATTERN</td><td>GRID</td></tr><tr><td>LITES ACROSS</td><td>2</td></tr><tr><td>LITES DOWN</td><td>3</td></tr><tr><td>INTERNAL STYLE</td><td>ES1014</td></tr><tr><td>EXTERNAL STYLE</td><td>ES1014</td></tr></table>		INTERNAL PSF	EXTERNAL PSF	80.00	80.00	INTERNAL PSF	EXTERNAL PSF	80.00	80.00	PANEL	A	PATTERN	GRID	LITES ACROSS	2	LITES DOWN	3	INTERNAL STYLE	ES1014	EXTERNAL STYLE	ES1014
INTERNAL PSF	EXTERNAL PSF																								
80.00	80.00																								
INTERNAL PSF	EXTERNAL PSF																								
80.00	80.00																								
PANEL	A																								
PATTERN	GRID																								
LITES ACROSS	2																								
LITES DOWN	3																								
INTERNAL STYLE	ES1014																								
EXTERNAL STYLE	ES1014																								

21	W10 MULL	MULLION	1 X 4 X 1/8	\$45.84	1	\$45.84																																															
		SIZE 1" X 40" **WEIGHT** 5.58 LBS (2.53 KG) **AREA** 0.28 FT² **FINISH** AAMA 2605 BLACK **INTERIOR FINISH** AAMA 2605 BLACK **GLASS** **MULLION TYPE** 1 X 4 X 1/8 **PRE-GLAZED?** NO																																																			
22	W11 - LEFT	ES-P252 LMI - CASEMENT	CASEMENT	\$1,470.27	1	\$1,470.27																																															
		SIZE 26" X 53" **WEIGHT** 68.25 LBS (31.02 KG) **AREA** 9.57 FT² **FINISH** AAMA 2605 BLACK **INTERIOR FINISH** AAMA 2605 BLACK **GLASS** 3/16" CLEAR HS SB70 + 0.09 PVB CLEAR + 3/16" CLEAR HS **SCREEN** YES **MUNTINS** YES **OPENING** LEFT OPENING (XL) **STACKING** STANDARD **FRAME TYPE** FLUSH **GLAZING TYPE** LMI **LIMIT DEVICE** **STRAP ANCHOR** NO **PROTECTIVE FILM** BOTH **EXTERNAL BEAD TYPE** STANDARD (45GRADE) **PRE-GLAZED?** YES		**FBC CERTIFICATION**				--------------	--------------		INTERNAL PSF	EXTERNAL PSF		80.00	80.00	**CODE** FL 20692.1 **NOA CERTIFICATION**				--------------	--------------		INTERNAL PSF	EXTERNAL PSF		80.00	80.00	**CODE** 24-1007.06 **MUNTIN DETAILS**				----------------	--------		PANEL	A		PATTERN	GRID		LITES ACROSS	1		LITES DOWN	4		INTERNAL STYLE	ES1014		EXTERNAL STYLE	ES1014		


23	W11 - RIGH	ES-P252 LMI - CASEMENT	CASEMENT	\$1,470.27	1	\$1,470.27
		SIZE 26" X 53" WEIGHT 68.25 LBS (31.02 KG) AREA 9.57 FT ² FINISH AAMA 2605 BLACK INTERIOR FINISH AAMA 2605 BLACK GLASS 3/16" CLEAR HS SB70 + 0.09 PVB CLEAR + 3/16" CLEAR HS SCREEN YES MUNTINS YES OPENING RIGHT OPENING (XR) STACKING STANDARD FRAME TYPE FLUSH GLAZING TYPE LMI LIMIT DEVICE STRAP ANCHOR NO PROTECTIVE FILM BOTH EXTERNAL BEAD TYPE STANDARD (45GRADE) PRE-GLAZED? YES	FBC CERTIFICATION INTERNAL PSF 80.00 EXTERNAL PSF 80.00 CODE FL 20692.1 NOA CERTIFICATION INTERNAL PSF 80.00 EXTERNAL PSF 80.00 CODE 24-1007.06 MUNTIN DETAILS PANEL A PATTERN GRID LITES ACROSS 1 LITES DOWN 4 INTERNAL STYLE ES1014 EXTERNAL STYLE ES1014			


24	W11 MULL	MULLION	1 X 4 X 1/8	\$58.60	1	\$58.60
		SIZE 1" X 53" WEIGHT 7.12 LBS (3.24 KG) AREA 0.37 FT ² FINISH AAMA 2605 BLACK INTERIOR FINISH AAMA 2605 BLACK GLASS MULLION TYPE 1 X 4 X 1/8 PRE-GLAZED? NO				

25	W12 - LEFT	ES-P252 LMI - CASEMENT	CASEMENT	\$1,470.27	1	\$1,470.27
		SIZE 26" X 53" WEIGHT 68.25 LBS (31.02 KG) AREA 9.57 FT ² FINISH AAMA 2605 BLACK INTERIOR FINISH AAMA 2605 BLACK GLASS 3/16" CLEAR HS SB70 + 0.09 PVB CLEAR + 3/16" CLEAR HS SCREEN YES MUNTINS YES OPENING LEFT OPENING (XL) STACKING STANDARD FRAME TYPE FLUSH GLAZING TYPE LMI LIMIT DEVICE STRAP ANCHOR NO PROTECTIVE FILM BOTH EXTERNAL BEAD TYPE STANDARD (45GRADE) PRE-GLAZED? YES	FBC CERTIFICATION INTERNAL PSF 80.00 EXTERNAL PSF 80.00 CODE FL 20692.1 NOA CERTIFICATION INTERNAL PSF 80.00 EXTERNAL PSF 80.00 CODE 24-1007.06 MUNTIN DETAILS PANEL A PATTERN GRID LITES ACROSS 1 LITES DOWN 4 INTERNAL STYLE ES1014 EXTERNAL STYLE ES1014			

26	W12 - RIGH	ES-P252 LMI - CASEMENT	CASEMENT	\$1,470.27	1	\$1,470.27
		SIZE 26" X 53" WEIGHT 68.25 LBS (31.02 KG) AREA 9.57 FT ² FINISH AAMA 2605 BLACK INTERIOR FINISH AAMA 2605 BLACK GLASS 3/16" CLEAR HS SB70 + 0.09 PVB CLEAR + 3/16" CLEAR HS SCREEN YES MUNTINS YES OPENING RIGHT OPENING (XR) STACKING STANDARD FRAME TYPE FLUSH GLAZING TYPE LMI LIMIT DEVICE STRAP ANCHOR NO PROTECTIVE FILM BOTH EXTERNAL BEAD TYPE STANDARD (45GRADE) PRE-GLAZED? YES		FBC CERTIFICATION INTERNAL PSF 80.00 EXTERNAL PSF 80.00 CODE FL 20692.1 NOA CERTIFICATION INTERNAL PSF 80.00 EXTERNAL PSF 80.00 CODE 24-1007.06 MUNTIN DETAILS PANEL A PATTERN GRID LITES ACROSS 1 LITES DOWN 4 INTERNAL STYLE ES1014 EXTERNAL STYLE ES1014		

27	W12 MULL	MULLION	1 X 4 X 1/8	\$58.60	1	\$58.60
		SIZE 1" X 53" WEIGHT 7.12 LBS (3.24 KG) AREA 0.37 FT ² FINISH AAMA 2605 BLACK INTERIOR FINISH AAMA 2605 BLACK GLASS MULLION TYPE 1 X 4 X 1/8 PRE-GLAZED? NO				

28	W13 - LEFT	ES-P252 LMI - CASEMENT	CASEMENT	\$2,345.10	1	\$2,345.10
		SIZE 37 1/2" X 76" WEIGHT 132.18 LBS (60.08 KG) AREA 19.79 FT ² FINISH AAMA 2605 BLACK INTERIOR FINISH AAMA 2605 BLACK GLASS 3/16" CLEAR HS SB70 + 0.09 PVB CLEAR + 3/16" CLEAR HS SCREEN YES MUNTINS YES OPENING LEFT OPENING (XL) STACKING STANDARD FRAME TYPE FLUSH GLAZING TYPE LMI LIMIT DEVICE STRAP ANCHOR NO PROTECTIVE FILM BOTH EXTERNAL BEAD TYPE STANDARD (45GRADE) PRE-GLAZED? YES		FBC CERTIFICATION INTERNAL PSF 80.00 EXTERNAL PSF 80.00 CODE FL 20692.1 NOA CERTIFICATION INTERNAL PSF 80.00 EXTERNAL PSF 80.00 CODE 24-1007.06 MUNTIN DETAILS PANEL A PATTERN GRID LITES ACROSS 2 LITES DOWN 6 INTERNAL STYLE ES1014 EXTERNAL STYLE ES1014		

29	W13 - RIGH	ES-P252 LMI - CASEMENT	CASEMENT	\$2,345.10	1	\$2,345.10
 SIZE37 1/2" X 76" WEIGHT132.18 LBS (60.08 KG) AREA19.79 FT² FINISHAAMA 2605 BLACK INTERIOR FINISHAAMA 2605 BLACK GLASS3/16" CLEAR HS SB70 + 0.09 PVB CLEAR + 3/16" CLEAR HS SCREENYES MUNTINSYES OPENINGRIGHT OPENING (XR) STACKINGSTANDARD FRAME TYPEFLUSH GLAZING TYPELMI LIMIT DEVICE STRAP ANCHORNO PROTECTIVE FILMBOTH EXTERNAL BEAD TYPESTANDARD (45GRADE) PRE-GLAZED?YES FBC CERTIFICATION INTERNAL PSF80.00 EXTERNAL PSF80.00 CODEFL 20692.1 NOA CERTIFICATION INTERNAL PSF80.00 EXTERNAL PSF80.00 CODE24-1007.06 MUNTIN DETAILS PANELA PATTERNGRID LITES ACROSS2 LITES DOWN6 INTERNAL STYLEES1014 EXTERNAL STYLEES1014						
30	W13 MULL	MULLION	1 X 4 X 1/8	\$81.21	1	\$81.21
 SIZE1" X 76" WEIGHT9.85 LBS (4.48 KG) AREA0.53 FT² FINISHAAMA 2605 BLACK INTERIOR FINISHAAMA 2605 BLACK GLASS MULLION TYPE1 X 4 X 1/8 PRE-GLAZED?NO						

QUOTE SUMMARY

ASSEMBLY SYSTEM	TOTAL QUANTITY	TOTAL AREA (SQ FT)
ES-46T LMI - SWING DOOR	4	90.59
ES-P252 LMI - CASEMENT	16	184.20
ES-P252 LMI - FIXED WINDOW	6	145.57
MULLION	9	4.11
TOTAL	35	424.46999999999997

Product Totals

PRODUCT TOTAL	\$54,338.65
TAX RATE	0.00%
TAX AMOUNT	\$0.00

Terms and Services

INSTALLATION PRICE	\$9,935.00
PERMIT PRICE	\$2,500.00
MISCELLANEOUS	\$0.00
Totals	
TOTAL	\$66,773.65