



CITY OF CORAL GABLES

CODE ENFORCEMENT DIVISION

427 Biltmore Way, Suite 100

04/30/2020

Case #: CE293304-043020

Notice of Violation

Bank of New York Mellon Trustee

**225 Liberty Street
New York, NY 10286**

Folio #: 0341290272800

Dear Mortgagee:

This letter constitutes a notice that a violation(s) exists on the premises at **535 CALIGULA AVE**, Coral Gables, FL.

The following violations were found:

1. Sections 34-203 of the City Code - Failure to maintain the Property that is in default of the mortgage.
2. Sections 226 and 255 of Chapter 105, Minimum Housing Code, of the City Code; to wit: Failure to maintain an accessory structure by allowing the following: fence/wall is in disrepair, section of wall is missing
3. Section 3-108 of the City Zoning Code; to wit: Please note that, while this does not currently constitute a violation, the temporary wire fence, that the neighbor put to cover the gap in the fence/wall where the fence/wall is in disrepair and a section of the fence/wall is missing, must not be removed or it will constitute a failure to provide a protective wall or fence 4 feet in height.

The following steps should be taken to correct the violation:

1. Correct all code violations on the Property as set forth herein.
2. Apply for, obtain, and pass final inspection on all permits to repair or demolish the fence/wall.
3. Maintain in place a protective wall or fence 4 feet in height at all times or repair perimeter wall.

If this notice pertains to failure to maintain a historic structure, please be advised that:

- **You may be subject to substantial fines that may not be mitigated.**
- **You may also be required to repair or restore the historic structure.**
- **If the historic structure is allowed to deteriorate to the point where it must be demolished:**
 - **the City Code requires that you replace the structure with a similar historically-appropriate structure; and**
 - **the property will no longer qualify for an historic preservation tax exemption.**

The regulations enforced by the City have been adopted in order to protect the public and assure continuing high property values. Your immediate attention to correcting the violation(s) listed above is required.

The Code Enforcement Division will re-inspect the property on **5/30/2020** to determine if corrective measures have been completed. If the violation(s) has not been corrected at the time of inspection, your case will be scheduled for a hearing before the Code Enforcement Board for review and possible action.

At that time, you will have the opportunity to explain to the citizens serving on the Board the reasons why the violation(s) has not been corrected. The Board has the authority to assess a fine against you for as long as the violation continues.

The Division is available for consultation on this matter from 7:30 AM to 4:00 PM. Please do not hesitate to call the Code Enforcement Officer below for additional assistance.

Si este aviso se refiere a la falta de mantenimiento de una estructura histórica, tenga en cuenta que:

- **Usted puede recibir multas muy grandes que tal vez no pueden ser aminoradas.**
- **Es posible que también deba reparar o restaurar la estructura histórica.**
- **Si se permite que la estructura histórica se deteriore hasta el punto en que debe ser demolida:**
 - o **El Código de la Ciudad requiere el reemplazo de la estructura con una similar que sea apropiadamente histórica; y**
 - o **La propiedad ya no será elegible para una exención de impuestos por preservación histórica.**

Las regulaciones impuestas por la Ciudad han sido adoptadas para proteger al público y asegurar la continuidad de los valores altos de la propiedad. Se pide la atención inmediata para corregir la(s) violación(es) indicadas arriba.

La División del Cumplimiento del Código re-inspeccionará la propiedad el **5/30/2020** para determinar si se han tomado medidas correctivas. Si la(s) violación(es) no han sido corregidas en el momento de inspección, su caso será presentado a la Junta del Cumplimiento del Código para su revisión y posible acción. Ahí tendrá la oportunidad de explicar a los ciudadanos que sirven en esta junta las razones por la cual esta(s) violación(es) no han sido corregidas. La Junta tiene la autoridad de imponer una multa en contra suya por el tiempo en que continúe la violación.

La División está disponible para consulta sobre este caso de 7:30 a.m. a 4:00 p.m. Por favor comuníquese con el Oficial del Cumplimiento del Código nombrado abajo para cualquiera asistencia adicional.

Adolfo Garcia
Code Enforcement Officer
305 569-1829
agarcia2@coralgables.com