

5221 Orduna Drive Holdings LLC

May 28, 2020

Mr. Jorge Acevado
Public Works Director
City of Coral Gables
2800 SW 72 Avenue
Coral Gables, Florida 33155

Re: Casa Orduna
Outside Sewer District Connection
5221 Orduna Drive

Dear Mr. Acevedo

5221 Orduna Drive LLC, the developer of the subject project is respectfully requesting the project sewer system be granted permission to connect to the City of Coral Gables Sewer System located at the intersection of Orduna Drive and the alley between Orduna Drive and US 1

The proposed project has an agreement with Miami-Dade Water & Sewer to serve this site with public water and public sewer. The sewer service will be by an on-site private pump station which will discharge into a proposed 4" force main to be owned and maintained by either the City of Coral Gables and others. The proposed force main will come from the project site then run across Orduna Drive to the alleyway then run thru the alley to University Concourse then run across University Concourse to Grand Avenue the run across US 1 to connect to the existing 24" force main at the intersection of Grand Boulevard and Ponce Delon Boulevard. The flow from the site will continue through the 4" force main that travels down the alleyway and connects to 24" force main located at the intersection of Grand Boulevard and Ponce Delon Boulevard, with the flow eventually going to the Miami Dade Water and Sewer Department Wastewater Treatment Plant thus requiring this "Outside Sewer District" sewer connection agreement request for the subject development.

We have provided a set of preliminary construction plans to your public works department for a "dry run" review (copy attached) which depicts the location of the project and route of the proposed force main. The estimated flows (100 GPD/ Person @ 1.35 Persons per Unit @ 5 Units total = 675 GPD Average: 0.47 GPM Avg; 28;2± GPH Avg (135 GPD/ Apt Unit); 675 GPD/(100 GPD/person) = 6.75 persons 6.75/1000 = 0.00675, Peak Factor = $(18 + \sqrt{0.00675})/(4 + \sqrt{0.00675}) = 4.46$; eak Flow = Average Flow x Peak Factor = 675 GDP x 4.45 = 3,034± GPD Peak Flow; 2.09 GPM Peak; 126± GPH Peak) were calculated by our consultant, Cherokee Consulting Inc., and are consistent with Miami Dade County's Water and Sewer and the Regulatory and Economic

5221 Orduna Drive Holdings LLC

Mr. Jorge Acevedo

May 28, 2020

Page Two

Resources Department's sewer flow valves for the type of development being proposed for this project.

We feel that this project will not jeopardize any potential future connections by residents within the City, as this project will be a residential use facility, which will have minimum to the City of Coral Gables sewer facilities infrastructure.

The following is a list of information for the subject development so the Outside Sewer District agreement with City of Coral Gables can be prepared and offered by your office.

1. Developer: 5521 Orduna Drive LLC
2. Address: (add Julio's current mailing address)
3. Telephone: (add Julio's current phone)
4. Email: (add Julio's current email)
5. Property Address: 5221 Orduna Drive, Coral Gables, FL 33134
6. Folio: 03-4119-004-3390
7. Property Legal Description: Lot 4, Block 92, "Revised Plat of Coral Gables Riviera Section 3" according to the plat thereof as recorded in Plat Book 28 Page 44 of the Public Records of Miami-Dade County; Which Lot includes the undug portion of the Coral Gables Waterway lying westerly of the centerline of said Waterway and lying between the North and South lines of said lot.

Agreement terms: An applicant/customer for a sanitary sewer connection for property (1) inside the city but outside existing sanitary sewer districts, or (2) outside the city, shall expressly agree to the following:

- (1) To pay a connection fee of \$2,100.00 per 1,000 gallons per day of peak demand paid concurrently upon signing this agreement. The connection charge shall be made on the basis of an agreed upon estimated gallonage, which shall be subject to review at any time after six months; usage and the final connection cost shall be adjusted to reflect actual usage if greater, but in no case less than the amount originally charged. An alternate method of payment for such sewer service connection charges may be granted whereby, in lieu of paying connection charges at time of execution of the customer agreement, the applicant or customer may be permitted to file with the city a cash bond in an amount to be agreed upon between the city manager and the customer, guaranteeing installment payments of said sewer service connection charges.

5221 Orduna Drive Holdings LLC

Mr. Jorge Acevedo

May 28, 2020

Page Three

- (2) To comply with all conditions set forth under chapters [62](#) and [78](#) of the City Code, Resolution No. 22601, and any other pertinent ordinances or resolution, copies of which the applicant/customer has reviewed and fully acknowledged by agreeing hereto, except that rates applied to connecting outside the city shall be 25 percent greater than the rates applicable to the same connection within the city. If the connection is outside existing sanitary sewer districts but inside the city, the 25 percent additional rate shall not apply.
- (3) To the billing and collecting of sewer service charges as determined by the city. Other agencies, for example the Miami-Dade Water and Sewer Department, may be designated by the city to bill and/or collect sewer service charges. Sewer service charges shall be due within ten days of receipt of billing by the customer. If the sewer service charges remain unpaid 30 days after due date, the city may have water services to the property disconnected. All sewer service charges to any building or structure or unit remaining unpaid 30 days after the due date shall become a lien against and upon the lands to which service has been furnished to the same extent as the lien for special assessments in the city, with the same penalties and the same right of collection and sale as would apply for Coral Gables taxes.
- (4) To pay the entire cost of whatever facilities are required from the source of the sewage to the point of connection with the Coral Gables system.
- (5) To furnish the city attorney with a copy of the deed for each unit of property making outside connection.
- (6) To install and maintain facilities for such pre-treatment of wastes as may from time to time be found necessary to render the wastes suitable for handling and treatment by the city without creation of nuisances. Under operational difficulty, the reasonable determination by the city and the city consulting engineers shall be binding. The following shall be required in all cases:
 - a. Grease separation facilities without exception.
 - b. Comminutors except where flow is directly to a city comminutor.
 - c. Screen at the discretion of the city in case of laundries and similar sources of rags, string and lint.
 - d. Pre-chlorination in case of long force mains.

5221 Orduna Drive Holdings LLC

Mr. Jorge Acevedo

May 28, 2020

Page Four

- (7) To provide the city with plans and specifications in quadruplicate for applicant/customer sanitary sewer facilities as prepared by a registered civil engineer, licensed to practice in the State of Florida and fully experienced and qualified in the design of sanitary sewer systems. Said plans and specifications shall be reviewed by the city and returned to the applicant/customer marked for revision until the plans are returned marked approved and signed as such by the director of public works. A composite plan/profile survey of existing utilities shall be prepared of each Coral Gables right-of-way through which a pipeline run is proposed, showing the exact relationship between and among all existing and proposed facilities. The city may refuse to process the plans unless the composite picture is complete, so that the most feasible route with the least inconvenience to residents may be confirmed by the director of public works.
- (8) To provide a cut-off valve at the point of connection with the Coral Gables system. This cut-off valve shall be shown and described in the above plans and specifications.
- (9) To provide the city with a letter from said licensed/registered engineer stating that said engineering services have been retained to provide full-time resident inspection during construction and installation of said facilities. Upon completion of the installation, said engineer shall certify in writing that the work has been fully and properly installed, and that infiltration is within allowable limits.
- (10) To have proposed installation shown on said approved plans and specifications constructed and installed only by a fully licensed and qualified contractor who shall also obtain all prerequisite construction permits from each agency having jurisdiction prior to initiating work in the field. the public works director may withhold or withdraw issuance of city right-of-way permit if compliance with portions of Step II implementation by the applicant becomes overdue.
- (11) To keep city informed of work progress and connections inside and outside the city so that city inspectors may confirm the integrity of the facilities at each key point.
- (12) To be solely responsible for continuing maintenance and operation of said facilities. The city reserves the right to inspect the facilities and to require the applicant to have timely repairs made, where infiltration or other defects are adversely affecting the cost and operation of the city's sanitary sewer system. Failure of the applicant/customer to remedy defects shall be cause for termination of agreement and disconnection of the service. The occupants or tenants of the connected property shall be informed by the customer that the city is not responsible for such maintenance and operation.

5221 Orduna Drive Holdings LLC

Mr. Jorge Acevedo
May 28, 2020
Page Five

- (13) To not permit any other connection to the customer's connecting lines to the city system except those listed in the agreement. Any additional connections, if permitted, shall be subject of approval by the city as stated herein and the original connection charge shall be increased to reflect the additional sewage added. Additional connectors shall furnish the city with prior written approval by the original owner of the line and all prior connectors to said line.
- (14) To limit the peak sewage flow from the outside sewer connection insofar as the property, zoning, size, type and/or density of the facility herein approved for connection, and any proposed change thereto which would generate significant increase in peak sewage discharged into the Coral Gables sanitary sewer system shall require prior approval by Coral Gables for such increased sewage discharge in accordance with the terms of this resolution.
- (15) To provide that the monthly charge computed at the volumetric base rate be multiplied by a value of unity for a monthly average BOD of 250 ppm or under, said value to be increased by a surcharge factor of one-quarter percent per part per million on monthly average BOD in excess of 250 ppm, as follows and as interpolation thereof:

260	1.025
270	1.050
280	1.075
290	1.100
300	1.125
400	1.375
500	1.625
1,000	2.875
MONTHLY BOD	MULTIPLIER
250 ppm or less	1.000

- (16) To provide for and bear the cost of sampling with suitable sampling facilities when reasonable cause for sampling exists. The city shall give the customer or tenant reasonable notice when sampling is necessary, and qualified city representatives shall thereafter perform the necessary sampling as efficiently as possible.
- (17) To reconnect to the city sewer system at the customer's expense in a manner acceptable to the city, when sewerage is completed to a new area in the city which can more efficiently and effectively serve the customer's outside connection.

5221 Orduna Drive Holdings LLC

Mr. Jorge Acevedo
May 28, 2020
Page Six

- (18) To provide liability insurance in the amounts required by Resolution No. 22601, naming the City of Coral Gables as additional insured and covering any damages to public or private property due to a failure in the customer's facilities. A certification of insurance shall be required at the execution of the agreement in a form acceptable to the City of Coral Gables.
- (19) To provide a maintenance bond or other surety in the amount of five percent of the construction cost to assure timely repair of the customer's facilities should a failure occur, said surety to run in perpetuity or until the connection is no longer required.
- (20) To bear the expense of recording the agreement encompassing the above terms in the Public Records of Miami-Dade County, Florida, and said agreement shall be a covenant running with the land which will state that the owner will not convey or cause to be conveyed the title to the above property without requiring the successor in title to abide by all of the terms and conditions of said agreement.

Please accept this request for an Outside Sewer District Agreement for the subject development. Should you require additional information or clarification please don't hesitate to contact our consultant Ken Groce (@ 305.205.2361 or kwgroce@att.net), or myself (phone or email)

Respectfully

Julio Domenech
President

cc: Ken Groce w/ Cherokee Consulting Inc