



CITY OF CORAL GABLES

CODE ENFORCEMENT DIVISION

427 Biltmore Way, Suite 100

Before the Code Enforcement Board
in and for the City of Coral Gables
Dade County, Florida

10/08/2020

7019 2280 0000 5875 5360

Summons to Appear

The City of Coral Gables

VS

SEAN COUTTS

1172 SOUTH DIXIE HWY # 453

MIAMI FL 33146

Case #: CE293304-043020

Folio #: 0341290272800

You, as the Owner and/or Occupant of the premises at:

535 CALIGULA AVE CORAL GABLES RIVIERA SEC 10
CORAL GABLES, FL 33134

are in violation of the following sections and subject to Section 101-107 of the City Code of the City of Coral Gables by:

Violations of Coral Gables City Code.

Violation of Coral Gables Zoning Code.

1. Sections 34-203 City Code - Failure to maintain the Property that is in default of the mortgage.
2. Sections 226 and 255 of Chapter 105, Minimum Housing Code, of the City Code - Failure to maintain an accessory structure by allowing the following: fence/wall is in disrepair, section of wall is missing.
3. Section 3-108 Zoning Code - Please note that, while this does not currently constitute a violation, the temporary wire fence, that the neighbor put to cover the gap in the fence/wall where the fence/wall is in disrepair and a section of the fence/wall is missing, must not be removed or it will constitute a failure to provide a protective wall or fence 4 feet in height.- THE TEMPORARY FENCE HAS BEEN REMOVED AND ITEM IS CURRENTLY IN VIOLATION.

The following steps should be taken to correct the violation:

Remedy:

1. Correct all code violations on the Property as set forth herein.
2. Apply for, obtain, and pass final inspection on all permits to repair or demolish the fence/wall.
3. Put in place a protective wall or fence 4 feet in height at all times or repair perimeter wall.

As a result of the above violation(s), a complaint has been filed against you and you are hereby commanded to appear via Zoom before the Code Enforcement Board for a hearing on **10/21/2020** at 8:30 am in

Join Zoom Meeting

<https://zoom.us/j/5892626316>

Or call:

Tel: 305-471-6769

This is your notice to appear at said time and place. Failure to do so will result in the matter being heard in absentia. An administrative fee of \$108.75 will be assessed at the time of your hearing.

Please be advised that if someone will be attending the hearing on your behalf, he or she must provide a power of attorney from you at the time of the hearing.

If this notice pertains to failure to maintain a historic structure, please be advised that:

- **You may be subject to substantial fines that may not be mitigated.**
- **You may also be required to repair or restore the historic structure.**
- **If the historic structure is allowed to deteriorate to the point where it must be demolished:**
 - **the City Code requires that you replace the structure with a similar historically-appropriate structure; and**
 - **the property will no longer qualify for an historic preservation tax exemption.**

Como consecuencia de la(s) violación(es) mencionadas arriba, se ha presentado una queja en su contra y a través de este medio se requiere su presencia via Zoom al frente de la Junta del Cumplimiento del Código para una audiencia el **10/21/2020** a las 8:30 a.m.

Join Zoom Meeting

<https://zoom.us/j/5892626316>

O llamar:

Tel: 305-471-6769

Este es su aviso para comparecer en dicha hora y lugar. Si no se presenta, el caso en su contra se discutirá en su ausencia. Una tarifa administrativa de \$108.75 se cobrará en su audiencia.

Si alguien va a asistir a la audiencia en su lugar, por favor asegúrese de proporcionar un poder de abogado en el momento que se realiza la audiencia.

Si este aviso se refiere a la falta de mantenimiento de una estructura histórica, tenga en cuenta que:

- **Usted puede recibir multas muy grandes que tal vez no pueden ser aminoradas.**
- **Es posible que también deba reparar o restaurar la estructura histórica.**
- **Si se permite que la estructura histórica se deteriore hasta el punto en que debe ser demolida:**
 - o **El Código de la Ciudad requiere el reemplazo de la estructura con una similar que sea apropiadamente histórica; y**
 - o **La propiedad ya no será elegible para una exención de impuestos por preservación histórica.**



Ivonne Cutie, Clerk
Code Enforcement Board

Adolfo Garcia
Code Enforcement Officer
305 569-1829
agarcia2@coralgables.com



CITY OF CORAL GABLES

CODE ENFORCEMENT DIVISION

427 Biltmore Way, Suite 100

Before the Code Enforcement Board
in and for the City of Coral Gables
Dade County, Florida

10/08/2020

7019 2280 0000 5875 5377

Summons to Appear

The City of Coral Gables

vs

BANK OF NEW YORK MELLON, TRUSTEE
MBS PROPERTY INQUIRIES
225 LIBERTY STREET
NEW YORK, NY 10281-1048

Case #: CE293304-043020

Folio #: 0341290272800

You, as the Mortgagee of the premises at:

535 CALIGULA AVE CORAL GABLES RIVIERA SEC 10
CORAL GABLES, FL 33134

are in violation of the following sections and subject to Section 101-107 of the City Code of the City of Coral Gables by:

Violations of Coral Gables City Code. Violation of Coral Gables Zoning Code.

1. Sections 34-203 City Code - Failure to maintain the Property that is in default of the mortgage.
2. Sections 226 and 255 of Chapter 105, Minimum Housing Code, of the City Code - Failure to maintain an accessory structure by allowing the following: fence/wall is in disrepair, section of wall is missing.
3. Section 3-108 Zoning Code - Please note that, while this does not currently constitute a violation, the temporary wire fence, that the neighbor put to cover the gap in the fence/wall where the fence/wall is in disrepair and a section of the fence/wall is missing, must not be removed or it will constitute a failure to provide a protective wall or fence 4 feet in height- **THE TEMPORARY FENCE HAS BEEN REMOVED AND ITEM IS CURRENTLY IN VIOLATION.**

The following steps should be taken to correct the violation:

Remedy:

1. Correct all code violations on the Property as set forth herein.
2. Apply for, obtain, and pass final inspection on all permits to repair or demolish the fence/wall.
3. Put in place a protective wall or fence 4 feet in height at all times or repair perimeter wall.

As a result of the above violation(s), a complaint has been filed against you and you are hereby commanded to appear via Zoom before the Code Enforcement Board for a hearing on **10/21/2020** at 8:30 am in

Join Zoom Meeting

<https://zoom.us/j/5892626316>

Or call:

Tel: 305-471-6769

This is your notice to appear at said time and place. Failure to do so will result in the matter being heard in absentia. An administrative fee of \$108.75 will be assessed at the time of your hearing.

Please be advised that if someone will be attending the hearing on your behalf, he or she must provide a power of attorney from you at the time of the hearing.

If this notice pertains to failure to maintain a historic structure, please be advised that:

- **You may be subject to substantial fines that may not be mitigated.**
- **You may also be required to repair or restore the historic structure.**
- **If the historic structure is allowed to deteriorate to the point where it must be demolished:**
 - **the City Code requires that you replace the structure with a similar historically-appropriate structure; and**
 - **the property will no longer qualify for an historic preservation tax exemption.**

Como consecuencia de la(s) violación(es) mencionadas arriba, se ha presentado una queja en su contra y a través de este medio se requiere su presencia via Zoom al frente de la Junta del Cumplimiento del Código para una audiencia el **10/21/2020** a las 8:30 a.m.

Join Zoom Meeting
<https://zoom.us/j/5892626316>

O llamar:


Tel: 305-471-6769

Este es su aviso para comparecer en dicha hora y lugar. Si no se presenta, el caso en su contra se discutirá en su ausencia. Una tarifa administrativa de \$108.75 se cobrará en su audiencia.

Si alguien va a asistir a la audiencia en su lugar, por favor asegúrese de proporcionar un poder de abogado en el momento que se realiza la audiencia.

Si este aviso se refiere a la falta de mantenimiento de una estructura histórica, tenga en cuenta que:

- **Usted puede recibir multas muy grandes que tal vez no pueden ser aminoradas.**
- **Es posible que también deba reparar o restaurar la estructura histórica.**
- **Si se permite que la estructura histórica se deteriore hasta el punto en que debe ser demolida:**
 - **El Código de la Ciudad requiere el reemplazo de la estructura con una similar que sea apropiadamente histórica; y**
 - **La propiedad ya no será elegible para una exención de impuestos por preservación histórica.**



Ivonne Cutie, Clerk
Code Enforcement Board

Adolfo Garcia
Code Enforcement Officer
305 569-1829
agarcia2@coralgables.com



CITY OF CORAL GABLES

CODE ENFORCEMENT DIVISION

427 Biltmore Way, Suite 100

Before the Code Enforcement Board
in and for the City of Coral Gables
Dade County, Florida

10/08/2020

7019 2280 0000 5875 5384

Summons to Appear

The City of Coral Gables
vs
**SHELLPOINT MORTGAGE SERVICING
PROPERTY REGISTRATIONS
55 BEATTIE PLACE, SUITE 500, MS-501
GREENVILLE, SC 29601-5516**

Case #: CE293304-043020

Folio #: 0341290272800

You, as the Servicer of the Mortgage on the premises at:
535 CALIGULA AVE CORAL GABLES RIVIERA SEC 10
CORAL GABLES, FL 33134

are in violation of the following sections and subject to Section 101-107 of the City Code of the City of Coral Gables by:

**Violations of Coral Gables City Code.
Violation of Coral Gables Zoning Code.**

1. Sections 34-203 City Code - Failure to maintain the Property that is in default of the mortgage.
2. Sections 226 and 255 of Chapter 105, Minimum Housing Code, of the City Code - Failure to maintain an accessory structure by allowing the following: fence/wall is in disrepair, section of wall is missing.
3. Section 3-108 Zoning Code - Please note that, while this does not currently constitute a violation, the temporary wire fence, that the neighbor put to cover the gap in the fence/wall where the fence/wall is in disrepair and a section of the fence/wall is missing, must not be removed or it will constitute a failure to provide a protective wall or fence 4 feet in height- **THE TEMPORARY FENCE HAS BEEN REMOVED AND ITEM IS CURRENTLY IN VIOLATION.**

The following steps should be taken to correct the violation:

Remedy:

1. Correct all code violations on the Property as set forth herein.
2. Apply for, obtain, and pass final inspection on all permits to repair or demolish the fence/wall.
3. Put in place a protective wall or fence 4 feet in height at all times or repair perimeter wall.

As a result of the above violation(s), a complaint has been filed against you and you are hereby commanded to appear via Zoom before the Code Enforcement Board for a hearing on **10/21/2020** at 8:30 am in

Join Zoom Meeting
<https://zoom.us/j/5892626316>

Or call:

Tel: 305-471-6769

This is your notice to appear at said time and place. Failure to do so will result in the matter being heard in absentia. An administrative fee of \$108.75 will be assessed at the time of your hearing.

Please be advised that if someone will be attending the hearing on your behalf, he or she must provide a power of attorney from you at the time of the hearing.

If this notice pertains to failure to maintain a historic structure, please be advised that:

- **You may be subject to substantial fines that may not be mitigated.**
- **You may also be required to repair or restore the historic structure.**
- **If the historic structure is allowed to deteriorate to the point where it must be demolished:**
 - **the City Code requires that you replace the structure with a similar historically-appropriate structure; and**
 - **the property will no longer qualify for an historic preservation tax exemption.**

Como consecuencia de la(s) violaci3n(es) mencionadas arriba, se ha presentado una queja en su contra y a trav3s de este medio se requiere su presencia via Zoom al frente de la Junta del Cumplimiento del C3digo para una audiencia el **10/21/2020** a las 8:30 a.m.

Join Zoom Meeting
<https://zoom.us/j/5892626316>

O llamar:

Tel: 305-471-6769

Este es su aviso para comparecer en dicha hora y lugar. Si no se presenta, el caso en su contra se discutir3 en su ausencia. Una tarifa administrativa de \$108.75 se cobrar3 en su audiencia.

Si alguien va a asistir a la audiencia en su lugar, por favor aseg3rese de proporcionar un poder de abogado en el momento que se realiza la audiencia.

Si este aviso se refiere a la falta de mantenimiento de una estructura hist3rica, tenga en cuenta que:

- **Usted puede recibir multas muy grandes que tal vez no pueden ser aminoradas.**
- **Es posible que tambi3n deba reparar o restaurar la estructura hist3rica.**
- **Si se permite que la estructura hist3rica se deteriore hasta el punto en que debe ser demolida:**
 - o **El C3digo de la Ciudad requiere el reemplazo de la estructura con una similar que sea apropiadamente hist3rica; y**
 - o **La propiedad ya no ser3 elegible para una exenci3n de impuestos por preservaci3n hist3rica.**



Ivonne Cutie, Clerk
Code Enforcement Board

Adolfo Garcia
Code Enforcement Officer
305 569-1829
agarcia2@coralgables.com



CITY OF CORAL GABLES

CODE ENFORCEMENT DIVISION

427 Biltmore Way, Suite 100

Before the Code Enforcement Board
in and for the City of Coral Gables
Dade County, Florida

10/08/2020

7019 2280 0000 5875 5438

Summons to Appear

The City of Coral Gables
vs
CYPREXX SERVICES LLC
P.O. BOX 874
BRANDON, FL 33509-0874

Case #: CE293304-043020

Folio #: 0341290272800

You, as the Property Manager of the premises at:

535 CALIGULA AVE CORAL GABLES RIVIERA SEC 10
CORAL GABLES, FL 33134

are in violation of the following sections and subject to Section 101-107 of the City Code of the City of Coral Gables by:

Violations of Coral Gables City Code. Violation of Coral Gables Zoning Code.

1. Sections 34-203 City Code - Failure to maintain the Property that is in default of the mortgage.
2. Sections 226 and 255 of Chapter 105, Minimum Housing Code, of the City Code - Failure to maintain an accessory structure by allowing the following: fence/wall is in disrepair, section of wall is missing.
3. Section 3-108 Zoning Code - Please note that, while this does not currently constitute a violation, the temporary wire fence, that the neighbor put to cover the gap in the fence/wall where the fence/wall is in disrepair and a section of the fence/wall is missing, must not be removed or it will constitute a failure to provide a protective wall or fence 4 feet in height- **THE TEMPORARY FENCE HAS BEEN REMOVED AND ITEM IS CURRENTLY IN VIOLATION.**

The following steps should be taken to correct the violation:

Remedy:

1. Correct all code violations on the Property as set forth herein.
2. Apply for, obtain, and pass final inspection on all permits to repair or demolish the fence/wall.
3. Put in place a protective wall or fence 4 feet in height at all times or repair perimeter wall.

As a result of the above violation(s), a complaint has been filed against you and you are hereby commanded to appear via Zoom before the Code Enforcement Board for a hearing on **10/21/2020** at 8:30 am in

Join Zoom Meeting

<https://zoom.us/j/5892626316>

Or call:

Tel: 305-471-6769

This is your notice to appear at said time and place. Failure to do so will result in the matter being heard in absentia. An administrative fee of \$108.75 will be assessed at the time of your hearing.

Please be advised that if someone will be attending the hearing on your behalf, he or she must provide a power of attorney from you at the time of the hearing.

If this notice pertains to failure to maintain a historic structure, please be advised that:

- **You may be subject to substantial fines that may not be mitigated.**
- **You may also be required to repair or restore the historic structure.**
- **If the historic structure is allowed to deteriorate to the point where it must be demolished:**
 - **the City Code requires that you replace the structure with a similar historically-appropriate structure; and**
 - **the property will no longer qualify for an historic preservation tax exemption.**

Como consecuencia de la(s) violación(es) mencionadas arriba, se ha presentado una queja en su contra y a través de este medio se requiere su presencia via Zoom al frente de la Junta del Cumplimiento del Código para una audiencia el **10/21/2020** a las 8:30 a.m.

Join Zoom Meeting

<https://zoom.us/j/5892626316>

O llamar:


Tel: 305-471-6769

Este es su aviso para comparecer en dicha hora y lugar. Si no se presenta, el caso en su contra se discutirá en su ausencia. Una tarifa administrativa de \$108.75 se cobrará en su audiencia.

Si alguien va a asistir a la audiencia en su lugar, por favor asegúrese de proporcionar un poder de abogado en el momento que se realiza la audiencia.

Si este aviso se refiere a la falta de mantenimiento de una estructura histórica, tenga en cuenta que:

- **Usted puede recibir multas muy grandes que tal vez no pueden ser aminoradas.**
- **Es posible que también deba reparar o restaurar la estructura histórica.**
- **Si se permite que la estructura histórica se deteriore hasta el punto en que debe ser demolida:**
 - **El Código de la Ciudad requiere el reemplazo de la estructura con una similar que sea apropiadamente histórica; y**
 - **La propiedad ya no será elegible para una exención de impuestos por preservación histórica.**



Ivonne Cutie, Clerk
Code Enforcement Board

Adolfo Garcia
Code Enforcement Officer
305 569-1829
agarcia2@coralgables.com