

City of Coral Gables

405 Biltmore Way
Coral Gables, FL 33134
www.coralgables.com



Agenda

Wednesday, November 20, 2024

8:30 AM

<https://us06web.zoom.us/j/82004327867>

427 Biltmore Way, First Floor Conference Room

Code Enforcement Board

Board Member Ignacio Borbolla

Board Member Andres Correa

Board Member Maria Cruz

Board Member Jeffrey Flanagan

Board Member J.M. Guarch, Jr.

Board Member George Kakouris

Board Member Andres Murai, Jr

<https://us06web.zoom.us/j/82004327867>

CALL TO ORDER

ROLL CALL

PUBLIC HEARING

SWEARING IN OF INTERESTED PARTIES

SIGN-IN SHEET: Those who wish to address the Board during the public hearing portion must legibly record their name and address on the sign-in sheet with the item(s) they wish to address at the recording secretary's table. The primary purpose of the sign-in sheet is to record the attendance at the meeting and to assist in the accurate recording of the minutes.

PROCEDURE: The following format shall be used; however, the Chairperson in special circumstances may impose variations.

- Identification of item by Chairperson*
- Disclosure statement by Board members*
- Presentation by Staff*
- Applicant or Agent presentation*
- Public comment-support/opposition*
- Public comment closes - Board discussion*
- Motion, discussion and second of motion*
- Board's final comments*
- Vote*

DISCUSSION ITEMS

NEW CASES

[NOVI-24-01-4](#) 100 CADIMA AVE
[791](#)

Violation Description - Exterior Alterations without Permit - Section 14-202.8. Zoning permit. No person shall commence or cause to be commenced any miscellaneous work, which does not otherwise require a building permit, which affects the aesthetics, appearance, or architectural design of any structure, site or site improvements until an application for a zoning permit therefore has been previously filed with the Development Services Department. No such miscellaneous work which affects the aesthetics, appearance, or architectural design of any structure, site or site improvements shall commence until a permit has been issued by the City in every case where the cost of such proposed work exceeds five hundred (\$500) dollars in labor and materials. All work done under and pursuant to any zoning permit shall conform to the approved plans and/or specifications.

Code Enforcement Officer Comments - Artificial turf installed in backyard without a permit.

Remedy - Comply with Section 14-202.8 - apply for and obtain after-the-fact permit for installed artificial turf or remove.

Owner - SAMUEL GERSON LECHTNER

Code Enforcement Officer Vazquez

NOVI-24-08-8 1930 PONCE DE LEON BLVD
271

Violation Description - Work without a Permit - Sec. 105-26. - Adoption of building, plumbing, electrical and related technical codes. The state building code together with all local amendments thereto is hereby adopted by reference. Penalties for violation of the state building code shall be as established in section 1-7. Florida Building Code 105- [A]105.1.

Required. Any owner or owner's authorized agent who intends to construct, enlarge, alter, repair, move, demolish or change the occupancy of a building or structure, or to erect, install, enlarge, alter, repair, remove, convert or replace any impact-resistant coverings, electrical, gas, mechanical or plumbing system, the installation of which is regulated by this code, or to cause any such work to be performed, shall first make application to the building official and obtain the required permit.

(Code 1958, § 8-1; Code 1991, § 6-26; Code 2006, § 105-23; Ord. No. 1052, § 1, 12-17-1957)

Code Enforcement Officer Comments - ROOF ACCESS LADDER REMOVED, WALK-IN FREEZER, AC UNITS, GAS TANKS, METAL PANEL STRUCTURE INSTALLED IN ALLEYWAY WITHOUT APPROVAL OR PERMIT

Remedy - ***OBTAIN CERTIFICATE OF SAFETY FOR GAS TANKS INSTALLED WITHOUT A PERMIT WITHIN 2 WEEKS OR ALL OPERATIONS WILL BE HALTED.***

Owner - SCOTT ACKMAN

Code Enforcement Officer Lugo

NOVI-24-07-8 638 ESCOBAR AVE
183

Violation Description - Expired Building Permit - Sec. 105-26. - Adoption of building, plumbing, electrical and related technical codes. The state building code together with all local amendments thereto is hereby adopted by reference. Penalties for violation of the state building code shall be as established in section 1-7. Florida Building Code 105.4.1.1- If work has commenced and the permit is revoked, becomes null and void, or expires because of lack of progress or abandonment, a new permit covering the proposed construction shall be obtained before proceeding with the work(Code 1958, § 8-1; Code 1991, § 6-26; Code 2006, § 105-23; Ord. No. 1052, § 1, 12-17-1957)

Code Enforcement Officer Comments: EXPIRED PERMIT
POSP-22-01-0088 "NEW SWIMMING POOL"

Remedy - Please renew/ re-activate the permit(s) in order to call for final pending inspection(s). Inspections must be approved, in order for the permit(s) and violation to close. if you require further assistance, please contact please contact: Development Services at 305-460-5245/ developmentservices@coralgables.com

Owner - C AND D 5455 LLC

Code Enforcement Officer Lugo

NOVI-24-09-8 537 SAN LORENZO AVE
306

Violation Description - Floors, walls, ceilings and roofs - Sec. 105-278. - Floors, walls, ceilings and roofs. Floors, walls, ceilings and roofs of every structure used for human habitation shall be structurally sound, and maintained in a clean and sanitary condition. They shall be free from cracks, breaks, loose plaster and similar conditions so serious as to endanger the safety of occupants or to seriously mar the attractiveness of the premises. (Code 1958, § 16A-36; Code 1991, § 12-178; Code 2006, § 105-289; Ord. No. 1142, § 4.5, 7-14-1959; Ord. No. 2013-07, § 2, 5-28-2013)

Code Enforcement Officer Comments - Blue tarp on top of roof; prohibited

Remedy - Must remove blue tarp. If roof is damaged, must repair damage and or replace roof. Must obtain all permits and approvals to complete work.

Owner - Fabian Alfonso

Code Enforcement Officer Casimir

[NOVI-22-09-1](#) 545 San Servando Ave
[326](#)

Violation Description - Expired Building Permit - Sec. 105-26. - Adoption of building, plumbing, electrical and related technical codes. The state building code together with all local amendments thereto is hereby adopted by reference. Penalties for violation of the state building code shall be as established in section 1-7. Florida Building Code 105.4.1.1- If work has commenced and the permit is revoked, becomes null and void, or expires because of lack of progress or abandonment, a new permit covering the proposed construction shall be obtained before proceeding with the work (Code 1958, § 8-1; Code 1991, § 6-26; Code 2006, § 105-23; Ord. No. 1052, § 1, 12-17-1957)

Code Enforcement Officer Comments: EXPIRED PERMIT: BL20056649
TYPE OF WORK: RAIN GUTTERS & DOWNSPOUTS
EXPIRED: 08/03/2021

Remedy - Please renew/ re-activate the permit(s) in order to call for final pending inspection(s). Inspections must be approved, in order for the permit(s) and violation to close. If you require further assistance, please contact please contact: Antonio Silio at 305-460-5206/asilio@coralgables.com or Development Services at 305-460-5245/building@coralgables.com or Jorge Pino/Mobile Permit Coordinator at 305-460-5272/jpino@coralgables.com

Owner ANDREW ALLAN RYAN

Code Enforcement Officer Casimir

[NOVI-22-09-1](#) 451 Perugia Ave
[325](#)

Violation Description - Expired Building Permit - Sec. 105-26. - Adoption of building, plumbing, electrical and related technical codes. The state building code together with all local amendments thereto is hereby adopted by reference. Penalties for violation of the state building code shall be as established in section 1-7. Florida Building Code 105.4.1.1- If work has commenced and the permit is revoked, becomes null and void, or expires because of lack of progress or abandonment, a new permit covering the proposed construction shall be obtained before proceeding with the work (Code 1958, § 8-1; Code 1991, § 6-26; Code 2006, § 105-23; Ord. No. 1052, § 1, 12-17-1957)

Code Enforcement Officer Comments: EXPIRED PERMIT:
BL-20-05-6505
TYPE OF WORK:DRIVEWAY/WALKWAY
EXPIRED: 07/10/2022

Remedy - Please renew/ re-activate the permit(s) in order to call for final pending inspection(s). Inspections must be approved, in order for the permit(s) and violation to close. If you require further assistance, please contact please contact: Antonio Silio at 305-460-5206/asilio@coralgables.com or Development Services at 305-460-5245/building@coralgables.com or Jorge Pino/Mobile Permit Coordinator at 305-460-5272/jpino@coralgables.com

Owner JOSE LLORENS

Code Enforcement Officer Casimir

CG311-24-06- 450 MILLER RD
22

Violation Description - Expired Building Permit - Sec. 105-26. - Adoption of building, plumbing, electrical and related technical codes. The state building code together with all local amendments thereto is hereby adopted by reference. Penalties for violation of the state building code shall be as established in section 1-7. Florida Building Code 105.4.1.1- If work has commenced and the permit is revoked, becomes null and void, or expires because of lack of progress or abandonment, a new permit covering the proposed construction shall be obtained before proceeding with the work (Code 1958, § 8-1; Code 1991, § 6-26; Code 2006, § 105-23; Ord. No. 1052, § 1, 12-17-1957)

Code Enforcement Officer Comments - Two pillars placed in front of property.

Remedy - Apply for all necessary permits and obtain final inspections.

Owner - NAHUEL P VILLEGAS VANINA G SCHULTE

Code Enforcement Officer Casimir

NOVI-23-10-3 540 Aragon Avenue
672

Violation Description - Excavations - Sec. 62-58. - Penalties. Any person performing work on or making excavations in the streets, parks, parkways, sidewalks, alleys or easements in the city in violation of the provisions of this article shall be deemed guilty of an offense, and upon conviction thereof shall be punished as provided in section 1-7 for each offense. (Code 1958, § 28-35; Code 1991, § 22-115; Code 2006, § 62-67; Ord. No. 2581, § 1, 9-10-1985)

Code Enforcement Officer Comments: Gravel on the swale.

Remedy - Must remove gravel from the right of way. If you would like to have an encroachment on the right of way you may contact PW Greenspace or refer to the swale packet provided. Comply with City Code Chapter 62, Article 3. Comply with City Code Chapter 62, Article 3.

Owner - Leticia Callava LE

Code Enforcement Officer Young

[NOVI-23-09-3](#) 533 Coral Way
[243](#)

Violation Description - Floors, walls, ceilings and roofs - Sec. 105-278. - Floors, walls, ceilings and roofs.
Floors, walls, ceilings and roofs of every structure used for human habitation shall be structurally sound, and maintained in a clean and sanitary condition. They shall be free from cracks, breaks, loose plaster and similar conditions so serious as to endanger the safety of occupants or to seriously mar the attractiveness of the premises. (Code 1958, § 16A-36; Code 1991, § 12-178; Code 2006, § 105-289; Ord. No. 1142, § 4.5, 7-14-1959; Ord. No. 2013-07, § 2, 5-28-2013)

Code Enforcement Officer Comments: Roof is in disrepair and dirty.

Remedy - Must repair and clean roof. Must pull permits.

Owner - ARIS ANGELO

Code Enforcement Officer Young

[NOVI-23-10-3](#) 545 CORAL WAY
[558](#)

Violation Description - Permits generally (c) - Tree Abuse - Sec. 82-29. - Permits generally. (c)Tree abuse. Tree abuse is prohibited and shall constitute a violation of this section. Any act of tree abuse that renders a tree nonviable or effectively destroyed shall constitute "effective removal" and shall compel the owner to fully comply with the terms of this article as if the tree was removed prior to issuance of a permit. (Ord. No. 2017-45, § 2(Att. A), 12-5-2017)

Code Enforcement Officer Comments - Tree abuse.

Remedy - Must submit an Arborist report for tree stating work that was done. Comply with Section 82-29.

Owner - VALENCIA 520 524 LLC

Code Enforcement Officer Young

[NOVI-23-11-3](#) 810 MESSINA AVE
[743](#)

Violation Description - Excavations - Sec. 62-58. - Penalties. Any person performing work on or making excavations in the streets, parks, parkways, sidewalks, alleys or easements in the city in violation of the provisions of this article shall be deemed guilty of an offense, and upon conviction thereof shall be punished as provided in section 1-7 for each offense. (Code 1958, § 28-35; Code 1991, § 22-115; Code 2006, § 62-67; Ord. No. 2581, § 1, 9-10-1985)

Code Enforcement Officer Comments - Gravel on the swale.

Remedy - MUST remove gravel from the right of way. If you would like to have an encroachment on the right of way you may contact PW Greenspace or refer to the swale packet provided. Comply with City Code Chapter 62, Article 3.

Owner - STEVE S ALMEIDA

Code Enforcement Officer - Young

NOVI-22-03-0 21 Tahiti Beach Island Rd.
118

Violation Description - Expired Building Permit - Sec. 105-26. - Adoption of building, plumbing, electrical and related technical codes.

The state building code together with all local amendments thereto is hereby adopted by reference. Penalties for violation of the state building code shall be as established in section 1-7. Florida Building Code 105.4.1.1- If work has commenced and the permit is revoked, becomes null and void, or expires because of lack of progress or abandonment, a new permit covering the proposed construction shall be obtained before proceeding with the work (Code 1958, § 8-1; Code 1991, § 6-26; Code 2006, § 105-23; Ord. No. 1052, § 1, 12-17-1957)

Code Enforcement Officer Comments: Expired Permit #(s): BL13050257 ALUMINUM WINDOWS (34) DOORS (8) & REPLACE RAILINGS

Remedy - Please renew/ re-activate the permit(s) in order to call for final pending inspection(s). Inspections must be approved, in order for the permit(s) and violation to close. If you require further assistance, please contact please contact: Antonio Silio at 305-460-5206/ asilio@coralgables.com or Development Services at 305-460-5245/ developmentsservices@coralgables.com or Jorge Pino/Mobile Permit Coordinator at 305-460-5272/ jpino@coralgables.com

Owner - MICHAEL HASKETT

Code Enforcement Officer Ramos

NOVI-23-07-2 5009 Granada Blvd.
625

Violation Description - Expired Building Permit - Sec. 105-26. - Adoption of building, plumbing, electrical and related technical codes.

The state building code together with all local amendments thereto is hereby adopted by reference. Penalties for violation of the state building code shall be as established in section 1-7. Florida Building Code 105.4.1.1- If work has commenced and the permit is revoked, becomes null and void, or expires because of lack of progress or abandonment, a new permit covering the proposed construction shall be obtained before proceeding with the work (Code 1958, § 8-1; Code 1991, § 6-26; Code 2006, § 105-23; Ord. No. 1052, § 1, 12-17-1957)

Code Enforcement Officer Comments: EXPIRED PERMIT BL-21-02-6793
1 STORY ADDITION

Remedy - Please renew/ re-activate the permit(s) in order to call for final pending inspection(s). Inspections must be approved, in order for the permit(s) and violation to close. If you require further assistance, please contact please contact: Antonio Silio at 305-460-5206/asilio@coralgables.com or Development Services at 305-460-5245/DevelopmentServices@coralgables.com or Jorge Pino/Mobile Permit Coordinator at 305-460-5272/jpino@coralgables.com

Owner - ENRIQUE JORDAN

Code Enforcement Officer Ramos

NOVI-23-07-2 513 SAN LORENZO AVE
619

Violation Description - Expired Building Permit - Sec. 105-26. - Adoption of building, plumbing, electrical and related technical codes. The state building code together with all local amendments thereto is hereby adopted by reference. Penalties for violation of the state building code shall be as established in section 1-7. Florida Building Code 105.4.1.1- If work has commenced and the permit is revoked, becomes null and void, or expires because of lack of progress or abandonment, a new permit covering the proposed construction shall be obtained before proceeding with the work (Code 1958, § 8-1; Code 1991, § 6-26; Code 2006, § 105-23; Ord. No. 1052, § 1, 12-17-1957)

Code Enforcement Officer Comments: EXPIRED PERMIT BL-21-01-6265
RE-ROOF

Remedy - Please renew/ re-activate the permit(s) in order to call for final pending inspection(s). Inspections must be approved, in order for the permit(s) and violation to close. If you require further assistance, please contact please contact: Antonio Silio at 305-460-5206/asilio@coralgables.com or Development Services at 305-460-5245/DevelopmentServices@coralgables.com or Jorge Pino/Mobile Permit Coordinator at 305-460-5272/jpino@coralgables.com

Owner - PATRICK ILABACA

Code Enforcement Officer Ramos

[NOVI-24-07-8](#) 431 COSTANERA RD
[203](#)

Violation Description - Permits generally (c) - Tree Abuse - Sec. 82-29. - Permits generally. (c)Tree abuse. Tree abuse is prohibited and shall constitute a violation of this section. Any act of tree abuse that renders a tree nonviable or effectively destroyed shall constitute "effective removal" and shall compel the owner to fully comply with the terms of this article as if the tree was removed prior to issuance of a permit. (Ord. No. 2017-45, § 2(Att. A), 12-5-2017)

Code Enforcement Officer Comments - Improperly cut three Live Oak city trees, on the right of way without a permit.

Remedy - Comply with Section 82-29 must obtain an after the fact permit the cutting of the 3 trees. Must submit a arborist report by a Florida certified arborist, stating the viability of the trees after cutting and any prescription necessary. Must contact Coral Gables Green space for any additional requirements at 305-460-5000.

Owner - CARIDAD FIGUEROA TRS

Code Enforcement Officer Vilato

NOVI-24-05-7 7424 VISTALMAR ST
941

Violation Description - Exterior Alterations without Permit - Section 14-202.8. Zoning permit. No person shall commence or cause to be commenced any miscellaneous work, which does not otherwise require a building permit, which affects the aesthetics, appearance, or architectural design of any structure, site or site improvements until an application for a zoning permit therefore has been previously filed with the Development Services Department. No such miscellaneous work which affects the aesthetics, appearance, or architectural design of any structure, site or site improvements shall commence until a permit has been issued by the City in every case where the cost of such proposed work exceeds five hundred (\$500) dollars in labor and materials. All work done under and pursuant to any zoning permit shall conform to the approved plans and/or specifications.

Code Enforcement Officer Comments - Exterior renovations without a permit or approval; i.e. removed brick work from exterior, installed tile on planters and walkways to front door, painted exterior walls, trim and garage door without a color pallet approval, installed new rain gutters without a permit. Removed railing from front steps. Installed fencing and gate on either side of the property without a permit.

Remedy - Comply with Section 14-202.8 Must obtain after the fact permits for work completed.

Owner - NASIR ACIKGOZ

Code Enforcement Officer Vilato

NOVI-24-08-8 7424 VISTALMAR ST
238

Violation Description - Exterior Alterations without Permit - Section 14-202.8. Zoning permit. No person shall commence or cause to be commenced any miscellaneous work, which does not otherwise require a building permit, which affects the aesthetics, appearance, or architectural design of any structure, site or site improvements until an application for a zoning permit therefore has been previously filed with the Development Services Department. No such miscellaneous work which affects the aesthetics, appearance, or architectural design of any structure, site or site improvements shall commence until a permit has been issued by the City in every case where the cost of such proposed work exceeds five hundred (\$500) dollars in labor and materials. All work done under and pursuant to any zoning permit shall conform to the approved plans and/or specifications.

Code Enforcement Officer Comments: Installing artificial turf on side yards and backyard without a permit.

Remedy - Comply with Section 14-202.8. Must obtain an after-the-fact permit for artificial turf installation. No work to be done until permit has been obtained.

Owner - NASIR ACIKGOZ

Code Enforcement Officer Vilato

NOVI-24-07-8 1001 SAN PEDRO AVE
159

Violation Description - Exterior Alterations without Permit - Section 14-202.8. Zoning permit. No person shall commence or cause to be commenced any miscellaneous work, which does not otherwise require a building permit, which affects the aesthetics, appearance, or architectural design of any structure, site or site improvements until an application for a zoning permit therefore has been previously filed with the Development Services Department. No such miscellaneous work which affects the aesthetics, appearance, or architectural design of any structure, site or site improvements shall commence until a permit has been issued by the City in every case where the cost of such proposed work exceeds five hundred (\$500) dollars in labor and materials. All work done under and pursuant to any zoning permit shall conform to the approved plans and/or specifications.

Code Enforcement Officer Comments - Installed front entry overhang and front entry metal gate without a permit. Installed metal structure above garage door and parking area without a permit. Installed windows and doors throughout property without a permit.

Remedy - Comply with Section 14-202.8. Must obtain a after the fact permit for work completed.

Owner - FRAGATA LLC

Code Enforcement Officer Vilato

NOVI-24-01-4 190 LOS PINOS CT
392

Violation Description - Exterior Alterations without Permit - Section 14-202.8. Zoning permit. No person shall commence or cause to be commenced any miscellaneous work, which does not otherwise require a building permit, which affects the aesthetics, appearance, or architectural design of any structure, site or site improvements until an application for a zoning permit therefore has been previously filed with the Development Services Department. No such miscellaneous work which affects the aesthetics, appearance, or architectural design of any structure, site or site improvements shall commence until a permit has been issued by the City in every case where the cost of such proposed work exceeds five hundred (\$500) dollars in labor and materials. All work done under and pursuant to any zoning permit shall conform to the approved plans and/or specifications.

Code Enforcement Officer Comments - Hat racking three black olives trees on city right away without a permit.

Remedy - Comply with Section 14-202.8 Must obtain a after-the-fact permit for hat wrecking of the three Black Olive trees on city right of way. Must submit an arborist report from a ISA certified arborist stating the viability of the three trees after cutting at any prescription needed.

Owner - BERTRAND PAULET

Code Enforcement Officer Vilato

[NOVI-24-08-8](#) 184 PALOMA DR
[225](#)

Violation Description - Floors, walls, ceilings and roofs - Sec. 105-278. - Floors, walls, ceilings and roofs. Floors, walls, ceilings and roofs of every structure used for human habitation shall be structurally sound, and maintained in a clean and sanitary condition. They shall be free from cracks, breaks, loose plaster and similar conditions so serious as to endanger the safety of occupants or to seriously mar the attractiveness of the premises.

(Code 1958, § 16A-36; Code 1991, § 12-178; Code 2006, § 105-289; Ord. No. 1142, § 4.5, 7-14-1959; Ord. No. 2013-07, § 2, 5-28-2013)

Code Enforcement Officer Comments - Dock and boatlift in disrepair. Missing awning at rear of property.

Remedy - Must repair dock and boat lift. Must replace awning at rear of property. Must obtain all permits to complete work.

Owner - OSCAR FUENZALIDA

Code Enforcement Officer Vilato

CONTINUED CASES

[NOVI-24-01-4](#) 730 Palermo Ave
780

Violation Description - Floors, walls, ceilings and roofs - Sec. 105-278. - Floors, walls, ceilings and roofs. Floors, walls, ceilings and roofs of every structure used for human habitation shall be structurally sound, and maintained in a clean and sanitary condition. They shall be free from cracks, breaks, loose plaster and similar conditions so serious as to endanger the safety of occupants or to seriously mar the attractiveness of the premises. (Code 1958, § 16A-36; Code 1991, § 12-178; Code 2006, § 105-289; Ord. No. 1142, § 4.5, 7-14-1959; Ord. No. 2013-07, § 2, 5-28-2013)

Code Enforcement Officer Comments: Must clean and maintain property. Roof is dirty. Walls are dirty and or discolored. Columns are dirty. Door is dirty.

Remedy - Must clean and maintain property. Must clean and maintain dirty roof. Must clean walkway and steps. Must clean walls, garage door and columns. Must clean driveway. Must clean front door.

Owner - Valerie Robbin

Code Enforcement Officer - Posada

NOVI-24-01-4 739 Escobar Ave
334

Violation Description - Floors, walls, ceilings and roofs - Sec. 105-278. - Floors, walls, ceilings and roofs. Floors, walls, ceilings and roofs of every structure used for human habitation shall be structurally sound, and maintained in a clean and sanitary condition. They shall be free from cracks, breaks, loose plaster and similar conditions so serious as to endanger the safety of occupants or to seriously mar the attractiveness of the premises. (Code 1958, § 16A-36; Code 1991, § 12-178; Code 2006, § 105-289; Ord. No. 1142, § 4.5, 7-14-1959; Ord. No. 2013-07, § 2, 5-28-2013)

Code Enforcement Officer Comments: Roof is in disrepair and dirty. Walls are discolored. Driveway, walkway and sidewalk are all dirty. Garage door is also in disrepair.

Remedy - Must obtain permits for any work that may require permits. Must clean and repair roof. Must clean discolored walls. Must clean dirty walkway, driveway and sidewalk. Must repair garage door.

Owner - Ronald Thompson & W Linda

Code Enforcement Officer - Posada

STATUS CASES

[NOVI-23-05-2](#) 4845 Hammock Lake Dr.
224

8/21/24 Guilty/60 days to comply/\$150.00 a day/\$108.75 Administrative Fee

Violation Description - PERMIT - Required for Excavations - Sec. 62-83. - Required.

(a) Violations of this section shall be punishable as provided in section 1-7.

(b) It shall be unlawful for any person to do work on or cut into, dig up, or excavate for the purpose of laying sewers, water mains, underground wires, or gas pipes, or for setting poles, or any other purpose whatsoever, any of the streets, parks, parkways, sidewalks, alleys, or easements in the city without first securing from the director of public works a permit to do such work, and make such excavations.

(Code 1958, § 28-26; Code 1991, § 22-106; Code 2006, § 62-58; Ord. No. 2581, § 1, 9-10-1985)

Code Enforcement Officer Comments: Gravel installation on city swale without a permit.

Remedy - Obtain all City permits. Please contact building@coralgables.com or 305-460-5245 for any additional questions

Owner - EDUARDO C COSTA

Code Enforcement Officer Vilato

[NOVI-23-05-2](#) 4845 Hammock Lake Dr
[223](#)

8/21/24 Guilty/60 days to comply/\$150.00 a day/\$108.75 Administrative Fee

Violation Description - Zoning permit required - Section 14-202.8. Zoning permit

No person shall commence or cause to be commenced any miscellaneous work, which does not otherwise require a building permit, which affects the aesthetics, appearance, or architectural design of any structure, site or site improvements until an application for a zoning permit therefore has been previously filed with the Development Services Department. No such miscellaneous work which affects the aesthetics, appearance, or architectural design of any structure, site or site improvements shall commence until a permit has been issued by the City in every case where the cost of such proposed work exceeds five hundred (\$500) dollars in labor and materials. All work done under and pursuant to any zoning permit shall conform to the approved plans and/or specifications.

Code Enforcement Officer Comments: Artificial turf and gravel installation on private property without a permit.

Remedy - Must obtain all necessary permits and inspections.

Owner - EDUARDO C COSTA

Code Enforcement Officer Vilato

HISTORIC CASES

[NOVI-23-08-2](#) 516 NAVARRE AVE
[844](#)

Violation Description - Expired Building Permit - Sec. 105-26. - Adoption of building, plumbing, electrical and related technical codes. The state building code together with all local amendments thereto is hereby adopted by reference. Penalties for violation of the state building code shall be as established in section 1-7. Florida Building Code 105.4.1.1- If work has commenced and the permit is revoked, becomes null and void, or expires because of lack of progress or abandonment, a new permit covering the proposed construction shall be obtained before proceeding with the work (Code 1958, § 8-1; Code 1991, § 6-26; Code 2006, § 105-23; Ord. No. 1052, § 1, 12-17-1957)

Code Enforcement Officer Comments - EXPIRED PERMIT
BL-20-01-5033 NEW SWIMMING POOL, SPA, PAVER POOL DECK

Remedy - Please renew/ re-activate the permit(s) in order to call for final pending inspection(s). Inspections must be approved, in order for the permit(s) and violation to close. If you require further assistance, please contact please contact: Antonio Silio at 305-460-5206/asilio@coralgables.com or Development Services at 305-460-5245/Developmentservices@coralgables.com or Jorge Pino/Mobile Permit Coordinator at 305-460-5272/jpino@coralgables.com

Owner - DAGOBERTO CABRAL JR

Code Enforcement Officer Ramos

NOVI-24-06-8 4706 Brooker St
104

Violation Description - Floors, walls, ceilings and roofs - Sec. 105-278. - Floors, walls, ceilings and roofs. Floors, walls, ceilings and roofs of every structure used for human habitation shall be structurally sound, and maintained in a clean and sanitary condition. They shall be free from cracks, breaks, loose plaster and similar conditions so serious as to endanger the safety of occupants or to seriously mar the attractiveness of the premises. (Code 1958, § 16A-36; Code 1991, § 12-178; Code 2006, § 105-289; Ord. No. 1142, § 4.5, 7-14-1959; Ord. No. 2013-07, § 2, 5-28-2013)

Code Enforcement Officer Comments: Carport roof has rotting wood and flaking paint and in need of repairs, exterior walls are dirty and need to be pressure cleaned or painted, windows and doors are covered with plywood and metal shutters.

Remedy - Comply with Section 105-278 - repair and paint carport roof, clean or prep and paint dirty exterior walls, remove plywood and metal shutters from covered windows and doors and implement necessary repairs; A permit is required.

Owner - WESLI RIY-VES EST OF

Code Enforcement Officer - Vazquez

NOTE

Any person making impertinent or slanderous remarks or who become boisterous while addressing the Board, shall be barred from further audience before the Board by the Chair, unless permission to continue or again address the Board is granted by the majority vote of the Board Members present. Clapping, applauding, heckling or verbal outbursts or any remarks in support or opposition to a speaker shall be prohibited. Signs or placards shall not be permitted in Commission Chambers.

Any person, who acts as a lobbyist pursuant to the City of Coral Gables Ordinance No. 2006-11, as amended, must register with the City Clerk prior to engaging in lobbying activities before City Staff, Boards, Committees or City Commission. A copy of the Ordinance is available in the Office of the City Clerk, City Hall. If a person decides to appeal any decision made by a Board, Committee or City Commission with respect to any matter considered at a meeting or hearing, that person will need to ensure that a verbatim record of the proceedings is made, which record includes the testimony and evidence upon which the appeal is to be based (F.S. 286.0105). Any meeting may be opened and continued and, under certain circumstances, additional legal notice will not be provided.

Any person requiring special accommodations in order to attend or participate in the meeting should contact the City's ADA Coordinator, Raquel Elejabarrieta (Email: relejabarrieta@coralgables.com, Telephone: 305-722-8686, TTY/TDD: 305-442-1600, at least three (3) working days prior to the meeting. All meetings are telecast live on Coral Gables TV Channel 77.

ADJOURNMENT