

To whom it may concern,

Stryker certifies that we are the sole manufacturer of the Power-PRO™ 2 ambulance cot (Model 6507). This correspondence is to inform you of the characteristics of the Power-PRO 2 ambulance cot. These characteristics can be broken down into two primary categories: independent qualification and ease of use and maintenance.

Independent qualification

- IP36: The system is tested to withstand powerful water jets.
- Conforms to IEC 60601-1, IEC 60601-1-2, IEC 60601-1-12: The Power-PRO 2 cot conforms to industry standards for mechanical and electrical safety for medical electrical equipment intended for use in emergency medical services environment, as well as electromagnetic compatibility and immunity.
- Meets BS EN 1789 crash test safety standards when used with Power-LOAD/Performance-LOAD cot fastener and X-restraints: This is a European dynamic crash test which subjects a 50th percentile dummy to nominal 10g deceleration for a minimum of 50ms. Following the test there shall be no sharp edges or danger to the safety of persons in the road ambulance.
- Meets SAE J3027 dynamic crash test safety standards when used with Power-LOAD/Performance-LOAD cot fastener and X-Restraints.
- Designed to conform to KKK-A-1822, CAAS-GVS, NFPA-1917.
- Meets the following:
 - 16 CFR 1632 (U.S. Flammability)
 - BS EN 597-1 (European Flammability)
 - BS EN-1865-2, BS EN-1865-3 (European Power Assisted cots)
 - Meets AS/NSZ-4535 dynamic crash test safety standards when used with Power-LOAD cot fastener and X-restraints.

Ease of use and maintenance

- The cot has a weight capacity of 700 pounds.
- The cot has an adjustable loading height (up to 36 inches). Operators can use the cot control switches at the foot end of the cot to match any ambulance deck height.
- The cot can extend to 84 inches to allow for better leverage when manually loading/unloading.
- The cot can retract to 60 inches to allow for better mobility in tight spaces.
- The lithium-ion battery is placed at the foot end of the cot and can be accessed with a single hand.
- The battery's LED bars indicate battery power level, as well as charging and error status.
- The cot features a foot end light to help medics navigate through dark environments.
- Reflectors on the cot legs increase visibility for enhanced safety.
- The cot is equipped with Smart Equipment Management™ (SEM™), an interactive dashboard that helps you maximize your investment, minimize downtime and remotely manage your fleet.
- When unloading with the manual release handle, the cot utilizes hydraulic dampening. The cot will not abruptly jar the operator or patient.
- The cot is equipped with a bumper detection system that will stop the extension of the legs if they are obstructed while the cot is suspended.
- The cot legs power-retract and power-extend in 1.5 seconds, which speeds load and unload time.

Emergency Care

3800 E. Centre Avenue, Portage, MI 49002 USA | P +1 269 329 2100 | Toll-free +1 800 327 0770 | stryker.com

- The foot end lifting bars and cot control switches at two different heights provide optimum ergonomics to most operator heights.
- The transport height feature lowers the cot to a suggested level at the touch of a button for safe patient transport outside an ambulance.
- The foot end is equipped with a transport handle to provide better ergonomics while in transport height.
- The cot has 6 x 2 inch, sealed casters and bearings, including integrated steer and wheel locks that can be activated from the head end or foot end of the cot.
- The cot features powder-coating of the entire aluminum frame (including the patient handling surfaces), eliminating aluminum oxidation throughout the cot.
- The cot is power washable.

Please contact your account manager for more information.

Sincerely,



John Guyeskey, Sr. Manager, Downstream Marketing

Stryker or its affiliated entities own, use, or have applied for the following trademarks or service marks: Power-LOAD, Power-PRO, SEM, Smart Equipment Management, Stryker. All other trademarks are trademarks of their respective owners or holders. The absence of a product, feature, or service name, or logo from this list does not constitute a waiver of Stryker's trademark or other intellectual property rights concerning that name or logo.



LP15

Quote Number: 10858945

Version: 1

Prepared For: CITY OF CORAL GABLES FIRE DEPT ADMIN

Attn:

Rep: Alex Eidson

Email: alex.eidson@stryker.com

Phone Number:

Quote Date: 03/14/2024

Expiration Date: 06/12/2024

Contract Start: 01/29/2024

Contract End: 01/28/2025

Delivery Address

Name: CITY OF CORAL GABLES FIRE DEPT ADMIN

Account #: 20126386

Address: 2151 SALZEDO ST

CORAL GABLES

Florida 33134-4303

Sold To - Shipping

Name: CITY OF CORAL GABLES FIRE DEPT ADMIN

Account #: 20126386

Address: 2151 SALZEDO ST

CORAL GABLES

Florida 33134-4303

Bill To Account

Name: CITY OF CORAL GABLES FIRE DEPT ADMIN

Account #: 20126386

Address: 2151 SALZEDO ST

CORAL GABLES

Florida 33134-4303

Equipment Products:

#	Product	Description	U/M	Qty	Sell Price	Total
1.0	650705550001	6507 POWER PRO 2, HIGH CONFIG	PCE	3	\$27,561.32	\$82,683.96
2.0	650707000002	KIT, ALVARIUM BATTERY, SERVICE	PCE	3	\$900.15	\$2,700.45
3.0	650700450301	ASSEMBLY, BATTERY CHARGER	PCE	3	\$695.30	\$2,085.90
4.0	650700450102	ASSEMBLY, POWER CORD, NORTH AM	PCE	3	\$29.75	\$89.25
5.0	639005550001	MTS POWER LOAD	PCE	2	\$30,456.29	\$60,912.58
Equipment List Price:						\$188,494.00
Equipment Total:						\$148,472.14

Trade In Credit:

Product	Description	Qty	Credit Ea.	Total Credit
TR-FPCOT-PP2	TR-FERNO PCOT TO PP2	3	-\$2,500.00	-\$7,500.00
TR-FMFAST-PL	TRADE-IN-FERNO SAE COMPLIANT MANUAL FASTENER TOWARDS PURCHASE OF POWERLOAD	2	-\$1,000.00	-\$2,000.00

Price Totals:

Estimated Sales Tax (0.000%): \$0.00



LP15

Quote Number: 10858945

Version: 1

Prepared For: CITY OF CORAL GABLES FIRE DEPT ADMIN

Attn:

Rep: Alex Eidson

Email: alex.eidson@stryker.com

Phone Number:

Quote Date: 03/14/2024

Expiration Date: 06/12/2024

Contract Start: 01/29/2024

Contract End: 01/28/2025

Freight/Shipping:	\$1,989.99
Grand Total:	\$140,962.13

Prices: In effect for 30 days

Terms: Net 30 Days

Terms and Conditions:

Deal Consummation: This is a quote and not a commitment. This quote is subject to final credit, pricing, and documentation approval. Legal documentation must be signed before your equipment can be delivered. Documentation will be provided upon completion of our review process and your selection of a payment schedule. Confidentiality Notice: Recipient will not disclose to any third party the terms of this quote or any other information, including any pricing or discounts, offered to be provided by Stryker to Recipient in connection with this quote, without Stryker's prior written approval, except as may be requested by law or by lawful order of any applicable government agency. A copy of Stryker Medical's terms and conditions can be found at https://techweb.stryker.com/Terms_Conditions/index.html.



**CITY OF CORAL GABLES
FINANCE/PROCUREMENT DIVISION
SURPLUS TRADE-IN FORM**

Department/Division 5500
 Requestor's Name Xavier Jones Telephone No. 305-460-5568
 Title Division Chief Email Xjones@coralgables.com
 Location of Property Fire Station 1
 Trade-in will be applied to a sole source procurement? Y N
 Description of new property being purchased? New stretcher / loading system

Estimated Value: \$ _____

Quantity (A)	Property Description (B)	Year Purchased (C)	Make (D)	Model Number (E)	Serial Number (F)	Unit of Measure (G)	Acquisition Cost Per Unit (H)	Total (I)	Condition of Property* (J)	Trade-in Value Offered (K)
1	Stretcher	2019	Ferno	IN/X	175-014240	each	53,704.80	53,704.80	5	2,500
1	Stretcher	2019	Ferno	IN/X	185-015742	each	53,704.80	53,704.80	5	2,500
1	Stretcher	2019	Ferno	IN/X	195-017573	each	53,704.80	53,704.80	5	2,500
1	Load system	2019	Ferno	INLINE95	35078	each	13,509.00	13,509.00	4	1,000
1	Load system	2019	Ferno	INLINE95	35093	each	13,509.00	13,509.00	4	1,000

(Attach separate sheet if necessary)

Total \$ 9,500
(L)

*Condition of Property

1. Used – more than 75% of useful value remains
2. Used – 75-50% of useful value remains
3. Used – 50-25% of useful value remains
4. Used – less than 25% of useful value remains
5. Used - Spare parts only.

Trade-In Approved Y N

Department Director

3.19.24

Date

Trade-In Approved Y N

Chief Procurement Officer

3/19/2024

Date