

1002 SOCCAS City of Coral Gables

Code Enforcement Division 427 Biltmore Way, Suite 100



Code Enforcement Violation Warning

February 21, 2024

Case #:NOVI-24-02-5293

Folio #: 0341080091320

SAN FRANCISCO EAST HOLDINGS CORP 201 ALHAMBRA CIR STE 601 CORAL GABLES, FL 33134

Dear Property Owner and/or Occupant:

As part of an ongoing effort to enhance the health, safety, and welfare of the citizens of Coral Gables, a recent inspection was made to the premises at:

1002 37 AVE, Coral Gables, FL 33134-3418

At that time, a Code Enforcement Officer found the following violation(s) evident on the property:

Condition of commercial property(a) - Sec. 105-29. Condition of commercial property (a)The exterior of all commercial property shall be maintained so as to prevent deterioration or blight from inadequate maintenance.

Code Enforcement Officer Comments: Dirty roof, fascia board and front steps. Stucco band is chipped. Drive way is dirty and needs touch up sealant.

IVN TAILINGS & COLUMBLE IN PLEASE TO TOUCH UP FOUND.

The following steps should be taken to correct the violation:

Please clean Dirty roof, fascia board, front steps and driveway. Repair chipped Stucco band.

Coral Gables has earned the title of "The City Beautiful" with the help of the residents. Your immediate cooperation in correcting the violation(s) listed above would be gratefully appreciated.

The Code Enforcement Division will re-inspect the property on 3/22/2024 to determine if corrective measures have been completed. If corrective measures have not been completed by 3/22/2024, a Notice of Violation and/or

The Division is available for consultation on this matter from 7:30 AM to 4:00 PM. Please do not hesitate to call the Code Enforcement Officer below for additional assistance or the Code Enforcement Hot-line at 305-441-

NOVI 24025293

Letti

305-619-1125

sramos2@coralgables.com