



ARCHITECTURAL ELEVATIONS

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE



CITY COMMISSION
SECOND READING


SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
 TENANT SIGNAGE	AREA	18 SQ. FT PER TENANT MAX
	LENGTH	50% OF LINEAL/TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
 PARKING GARAGE ENTRY/EXIT	AREA	100 SQ. FT MAX
	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
 PLAQUES (PEDESTRIAN SIGNAGE)	AREA	4 SQ. FT MAX
	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
 BUILDING SIGNAGE	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADEFRONTAGE
	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MIN
 AWNING OR CANOPY	AREA	4 SQ. FT MAX
	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX

ELEVATION - PONCE DE LEON - HOTEL



SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
TENANT SIGNAGE	AREA	18 SQ. FT PER TENANT MAX
	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
PARKING GARAGE ENTRY/EXIT	AREA	100 SQ. FT MAX
	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
PLAQUES (PEDESTRIAN SIGNAGE)	AREA	4 SQ. FT MAX
	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
BUILDING SIGNAGE	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MIN
	HEIGHT OF SIGNAGE	
AWNING OR CANOPY	AREA	4 SQ. FT MAX
	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX

ELEVATION - PONCE DE LEON - HOTEL




SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
TENANT SIGNAGE	AREA	18 SQ. FT PER TENANT MAX
	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
PARKING GARAGE ENTRY/EXIT	AREA	100 SQ. FT MAX
	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
PLAQUES (PEDESTRIAN SIGNAGE)	AREA	4 SQ. FT MAX
	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
BUILDING SIGNAGE	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MINI
AWNING OR CANOPY	AREA	4 SQ. FT MAX
	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE



ELEVATION - PONCE DE LEON - RESIDENTIAL TOWER 1



SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
	AREA	18 SQ. FT PER TENANT MAX
TENANT SIGNAGE	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
	AREA	100 SQ. FT MAX
PARKING GARAGE ENTRY/EXIT	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
	AREA	4 SQ. FT MAX
PLAQUES (PEDESTRIAN SIGNAGE)	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE. - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
BUILDING SIGNAGE	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MIN
	AREA	4 SQ. FT MAX
AWNING OR CANOPY	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX
	AREA	4 SQ. FT MAX

ELEVATION - MALAGA - RESIDENTIAL TOWER 1




SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
	AREA	18 SQ. FT PER TENANT MAX
TENANT SIGNAGE	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
	AREA	100 SQ. FT MAX
PARKING GARAGE ENTRY/EXIT	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
	AREA	4 SQ. FT MAX
PLAQUES (PEDESTRIAN SIGNAGE)	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
BUILDING SIGNAGE	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MAX
	AREA	4 SQ. FT MAX
AWNING OR CANOPY	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE



ELEVATION - COCONUT GROVE DRIVE ENTRY (SOUTHEAST)

SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
	AREA	18 SQ. FT PER TENANT MAX
TENANT SIGNAGE	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
	AREA	100 SQ. FT MAX
PARKING GARAGE ENTRY/EXIT	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
	AREA	4 SQ. FT MAX
PLAQUES (PEDESTRIAN SIGNAGE)	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
	AREA	-
BUILDING SIGNAGE	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MIN
	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
AWNING OR CANOPY	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX
	AREA	4 SQ. FT MAX



ELEVATION - COCONUT GROVE DRIVE ENTRY (SOUTHEAST)

SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
	AREA	18 SQ. FT PER TENANT MAX
TENANT SIGNAGE	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
	AREA	100 SQ. FT MAX
PARKING GARAGE ENTRY/EXIT	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
	AREA	4 SQ. FT MAX
PLAQUES (PEDESTRIAN SIGNAGE)	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
	AREA	-
BUILDING SIGNAGE	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE. - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MAX
	AREA	4 SQ. FT MAX
AWNING OR CANOPY	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX
	AREA	-



ARCHITECTURAL ELEVATIONS

ELEVATION - GALIANO - TOWNHOUSES



1 ENLARGED EAST ELEVATION
1/2" = 1' - 0"


SIGNAGE LEGEND			
TYPE	REQUIREMENTS		
	AREA	18 SQ. FT PER TENANT MAX	
TENANT SIGNAGE	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX	
	LETTERING HEIGHT	18 INCHES MAX	
	HEIGHT OF SIGNAGE	18 FEET MAX	
	AREA	100 SQ. FT MAX	
PARKING GARAGE ENTRY/EXIT	LENGTH	12 FEET MAX	
	LETTERING HEIGHT	10 INCHES MAX	
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING	
	AREA	4 SQ. FT MAX	
PLAQUES (PEDESTRIAN SIGNAGE)	LENGTH	2 FEET MAX	
	LETTERING HEIGHT	-	
	HEIGHT OF SIGNAGE	8 FEET MAX	
	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE	
BUILDING SIGNAGE	LENGTH	50% OF LINEAL BUILDING FRONTAGE	
	LETTERING HEIGHT	30 INCHES MAX	
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 9' FEET MIN	
	AREA	4 SQ. FT MAX	
AWNING OR CANOPY	LENGTH	50% OF AWNING OR CANOPY	
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE	
	HEIGHT OF SIGNAGE	12 FEET MAX	
	AREA	4 SQ. FT MAX	

ELEVATION - GALIANO - TOWNHOUSES

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE

SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
	AREA	18 SQ. FT PER TENANT MAX
TENANT SIGNAGE	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
	AREA	100 SQ. FT MAX
PARKING GARAGE ENTRY/EXIT	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
	AREA	4 SQ. FT MAX
PLAQUES (PEDESTRIAN SIGNAGE)	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
	AREA	-
BUILDING SIGNAGE	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MAX
	AREA	4 SQ. FT MAX
AWNING OR CANOPY	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX
	AREA	-



ARCHITECTURAL ELEVATIONS



ELEVATION - MALAGA - TOWNHOUSES



SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
 TENANT SIGNAGE	AREA	18 SQ. FT PER TENANT MAX
	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
 PARKING GARAGE ENTRY/EXIT	AREA	100 SQ. FT MAX
	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
 PLAQUES (PEDESTRIAN SIGNAGE)	AREA	4 SQ. FT MAX
	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
 BUILDING SIGNAGE	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 9' FEET MINI
 AWNING OR CANOPY	AREA	4 SQ. FT MAX
	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX

ELEVATION - SEVILLA - OFFICE



SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
TENANT SIGNAGE	AREA	18 SQ. FT PER TENANT MAX
	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
PARKING GARAGE ENTRY/EXIT	AREA	100 SQ. FT MAX
	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
PLAQUES (PEDESTRIAN SIGNAGE)	AREA	4 SQ. FT MAX
	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
BUILDING SIGNAGE	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MAX
AWNING OR CANOPY	AREA	4 SQ. FT MAX
	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE




ELEVATION - PALERMO (NORTH) - OFFICE



SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
TENANT SIGNAGE	AREA	18 SQ. FT PER TENANT MAX
	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
PARKING GARAGE ENTRY/EXIT	AREA	100 SQ. FT MAX
	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
PLAQUES (PEDESTRIAN SIGNAGE)	AREA	4 SQ. FT MAX
	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
BUILDING SIGNAGE	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE. - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MIN
AWNING OR CANOPY	AREA	4 SQ. FT MAX
	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX

ELEVATION - PALERMO (NORTH) - RESIDENTIAL TOWER 2



1 - ENLARGED PALERMO NORTH ELEVATION
3/20/17 1:00


ARCHITECTURAL ELEVATIONS

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE




ELEVATION - PALERMO (SOUTH) - RETAIL



SIGNAGE LEGEND			
TYPE	REQUIREMENTS		
TENANT SIGNAGE	AREA	18 SQ. FT PER TENANT MAX	
	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX	
	LETTERING HEIGHT	18 INCHES MAX	
	HEIGHT OF SIGNAGE	18 FEET MAX	
PARKING GARAGE ENTRY/EXIT	AREA	100 SQ. FT MAX	
	LENGTH	12 FEET MAX	
	LETTERING HEIGHT	10 INCHES MAX	
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING	
PLAQUES (PEDESTRIAN SIGNAGE)	AREA	4 SQ. FT MAX	
	LENGTH	2 FEET MAX	
	LETTERING HEIGHT	-	
	HEIGHT OF SIGNAGE	8 FEET MAX	
BUILDING SIGNAGE	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE. - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE	
	LENGTH	50% OF LINEAL BUILDING FRONTAGE	
	LETTERING HEIGHT	30 INCHES MAX	
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 9' FEET MIN	
AWNING OR CANOPY	AREA	4 SQ. FT MAX	
	LENGTH	50% OF AWNING OR CANOPY	
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE	
	HEIGHT OF SIGNAGE	12 FEET MAX	


ELEVATION - PALERMO (SOUTH) - HISTORIC ARTS CENTER

SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
	AREA	18 SQ. FT PER TENANT MAX
TENANT SIGNAGE	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
	AREA	100 SQ. FT MAX
PARKING GARAGE ENTRY/EXIT	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
	AREA	4 SQ. FT MAX
PLAQUES (PEDESTRIAN SIGNAGE)	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
BUILDING SIGNAGE	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MINI
	AREA	4 SQ. FT MAX
AWNING OR CANOPY	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX



ELEVATION - COCONUT GROVE DRIVE (NORTHEAST) - RETAIL

SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
 TENANT SIGNAGE	AREA	18 SQ. FT PER TENANT MAX
	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
 PARKING GARAGE ENTRY/EXIT	AREA	100 SQ. FT MAX
	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
 PLAQUES (PEDESTRIAN SIGNAGE)	AREA	4 SQ. FT MAX
	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
 BUILDING SIGNAGE	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADEFRONTAGE
	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MIN
 AWNING OR CANOPY	AREA	4 SQ. FT MAX
	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX




CITY COMMISSION
SECOND READING

Architectural elevation drawing of the Coconut Grove North Elevation. The drawing shows a multi-story building with a central section featuring six levels labeled "PARKING". To the left of the parking section is a "SINGLE FAMILY RESIDENCE". To the right is an "ALLEY". The building has a gabled roof. A vertical level schedule is provided on the right side of the drawing.

Level	Height
LEVEL 09	91' - 4"
LEVEL 08	80' - 8"
LEVEL 07	71' - 4"
LEVEL 06	62' - 0"
LEVEL 05	52' - 8"
LEVEL 04	43' - 4"
LEVEL 03	34' - 0"
TOWNHOUSE 03	26' - 0"
LEVEL 02	17' - 0"
TOWNHOUSE 02	14' - 0"
TOWNHOUSE 01	2' - 0"
LEVEL 01	0' - 0"

ENLARGED COCONUT GROVE NORTH ELEVATION
 2021-12-17

ELEVATION - COCONUT GROVE DRIVE (SOUTHWEST) - RETAIL



SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
TENANT SIGNAGE	AREA	18 SQ. FT PER TENANT MAX
	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
PARKING GARAGE ENTRY/EXIT	AREA	100 SQ. FT MAX
	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
PLAQUES (PEDESTRIAN SIGNAGE)	AREA	4 SQ. FT MAX
	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
BUILDING SIGNAGE	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MIN
AWNING OR CANOPY	AREA	4 SQ. FT MAX
	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX


ELEVATION - COCONUT GROVE DRIVE (SOUTHWEST) - RETAIL

SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
	AREA	18 SQ. FT PER TENANT MAX
TENANT SIGNAGE	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
	AREA	100 SQ. FT MAX
PARKING GARAGE ENTRY/EXIT	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
	AREA	4 SQ. FT MAX
PLAQUES (PEDESTRIAN SIGNAGE)	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
	AREA	-
BUILDING SIGNAGE	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MAX
	HEIGHT OF SIGNAGE	12 FEET MAX
AWNING OR CANOPY	AREA	4 SQ. FT MAX
	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX




1 ENLARGED COCONUT GROVE SOUTH ELEVATION
3/22/2024

ELEVATION - COCONUT GROVE DRIVE ENTRY (NORTHWEST)



SIGNAGE LEGEND		
TYPE	REQUIREMENTS	
	AREA	18 SQ. FT PER TENANT MAX
TENANT SIGNAGE	LENGTH	50% OF LINEAL TENANT FRONTAGE MAX
	LETTERING HEIGHT	18 INCHES MAX
	HEIGHT OF SIGNAGE	18 FEET MAX
	AREA	100 SQ. FT MAX
PARKING GARAGE ENTRY/EXIT	LENGTH	12 FEET MAX
	LETTERING HEIGHT	10 INCHES MAX
	HEIGHT OF SIGNAGE	WITHIN 10 FEET OF T.O. GARAGE OPENING
	AREA	4 SQ. FT MAX
PLAQUES (PEDESTRIAN SIGNAGE)	LENGTH	2 FEET MAX
	LETTERING HEIGHT	-
	HEIGHT OF SIGNAGE	8 FEET MAX
	AREA	-
BUILDING SIGNAGE	AREA	- 1 SQ. FT PER LINEAL FOOT OF PRIMARY STREET FRONTAGE - 0.5 SQ. FT PER LINEAL FOOT OF SIDE STREET FRONTAGE OR FACADE FRONTAGE
	LENGTH	50% OF LINEAL BUILDING FRONTAGE
	LETTERING HEIGHT	30 INCHES MAX
	HEIGHT OF SIGNAGE	- 25 FEET MAX ABOVE CEILING OF TOP FLOOR - 97 FEET MINI
AWNING OR CANOPY	AREA	4 SQ. FT MAX
	LENGTH	50% OF AWNING OR CANOPY
	LETTERING HEIGHT	- 6 INCHES MAX - NOT TO EXCEED 60% OF HEIGHT OF VALENCE
	HEIGHT OF SIGNAGE	12 FEET MAX



ARCHITECTURAL ELEVATIONS



LANDSCAPE DRAWINGS

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE



OVERALL ILLUSTRATIVE REALM PLAN




LANDSCAPE DRAWINGS

OVERALL ILLUSTRATIVE - ON-SITE PUBLIC REALM PLAN



NOTES:
1. ALL SIDEWALKS CONNECTING TO FRED B. HARTNETT PARK WILL BE REVIEWED AND COORDINATED WITH THE CITY




LANDSCAPE DRAWINGS

CITY COMMISSION
SECOND READING


MEDITERRANEAN VILLAGE AT PONCE CIRCLE



OVERALL ON-SITE PUBLIC REALM PLAN




PUBLIC REALM PLAN - NORTH PARCEL



NOTES:
1. ALL SIDEWALKS CONNECTING TO FRED B. HARTNETT PARK WILL BE REVIEWED AND COORDINATED WITH THE CITY


HARDSCAPE KEY	
PAVING	
1	MANHOLE STONE PAVING - UNPAVED
2	GRANITE PAVING - PEBBLESTRAW - LIGHT GREY
3	GRANITE PAVING - VENEZIAN - LIGHT GREY
4	GRANITE PAVING - VENEZIAN - MEDIUM GREY
5	GRANITE PAVING - VENEZIAN - MEDIUM TAN
6	GRANITE PAVING - VENEZIAN - MEDIUM GREY
7	GRANITE PAVING - VENEZIAN - MEDIUM TAN
8	GRANITE PAVING - VENEZIAN - MEDIUM GREY
9	GRANITE PAVING - VENEZIAN - MEDIUM TAN
10	GRANITE PAVING - VENEZIAN - MEDIUM GREY
11	GRANITE PAVING - VENEZIAN - MEDIUM TAN
12	GRANITE PAVING - VENEZIAN - MEDIUM GREY
13	GRANITE PAVING - VENEZIAN - MEDIUM TAN
14	GRANITE PAVING - VENEZIAN - MEDIUM GREY
15	GRANITE PAVING - VENEZIAN - MEDIUM TAN
16	GRANITE PAVING - VENEZIAN - MEDIUM GREY
17	GRANITE PAVING - VENEZIAN - MEDIUM TAN
18	GRANITE PAVING - VENEZIAN - MEDIUM GREY
19	GRANITE PAVING - VENEZIAN - MEDIUM TAN
20	GRANITE PAVING - VENEZIAN - MEDIUM GREY
21	GRANITE PAVING - VENEZIAN - MEDIUM TAN
22	GRANITE PAVING - VENEZIAN - MEDIUM GREY
23	GRANITE PAVING - VENEZIAN - MEDIUM TAN
24	GRANITE PAVING - VENEZIAN - MEDIUM GREY
25	GRANITE PAVING - VENEZIAN - MEDIUM TAN
26	GRANITE PAVING - VENEZIAN - MEDIUM GREY
27	GRANITE PAVING - VENEZIAN - MEDIUM TAN
28	GRANITE PAVING - VENEZIAN - MEDIUM GREY
29	GRANITE PAVING - VENEZIAN - MEDIUM TAN
30	GRANITE PAVING - VENEZIAN - MEDIUM GREY
31	GRANITE PAVING - VENEZIAN - MEDIUM TAN
32	GRANITE PAVING - VENEZIAN - MEDIUM GREY
33	GRANITE PAVING - VENEZIAN - MEDIUM TAN
34	GRANITE PAVING - VENEZIAN - MEDIUM GREY
35	GRANITE PAVING - VENEZIAN - MEDIUM TAN
36	GRANITE PAVING - VENEZIAN - MEDIUM GREY
37	GRANITE PAVING - VENEZIAN - MEDIUM TAN
38	GRANITE PAVING - VENEZIAN - MEDIUM GREY
39	GRANITE PAVING - VENEZIAN - MEDIUM TAN
40	GRANITE PAVING - VENEZIAN - MEDIUM GREY
41	GRANITE PAVING - VENEZIAN - MEDIUM TAN
42	GRANITE PAVING - VENEZIAN - MEDIUM GREY
43	GRANITE PAVING - VENEZIAN - MEDIUM TAN
44	GRANITE PAVING - VENEZIAN - MEDIUM GREY
45	GRANITE PAVING - VENEZIAN - MEDIUM TAN
46	GRANITE PAVING - VENEZIAN - MEDIUM GREY
47	GRANITE PAVING - VENEZIAN - MEDIUM TAN
48	GRANITE PAVING - VENEZIAN - MEDIUM GREY
49	GRANITE PAVING - VENEZIAN - MEDIUM TAN
50	GRANITE PAVING - VENEZIAN - MEDIUM GREY
51	GRANITE PAVING - VENEZIAN - MEDIUM TAN
52	GRANITE PAVING - VENEZIAN - MEDIUM GREY
53	GRANITE PAVING - VENEZIAN - MEDIUM TAN
54	GRANITE PAVING - VENEZIAN - MEDIUM GREY
55	GRANITE PAVING - VENEZIAN - MEDIUM TAN
56	GRANITE PAVING - VENEZIAN - MEDIUM GREY
57	GRANITE PAVING - VENEZIAN - MEDIUM TAN
58	GRANITE PAVING - VENEZIAN - MEDIUM GREY
59	GRANITE PAVING - VENEZIAN - MEDIUM TAN
60	GRANITE PAVING - VENEZIAN - MEDIUM GREY
61	GRANITE PAVING - VENEZIAN - MEDIUM TAN
62	GRANITE PAVING - VENEZIAN - MEDIUM GREY
63	GRANITE PAVING - VENEZIAN - MEDIUM TAN
64	GRANITE PAVING - VENEZIAN - MEDIUM GREY
65	GRANITE PAVING - VENEZIAN - MEDIUM TAN
66	GRANITE PAVING - VENEZIAN - MEDIUM GREY
67	GRANITE PAVING - VENEZIAN - MEDIUM TAN
68	GRANITE PAVING - VENEZIAN - MEDIUM GREY
69	GRANITE PAVING - VENEZIAN - MEDIUM TAN
70	GRANITE PAVING - VENEZIAN - MEDIUM GREY
71	GRANITE PAVING - VENEZIAN - MEDIUM TAN
72	GRANITE PAVING - VENEZIAN - MEDIUM GREY
73	GRANITE PAVING - VENEZIAN - MEDIUM TAN
74	GRANITE PAVING - VENEZIAN - MEDIUM GREY
75	GRANITE PAVING - VENEZIAN - MEDIUM TAN
76	GRANITE PAVING - VENEZIAN - MEDIUM GREY
77	GRANITE PAVING - VENEZIAN - MEDIUM TAN
78	GRANITE PAVING - VENEZIAN - MEDIUM GREY
79	GRANITE PAVING - VENEZIAN - MEDIUM TAN
80	GRANITE PAVING - VENEZIAN - MEDIUM GREY
81	GRANITE PAVING - VENEZIAN - MEDIUM TAN
82	GRANITE PAVING - VENEZIAN - MEDIUM GREY
83	GRANITE PAVING - VENEZIAN - MEDIUM TAN
84	GRANITE PAVING - VENEZIAN - MEDIUM GREY
85	GRANITE PAVING - VENEZIAN - MEDIUM TAN
86	GRANITE PAVING - VENEZIAN - MEDIUM GREY
87	GRANITE PAVING - VENEZIAN - MEDIUM TAN
88	GRANITE PAVING - VENEZIAN - MEDIUM GREY
89	GRANITE PAVING - VENEZIAN - MEDIUM TAN
90	GRANITE PAVING - VENEZIAN - MEDIUM GREY
91	GRANITE PAVING - VENEZIAN - MEDIUM TAN
92	GRANITE PAVING - VENEZIAN - MEDIUM GREY
93	GRANITE PAVING - VENEZIAN - MEDIUM TAN
94	GRANITE PAVING - VENEZIAN - MEDIUM GREY
95	GRANITE PAVING - VENEZIAN - MEDIUM TAN
96	GRANITE PAVING - VENEZIAN - MEDIUM GREY
97	GRANITE PAVING - VENEZIAN - MEDIUM TAN
98	GRANITE PAVING - VENEZIAN - MEDIUM GREY
99	GRANITE PAVING - VENEZIAN - MEDIUM TAN
100	GRANITE PAVING - VENEZIAN - MEDIUM GREY




MEDITERRANEAN VILLAGE
AT PONCE CIRCLE




PUBLIC REALM PLAN - CENTRAL PARCEL



- NOTES:
1. ALL SIDEWALKS CONNECTING TO FRED B. HARTNETT PARK WILL BE REVIEWED AND COORDINATED WITH THE CITY


[illegible]

PUBLIC REALM PLAN - SOUTH PARCEL



NOTES:
1. ALL SIDEWALKS CONNECTING TO FRED B. HARTNETT PARK WILL BE REVIEWED AND COORDINATED WITH THE CITY

HARDSCAPE KEY	
PAVING	
(P1)	MARBLELLA STONE PAVING - UNPAVED
(P2)	GRANITE PAVING - PEDESTRIAN LIGHT GREY
(P3)	GRANITE PAVING - VEHICULAR LIGHT GREY
(P4)	GRANITE PAVING - VEHICULAR DARK GREY
(P5)	COBBLE PAVING - VEHICULAR MEDIUM GREY
(P6)	PAVER TYPE A - ACCQUAY - MEDIUM TALL
(P7)	PAVER TYPE B - MANNING - MEDIUM ASSET - VEHICULAR
(P8)	PAVER TYPE C - IMPERFORATED STONE PAVING - 4" PLANTER JOISTS
(P9)	PAVER TYPE D - CAVERNA
(P10)	GRANITE PAVING - VEHICULAR
(P11)	BAMP - COLORED CONCRETE @ TABLE
(P12)	SHELL STONE
(P13)	PINK GRANITE (VEHICULAR)
WALLS / STAIRS / CURBS	
(W1)	SEAT WALL
(W2)	FRASCAT CONCRETE CURB
(W3)	GRANITE CURB & GUTTER
(W4)	FLUSH GRANITE CURB
(W5)	PLANTER CURB
SITE AMENITIES	
(A1)	PUBLIC ART
(A2)	BENCH
(A3)	BING BACKS
(A4)	BOLLARD
(A5)	STREETLIGHTS
(A6)	CATERMAY LIGHTS
(A7)	LITTER & RECYCLING RECEPTACLES
(A8)	PLANTER POTS
(A9)	TRICE PIT
(A10)	WATER FOUNTAIN
(A11)	WATER FEATURE
(A12)	PLANTING AREA
(A13)	MATCH LINE
(A14)	PROPERTY LINE
(A15)	BUILDING OVERHANG




LANDSCAPE DRAWINGS

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE




PUBLIC REALM - DETAILS AND CALCS




1 BENCH
Scale: NTS




2 TREE PIT UPLIGHT
Scale: NTS



3 BIKE RACK
Scale: NTS



4 LITTER & RECYCLING RECEPTACLE
Scale: NTS



5 Pavers - Pedestrian
Scale: NTS

LANDSCAPE / OPEN SPACE CALCULATIONS

Townhouse/ Apt Street Type	0.48 acres	36,210 sf
All other Street Types	6.32 acres	466,476 sf
TOTAL	6.80 acres	502,686 sf

A. CIVILIAN LANDSCAPE / OPEN SPACE	REQUIRED	PROVIDED
Square foot of open space required by Art c/c of Townhouse Code		
Townhouse/ Apt Street Type	26,220 sf x 30%	7,866 sf
All other Street Types	246,576 sf x 30%	73,973 sf
TOTAL	43,836 sf	81,839 sf

B. TOWNHOUSE/ APT STREET TYPE LANDSCAPE / OPEN SPACE



On site	Required	Provided
Landscape Area at Ground Level	2,827 sf	n/a
Landscape Area at Rooftop	n/a	n/a
Subtotal	2,827 sf	0 sf
Landscape Area at Ground Level	1,798 sf	1,798 sf
Landscape Area at Rooftop	7,270 sf	7,270 sf
Subtotal	9,068 sf	9,068 sf
TOTAL	11,895 sf	9,068 sf

C. ALL OTHER STREET TYPE LANDSCAPE / OPEN SPACE


On site	Required	Provided
Landscape Area at Ground Level	4,300 sf	n/a
Landscape Area at Rooftop	61,752 sf	n/a
Subtotal	66,052 sf	0 sf
Landscape Area at Ground Level	48,470 sf	48,470 sf
Landscape Area at Rooftop	67,760 sf	67,760 sf
Subtotal	116,230 sf	116,230 sf
TOTAL	182,282 sf	124,290 sf

OVERALL TOTAL 61,881 SF 271,682 SF


PUBLIC REALM - DETAILS



2 | GALIANO STREET SECTION LOOKING NORTH




3 | GALIANO STREET SECTION LOOKING EAST
1"=10'-0"




LANDSCAPE DRAWINGS


PUBLIC REALM - DETAILS




1 GALIANO AND PALERMO ENLARGEMENT PLAN
1"=10'-0"



2 GALIANO STREET SECTION LOOKING NORTH
1"=10'-0"



3 GALIANO STREET SECTION LOOKING EAST
1"=10'-0"



OVERALL ILLUSTRATIVE ON-SITE PLANTING PLAN




- NOTES:
1. ALL SIDEWALKS CONNECTING TO FRED B. HARTNETT PARK WILL BE REVIEWED AND COORDINATED WITH THE CITY
 2. WHERE ON-STREET PARKING OCCURS, STREET TREES SHALL BE LOCATED 3' MIN. FROM THE BACK OF CURB, WHERE POSSIBLE.
 3. ADEQUATE SOIL TYPE AND VOLUME WILL BE PROVIDED FOR ALL STREET TREES AND WILL BE REVIEWED AND COORDINATED WITH PUBLIC SERVICE.

CITY COMMISSION
SECOND READING

**MEDITERRANEAN VILLAGE
AT PONCE CIRCLE**



OVERALL ON-SITE PLANTING PLAN



- NOTES
1. ALL SIDEWALKS CONNECTING TO FRED B. HARTNETT PARK WILL BE REVIEWED AND COORDINATED WITH THE CITY
 2. WHERE ON-STREET PARKING OCCURS, STREET TREES SHALL BE LOCATED 3' MIN. FROM THE BACK OF CURB, WHERE POSSIBLE.
 3. ADEQUATE SOIL TYPE AND VOLUME WILL BE PROVIDED FOR ALL STREET TREES AND WILL BE REVIEWED AND COORDINATED WITH PUBLIC SERVICE.

KEY PLAN



1000 442 6666

Keywords: *workplace spirituality, organizational commitment, organizational citizenship behavior, turnover intention, organizational trust*


1. ALL SIDEWALKS CONNECTING TO FRED B. HARTNETT PARK WILL BE REVIEWED AND COORDINATED WITH THE CITY
2. WHERE ON-STREET PARKING OCCURS, STREET TREES SHALL BE LOCATED 4' MIN. FROM THE BACK OF CURB WHERE POSSIBLE.
3. ADEQUATE SOIL TYPE AND VOLUME WILL BE PROVIDED FOR ALL STREET TREES AND WILL BE REVIEWED AND COORDINATED WITH PUBLIC SERVICE



**MEDITERRANEAN VILLAGE
AT PONCE CIRCLE**



PLANTING PLAN - CENTRAL PARCEL



Plant Schedule - Tree Street Only

PLANT CODE	COMMON NAME	SIZE	QUANTITY	COMMENTS
------------	-------------	------	----------	----------


101	Flowering Cereus	4" DIA	500	Threats: Pests
102	Red Root Tree	4" DIA	500	Threats: Pests
103	Redroot-Flowering Hibiscus	4" DIA	500	Threats: Pests
104	Redroot-Flowering Hibiscus	4" DIA	500	Threats: Pests

105	Flowering Hibiscus	4" DIA	500	Threats: Pests
106	Red Root Tree	4" DIA	500	Threats: Pests
107	Redroot-Flowering Hibiscus	4" DIA	500	Threats: Pests
108	Redroot-Flowering Hibiscus	4" DIA	500	Threats: Pests


109	Flowering Hibiscus	4" DIA	500	Threats: Pests
110	Red Root Tree	4" DIA	500	Threats: Pests
111	Redroot-Flowering Hibiscus	4" DIA	500	Threats: Pests
112	Redroot-Flowering Hibiscus	4" DIA	500	Threats: Pests

113	Flowering Hibiscus	4" DIA	500	Threats: Pests
114	Red Root Tree	4" DIA	500	Threats: Pests
115	Redroot-Flowering Hibiscus	4" DIA	500	Threats: Pests
116	Redroot-Flowering Hibiscus	4" DIA	500	Threats: Pests

- NOTES:
1. ALL SIDEWALKS CONNECTING TO FRED B. HARTNETT PARK WILL BE REVIEWED AND COORDINATED WITH THE CITY.
 2. WHERE ON STREET PARKING OCCURS, STREET TREES SHALL BE LOCATED 8' MIN. FROM THE BACK OF CURB, WHERE POSSIBLE.
 3. ADEQUATE SOIL TYPE AND VOLUME WILL BE PROVIDED FOR ALL STREET TREES AND WILL BE REVIEWED AND COORDINATED WITH PUBLIC SERVICE.




PLANTING PLAN - SOUTH PARCEL









NO.	PLANT SPECIES	SIZE	QUANTITY	REMARKS
101	Platanus occidentalis	12" DBH	200	Planting Plan
102	Quercus agrifolia	12" DBH	200	Planting Plan
103	Quercus prinus	12" DBH	200	Planting Plan
104	Quercus laevis	12" DBH	200	Planting Plan
105	Quercus macrocarpa	12" DBH	200	Planting Plan
106	Quercus coccinea	12" DBH	200	Planting Plan
107	Quercus falcata	12" DBH	200	Planting Plan
108	Quercus bicolor	12" DBH	200	Planting Plan
109	Quercus muhlenbergii	12" DBH	200	Planting Plan
110	Quercus prinus	12" DBH	200	Planting Plan
111	Quercus laevis	12" DBH	200	Planting Plan
112	Quercus agrifolia	12" DBH	200	Planting Plan
113	Quercus macrocarpa	12" DBH	200	Planting Plan
114	Quercus coccinea	12" DBH	200	Planting Plan
115	Quercus falcata	12" DBH	200	Planting Plan
116	Quercus bicolor	12" DBH	200	Planting Plan
117	Quercus muhlenbergii	12" DBH	200	Planting Plan
118	Quercus prinus	12" DBH	200	Planting Plan
119	Quercus laevis	12" DBH	200	Planting Plan
120	Quercus agrifolia	12" DBH	200	Planting Plan

- NOTES:
1. ALL SIDEWALKS CONNECTING TO FRED B. HARTNETT PARK WILL BE REVIEWED AND COORDINATED WITH THE CITY.
 2. WHERE ON-STREET PARKING OCCURS, STREET TREES SHALL BE LOCATED 3' MIN. FROM THE BACK OF CURB, WHERE POSSIBLE.
 3. ADEQUATE SOIL TYPE AND VOLUME WILL BE PROVIDED FOR ALL STREET TREES AND WILL BE REVIEWED AND COORDINATED WITH PUBLIC SERVICE.



PLANTING - DETAILS AND CALCS



GENERAL NOTES:

- The Landscape Contractor is to locate and verify all underground and overhead utilities prior to beginning work. Contact proper utility companies and/or General Contractor prior to digging for field verification. The Owner and the Landscape Architect shall not be responsible for any damages to utility or irrigation lines (see Roadway Plans for more utility notes).
- Landscape Contractor is to verify all current drawings and check for discrepancies and bring to the attention of the Landscape Architect prior to commencing with the work.
- All unutilized and unplanted tree pits are to be properly mulched and flagged during installation.
- All planting plans are issued as directives for site layout. Any deviations, site changes, etc. are to be brought to the attention of the Landscape Architect for confirmation prior to installation.

PLANTING NOTES:

- All plant material is to be Florida Number 1 or better pursuant to the Florida Department of Agriculture's Grades and Standards for Nursery Plants.
- All plants are to be top dressed with a minimum 2" layer of Mulchmate mulch. Eucalyptus mulch or equal.
- Planting plans shall show precedence over plant list in case of discrepancies.
- Site changes are to be made without the prior consent of the Landscape Architect and Owner. Additions and/or deletions to the plant material must be approved by the project engineer.
- Landscape Contractor is responsible for providing their own square footage takeoffs and field verification for 100% cost coverage for all areas specified.
- All landscape areas are to be provided with automatic irrigation system which provide 100% coverage, and 50% watering.
- All trees in lawn areas are to receive a 24" diameter mulched saucer at the base of the trunk.
- Trees are to be planted within parking islands after soil is brought up to grade. Directly over road beds are not acceptable.
- Planting soil for topsoil and landfill shall be 50/50 mix, non-saline free. Planting soil for annual beds to be comprised of 50% Canadian peat moss, 20% soil free coarse sand and 30% perlite.
- Tree and shrub pits will be supplemented with "Aggiform Fertilizer", 21 gram size with a 20-10-5 analysis, or substitute application accepted by Landscape Architect. Deliver in manufacturer's standard containers showing weight, analysis and name of manufacturer.


LANDSCAPE UPGRADES

ITEM	QUANTITY	UNIT	REMARKS
1. No. of trees required	10	1.00	10
2. No. of shrubs required	10	1.00	10
3. No. of groundcover plants required	10	1.00	10

ITEM	QUANTITY	UNIT	REMARKS
1. No. of trees required	10	1.00	10
2. No. of shrubs required	10	1.00	10
3. No. of groundcover plants required	10	1.00	10

ITEM	QUANTITY	UNIT	REMARKS
1. No. of trees required	10	1.00	10
2. No. of shrubs required	10	1.00	10
3. No. of groundcover plants required	10	1.00	10

OVERALL ON-SITE ACTIVATED ROOFTOP HARDSCAPE PLAN



1 OVERALL ROOFTOP SITE PLAN
1"=40'



CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE




AGAVE PONCE


LANDSCAPE DRAWINGS

237

ACTIVATED ROOFTOP HARDSCAPE PLAN - NORTH PARCEL



ACTIVATED ROOFTOP HARDSCAPE PLAN - CENTRAL PARCEL



HARDSCAPE KEY

1	EXISTING PAVEMENT
2	EXISTING CONCRETE
3	EXISTING ASPHALT
4	EXISTING GRAVEL
5	EXISTING DIRT
6	EXISTING GRASS
7	EXISTING TREES
8	EXISTING SHRUBS
9	EXISTING FLOWERS
10	EXISTING LIGHTS
11	EXISTING FENCES
12	EXISTING WALLS
13	EXISTING STAIRS
14	EXISTING RAMP
15	EXISTING DRIVE
16	EXISTING PARKING
17	EXISTING WALKWAY
18	EXISTING BIKEWAY
19	EXISTING TRAIL
20	EXISTING PATH
21	EXISTING BRIDGE
22	EXISTING TUNNEL
23	EXISTING GATE
24	EXISTING DOOR
25	EXISTING WINDOW
26	EXISTING ROOF
27	EXISTING FLOOR
28	EXISTING CEILING
29	EXISTING WALL
30	EXISTING FENCE
31	EXISTING WALL
32	EXISTING WALL
33	EXISTING WALL
34	EXISTING WALL
35	EXISTING WALL
36	EXISTING WALL
37	EXISTING WALL
38	EXISTING WALL
39	EXISTING WALL
40	EXISTING WALL
41	EXISTING WALL
42	EXISTING WALL
43	EXISTING WALL
44	EXISTING WALL
45	EXISTING WALL
46	EXISTING WALL
47	EXISTING WALL
48	EXISTING WALL
49	EXISTING WALL
50	EXISTING WALL


PLANT MATERIAL

1	PLANT MATERIAL
2	PLANT MATERIAL
3	PLANT MATERIAL
4	PLANT MATERIAL
5	PLANT MATERIAL
6	PLANT MATERIAL
7	PLANT MATERIAL
8	PLANT MATERIAL
9	PLANT MATERIAL
10	PLANT MATERIAL
11	PLANT MATERIAL
12	PLANT MATERIAL
13	PLANT MATERIAL
14	PLANT MATERIAL
15	PLANT MATERIAL
16	PLANT MATERIAL
17	PLANT MATERIAL
18	PLANT MATERIAL
19	PLANT MATERIAL
20	PLANT MATERIAL
21	PLANT MATERIAL
22	PLANT MATERIAL
23	PLANT MATERIAL
24	PLANT MATERIAL
25	PLANT MATERIAL
26	PLANT MATERIAL
27	PLANT MATERIAL
28	PLANT MATERIAL
29	PLANT MATERIAL
30	PLANT MATERIAL
31	PLANT MATERIAL
32	PLANT MATERIAL
33	PLANT MATERIAL
34	PLANT MATERIAL
35	PLANT MATERIAL
36	PLANT MATERIAL
37	PLANT MATERIAL
38	PLANT MATERIAL
39	PLANT MATERIAL
40	PLANT MATERIAL
41	PLANT MATERIAL
42	PLANT MATERIAL
43	PLANT MATERIAL
44	PLANT MATERIAL
45	PLANT MATERIAL
46	PLANT MATERIAL
47	PLANT MATERIAL
48	PLANT MATERIAL
49	PLANT MATERIAL
50	PLANT MATERIAL




1 CENTRAL ROOFTOP SITE PLAN

ACTIVATED ROOFTOP HARDSCAPE PLAN - SOUTH PARCEL



OVERALL ILLUSTRATIVE ON-SITE ACTIVATED ROOFTOP PLANTING PLAN




LANDSCAPE DRAWINGS

CITY COMMISSION
SECOND READING



MEDITERRANEAN VILLAGE
AT PONCE CIRCLE




OVERALL ON-SITE ACTIVATED ROOFTOP PLANTING PLAN



ACTIVATED ROOFTOP PLANTING PLAN - CENTRAL PARCEL



CITY COMMISSION
SECOND READING



OFF-SITE IMPROVEMENTS

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE




OVERALL NEIGHBORHOOD/STREETSCAPE ENHANCEMENTS

STREETSCAPE
IMPROVEMENTS TO EAST AND
WEST SIDE OF PONCE DE
LEON BLVD

SITE AND SURROUNDING
STREET IMPROVEMENTS

NEIGHBORHOOD
STREETSCAPE
IMPROVEMENTS

OFF-SITE IMPROVEMENTS



PONCE DE LEON STREETSCAPE ENHANCEMENTS

*EAST AND SIDE OF PONCE DE LEON




- NOTES:
1. STREETSCAPE IMPROVEMENTS TO BE DESIGNED AND PREPARED BY CITY OF CORAL GABLES CONSULTANT AND PAID FOR BY THE DEVELOPER.
 2. EXISTING BASE INFORMATION WAS PULLED FROM PUBLIC GIS INFORMATION AND AERIAL PHOTOS. ALL EXISTING CONDITIONS SHALL BE VERIFIED IN THE FIELD.



OFF-SITE KEY PLAN



PLEASE REFER TO DEVELOPMENT AGREEMENT



OFF-SITE IMPROVEMENTS

CITY COMMISSION
SECOND READING


MEDITERRANEAN VILLAGE
AT PONCE CIRCLE

MAHAN RYKIEL
LANDSCAPE ARCHITECTS

RTKL
AN ARCADIS COMPANY

AGAVE PONCE


EAST NEIGHBORHOOD ENHANCEMENTS




OFF-SITE IMPROVEMENTS

STREET SECTIONS

TYPICAL RESIDENTIAL STREET SECTION



COCONUT GROVE DRIVE SECTION



OFF-SITE IMPROVEMENTS

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE

ALPHA

RTKL
AN ARCADIS COMPANY

MAHAN RYKIEL
ARCHITECTS

WEST NEIGHBORHOOD ENHANCEMENTS



RAISED
CROSSWALKS
(TRAFFIC CALMING)

NARROWED
STREETS

NEW SHADE
TREES

OFF-SITE IMPROVEMENTS

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE



AN ARCADIS COMPANY



AGAVE FORCE



PROJECT RENDERINGS

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE



AGAVE PONCE

FRED B. HARTNETT PARK - LOOKING SOUTHEAST



PLAZA AT PONCE AND PALERMO - LOOKING SOUTHEAST

CITY COMMISSION
SECOND READING

**MEDITERRANEAN VILLAGE
AT PONCE CIRCLE**



PROJECT RENDERINGS

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE

LOOKING SOUTHEAST ON PONCE DE LEON



OFFICE ENTRANCE ON SEVILLA

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE

RTKL

AN ARCADIS COMPANY



AGAVE PONCE

PROJECT RENDERINGS

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE

AERIAL LOOKING SOUTHWEST



PROJECT RENDERINGS



LOADING ENTRANCE ON SEVILLA

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE

RTKL
AN ARCADIS COMPANY



AGAVE PONCE

PROJECT RENDERINGS

261

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE



MALAGA AVENUE - LOOKING NORTHEAST AT COCONUT GROVE DRIVE



PROJECT RENDERINGS

MALAGA AVENUE AT COCONUT GROVE DRIVE

CITY COMMISSION
SECOND READING

**MEDITERRANEAN VILLAGE
AT PONCE CIRCLE**

RTKL
AN ARCADIS COMPANY



AGAVE PONCE

PROJECT RENDERINGS

263

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE AT PONCE CIRCLE

AERIAL LOOKING SOUTHWEST





CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE AT PONCE CIRCLE



AN ARCADIS COMPANY



AGAVE PONCE

RETAIL ENTRANCE ON PONCE DE LEON

PROJECT RENDERINGS

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE AT PONCE CIRCLE

AERIAL LOOKING SOUTHEAST



PROJECT RENDERINGS



AERIAL LOOKING NORTHWEST

CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE
AT PONCE CIRCLE

RTKL
AN ARCADIS COMPANY



PROJECT RENDERINGS

267



CITY COMMISSION
SECOND READING

MEDITERRANEAN VILLAGE AT PONCE CIRCLE

RTKL
AN ARCADIS COMPANY



AGAVE PONCE

PROJECT RENDERINGS

269