



CITY OF CORAL GABLES

CODE ENFORCEMENT DIVISION

427 Biltmore Way, Suite 100

02/21/2018

Case #: CE275070-011718

Notice of Violation

**MARIA R ZOGAIB
20 CALABRIA AVE
CORAL GABLES FL 331343109**

Folio #: 0341080940200

Dear Property Owner and/or Occupant:

This letter constitutes a notice that a violation(s) exists on the premises at **20 CALABRIA AVE, Coral Gables, FL.**

The violation(s) found was:

Violations:

- **City Code - Chapter 105. Minimum Housing.**

Code Enforcement Officer Comments: MIN Violation C.C. sec 105-5

Property is in need of maintenance and or repair.

I.E. Dirty and or broken Decorative keystone, Dirty walls. broken electrical tree lights, graffiti on parking lot stairwell entrance door.

The following steps should be taken to correct the violation:

Remedy: Clean and repair all decorative keystone, clean walls, repair tree lights, remove all graffiti. Must obtain all necessary permits and inspections.

The regulations enforced by the City have been adopted in order to protect the public and assure continuing high property values. Your immediate attention to correcting the violation(s) listed above is required.

The Code Enforcement Division will re-inspect the property on **3/19/2018** to determine if corrective measures have been completed. If the violation(s) has not been corrected at the time of inspection, your case will be presented to the Code Enforcement Board for review and possible action. At that time, you will have the opportunity to explain to the citizens serving on the Board the reasons why the violation(s) has not been corrected. The Board has the authority to assess a fine against you for as long as the violation continues.

The Division is available for consultation on this matter from 7:30 AM to 4:00 PM. Please do not hesitate to call the Code Enforcement Officer below for additional assistance.

Las regulaciones impuestas por la Ciudad han sido adoptadas para proteger al público y asegurar la continuidad de los valores altos de la propiedad. Se pide la atención inmediata para corregir la(s) violación(es) indicadas arriba.

La División del Cumplimiento del Código re-inspeccionará la propiedad el **3/19/2018** para determinar si se han tomado medidas correctivas. Si la(s) violación(es) no han sido corregidas en el momento de inspección, su caso será presentado a la Junta del Cumplimiento del Código para su revisión y posible acción. Ahí tendrá la oportunidad de explicar a los ciudadanos que sirven en esta junta las razones por la cual esta(s)

violación(es) no han sido corregidas. La Junta tiene la autoridad de imponer una multa en contra suya por el tiempo en que continue la violación.

La División está disponible para consulta sobre este caso de 7:30 a.m. a 4:00 p.m. Por favor comuníquese con el Oficial del Cumplimiento del Código nombrado abajo para cualquiera asistencia adicional.



Juan Carlos Garcia
Code Enforcement Officer
305 460-5274
jgarcia3@coralgables.com