MEDITERRANEAN VILLAGE at Ponce Circle

Coral Gables, Florida

City Commission Second Reading 06.02.2015



TABLE OF CONTENTS RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE 5 AND JUSTIFICATION WITH EXHIBITS SITE INFORMATION 65 PEDESTRIAN REALM DIAGRAMS 89 CIRCULATION AND PARKING DIAGRAMS 115 HOTEL ENTRY AND VALET OPTIONS 133 UTILITIES, MECHANICAL AND SERVICE DIAGRAMS 143 FAR DIAGRAMS 151 ADDITIONAL PROJECT INFORMATION 157 ARCHITECTURAL FLOOR PLANS 169 **ARCHITECTURAL ELEVATIONS** 195 LANDSCAPE DRAWINGS 221 **OFF-SITE IMPROVEMENTS** 247 **PROJECT RENDERINGS** 255

RTKL


Λ

CITY COMMISSION

П

П

5



STATEMENT OF USE

Our File Number: 37948.00001 Writer's Direct Dial Number: 305-376-6061 Writer's E-Mail Address: mgarcia-serra@gunster.com

May 27, 2015

VIA HAND DELIVERY

Mr. Ramon Trias Planning and Zoning Director City of Coral Gables 427 Biltmore Way, 2nd Floor Coral Gables, Florida 33134

Re: <u>Mediterranean Village / Planning and Zoning Board Application / Second</u> <u>Amended Statement of Use and Justification</u>

Dear Mr. Trias:

After having received input from the City Commission at its initial First Reading meetings, the Applicant has made certain revisions to the proposed Mediterranean Village Form-Based PAD site plan which also required some corresponding revisions to the proposed legislative amendments. Accordingly, enclosed with this submittal is a full revised site plan along with other accompanying materials.

The Applicant proposes to construct a mixed use development tentatively named "Mediterranean Village" (the "Project"), which will be located immediately east and south of Ponce Circle Park between Sevilla and Malaga Avenues on a 6.72 acre site (the "Property"). The Project will be a true "Mediterranean Village" in that it will be a community consisting of residential, office, retail, cultural and lodging uses and inspired by the classical Mediterranean architecture of Spain. The Project will provide ample open space and public amenities, designed with beautiful architectural details and George Merrick inspired buildings.

Specifically, the Applicant proposes 214 luxury condominium residences; 15 townhomes; a 5-star hotel with 184 rooms totaling 127,259 square feet; 265,000 square feet of retail; 29,000 square feet of restaurant, and 317,000 square feet of Class A office space. The required Project approvals included in this submittal are as follows:

- · Comprehensive Plan text amendments, which are attached as Exhibit "A";
- Future Land Use Map amendment, as indicated on the attached composite <u>Exhibit</u> <u>"B"</u>;
- Zoning Code text amendment for new Coral Gables Mediterranean Village Planned Area Development, a copy of which is attached as <u>Exhibit "C"</u>; and
- Alley Vacation, as indicated on the attached <u>Exhibit "D";</u>

As part of the requested Comprehensive Plan and Zoning Code text amendments, a new Planned Area Development ("PAD"), the Mediterranean Village Form-Based PAD will be

Brickell World Plaza 600 Brickell Avenue, Suite 3500 Miami, FL 33131 p 305-376-6000 f 305-376-6010 GUNSTERCOM

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

Page 2

created which will specify form-based design regulations for projects that meet certain criteria and standards. The Mediterranean Village Form-Based PAD will provide greater opportunity for construction of quality developments through the use of flexible guidelines which allow the integration of a variety of uses and densities in one development. It will permit an inspired vision, good design, and planning principles to drive the Project's design as opposed to the reliance on static Code requirements.

Benefits of the Proposed Development

The Application has been prepared and filed with the intent of bringing new energy and excitement near the City's Central Business District ("CBD") while reaffirming George Merrick's original vision for the City's design, look, and lifestyle. The assemblage of over 6.7 acres of land is one of the largest single infill redevelopment projects in the City and with this large tract of land, the Project has been creatively designed as a Mediterranean village with a variety of uses, intensities and public open space and green areas.

The City's Comprehensive Plan and Zoning Code seek to preserve the City's predominantly residential character by concentrating dense and urban uses within areas such as the CBD and the North and South Industrial Mixed Use Districts (e.g., the Village of Merrick Park). In the past decade—especially as the economy has risen out of recession—the quality of life (and work) in the City has propelled demand for both multifamily residential and high end commercial uses within and near the CBD and the North and South Mixed Used Districts, where transit and pedestrian friendly projects will bring residents and visitors to the areas. The Project, with its mix of uses, will help address this demand.

At the same time that the Project brings new growth near the CBD, the Project will honor and promote George Merrick's vision for the City. As the drawings and plans submitted with the Application illustrate, the Project promises to stand out as one of the City's architectural gems and be one of the premier destinations in the City to live, work and play. As its name suggests, the Project's design is completely inspired by the classical Mediterranean architecture of Spain. The Applicant and Project architect are fully dedicated to the quality of the Project's design and construction.

The Project is consistent and compatible with the surrounding neighborhood including its height, intensity and density. The Project's tallest buildings will reach a height compatible with that of the office tower at 2800 Ponce de Leon, just west of Ponce Circle Park (commonly referred to as the "Regions Bank Building"). The Project is designed with its low density and low height structures adjacent to the eastern residential neighborhoods creating adequate protection and transition to these uses. Large open spaces and ample tower setbacks will soften the Project's overall massing. The elevations as currently proposed will include a beautiful Mediterranean design, ornate architectural features and very high quality materials. At the street level, the Project will incorporate pedestrian friendly amenities including multiple public art installations such as fountains and other water features and large courtyards and open spaces.

The Project will also be of immense benefit to its immediate vicinity and to the City as a whole. The Project site and its surrounding area have been somewhat blighted since a prior owner proposed a similar project, but was thwarted by the economic downturn and then left the

MEDITERRANEAN VILL AT PONCE C



STATEMENT OF USE

Page 3

Project site barren. Currently and for the past seven years, the Project site has largely remained desolate and un-landscaped. As now proposed, Mediterranean Village will inject the area with new life, helping to link it to the CBD to its immediate north.

The Project will also provide new public infrastructure and public spaces including open lawns and brick lined interior roadways. A small alley vacation to further the continuity of the Project will be requested as part of the Project's approvals. Some of the improvements proposed will extend beyond the Project's boundaries to include significant improvements to public sidewalks abutting the Project and connecting it to Miracle Mile. Lush landscaping will extend throughout the Project at the ground level and over a large area of rooftop space, providing beautiful green vistas at upper levels and environmentally responsible designs. The residential neighborhoods directly east, south, and to the west of the Property will also benefit from the Project as the Applicant further proposes extensive improvements including the resurfacing of roads, the widening of green areas, and the planting of oak trees which will line the streets surrounding the Project. The Project will serve as a City-wide destination and fully incorporate a new stop for the City's Trolley providing residents, visitors and guests easy access to the Project and the Central Business District. Additionally, the Applicant has proffered two transit improvements to address the traffic impacts created by this project. The first improvement is to fund the operation of a new downtown trolley loop. The second transit improvement is to fund extended evening and weekend hours for the existing Ponce de Leon trolley route. Both of these improvements are summarized in the attached Exhibit "E" .

Proposed Comprehensive Plan Text and Future Land Use Map ("FLUM") Amendments

The Applicant is proposing modifications to the City's Comprehensive Plan through text amendments that would regulate the Project's development and changes to the Future Land Use Map (FLUM). The Comprehensive Plan text amendments will request amendments to Table FLU-2, the Commercial Land Uses Table found in Future Land Use Policy FLU-1.1.3., which includes density/intensity and height amendments permitting a unique and signature development that is consistent with the Goals, Objectives and Policies of the Comprehensive Plan. As shown on proposed Table FLU-2, attached as <u>Exhibit "A"</u>, the Commercial High-Rise Intensity classification will permit the heights of structures located within a Mediterranean Village Form-Based PAD to exceed the applicable maximum, to the extent approved by the City for those areas containing only: (a) architectural embellishment or (b) a top floor (one or two levels) dining and entertainment use open to the public. Mediterranean Village's design as illustrated in the architectural renderings and elevations includes beautiful and quality architectural embellishments, top floor dining and entertainment uses open to the public, and activated rooftops which under the proposed Comprehensive Plan text amendments will permit the heights of the various structures proposed at the Project.

The proposed FLUM amendments would slightly reconfigure the boundaries of the Commercial High and Commercial Medium designations within the Property, while still maintaining the Commercial Low properties along the entire eastern side of the Project, providing a transition to and the protection for the residential neighborhoods to the east. The majority of the Commercial High designations have been oriented along transit corridors and close to the CBD which is located one block north of the Project. The proposed changes to the FLUM are indicated on the map drawings and sketches attached as composite <u>Exhibit "B"</u>.

Page 4

Pursuant to Section 3-1506 of the City's Zoning Code, Mediterranean Village satisfies the standards for Comprehensive Plan Text and Map Amendments as follows:

- Mediterranean Village specifically advances several objectives and policies of the Comprehensive Plan. See, Comprehensive Plan Analysis, attached as <u>Exhibit "F"</u>.
- Mediterranean Village is internally consistent with the Comprehensive Plan as further described below.
- 3. Mediterranean Village will dramatically improve the level of service of public infrastructure around the Project, as the surrounding entire area will benefit from redesigned and constructed streets, sidewalks and upgraded water and sewer service and traffic improvements. Based on the Concurrency Impact Statement submitted with this Application, the Project meets and/or exceeds the level of service and satisfies concurrency. Additionally, the Project is designed as a pedestrian friendly community and encourages guests, visitors and residents to leave their automobiles behind and walk or take public transit to and from this beautiful development. Being located only a block south of the CBD and with a large dedication to pedestrian amenities including large tree lined sidewalks, open courtyard areas, lush landscaping and green spaces, the Project creates a village within a village and provides a connectivity along the Ponce de Leon Boulevard corridor to various City destinations and the CBD, and Miracle Mile, that is lacking today.
- 4. Mediterranean Village will not have any adverse effect on environmental resources. The Property is an urban infill site with parcels that are vacant, deteriorating or underutilized. However, the Project is being designed to LEED Neighborhood Development standards in accordance with the proposed guidelines included in the proposed Zoning Code Text Amendment and with its beautiful design, large open spaces, lush landscaping and green rooftops, the Project will give back to the community and the region. Additionally, each building within the Project will be LEED certified.
- 5. Mediterranean Village is a mixed use development with uses such as office, commercial, residential, cultural and hotel. The proposed residential portion of the Project will be condominiums priced according to market demand based on size, location and amenities. Within the mix of uses, there will be retail, restaurants and other services, which will provide the residents and guests of Coral Gables with needed services, employment and entertainment. The Project will create a live, work and play environment and opportunities as an employment center for residents to live close to work without the need for daily automobile use.

Comprehensive Plan Text and FLUM Amendment Justification

In order to create the Project as a community within a community with walkable streets, preserved historic buildings, large open spaces and amenities for residents, guests and the public,

AGAVE POINCE.

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

CITY COMMISSION

STATEMENT OF USE

Page 5

amendments to Table FLU-2 are being requested to allow more flexibility in density/intensity and heights for the Project. The City has found that traditional floor area ratio ("FAR") based regulation of development intensity has sometimes led to unpredicted results and undesirable outcomes. Therefore, the proposed text amendment to the Density/Intensity for the Commercial High-Rise, Commercial Mid-Rise and Commercial Low-Rise classifications will provide that the intensity of a project located within a Mediterranean Village Form-Based PAD will be controlled by an approved Mediterranean Village Form-Based PAD Plan with a maximum 4.0 FAR cap. This will create an alternative design process which will use the principles of formbased zoning to guide and control the desired building forms and masses and regulate public amenities for specific redevelopment and infill locations in the City.

Standards for Zoning Text Amendments

The Application is requesting a Zoning Text Amendment to add a new section – Section 3-510 to the Zoning Code. Pursuant to Section 3-1405, of the Zoning Code, the Project satisfies the standards for review of text amendments as set forth below:

- 1. Promotes the public health, safety and welfare. The Project will promote the public health, safety and welfare by converting blighted, undeveloped and deteriorating properties into a signature project with a variety of uses that can benefit the public at large. With tree-lined walkable streets and large green and open space areas, the public can enjoy the Project's amenities. The Project improves neighborhood aesthetics, returns the land to active tax-paying status and increases revenues for the City, stimulates the improvement of nearby properties and provides jobs, both temporary (i.e., construction) and long-term. The Project will also improve infrastructure and create a true destination within the urban core.
- 2. Does not permit uses that the Comprehensive Plan prohibits in the area affected by the district boundary change or text amendment. This text amendment request will be on a parallel review track with the Comprehensive Plan FLUM and text amendments which will allow residential uses in a Mediterranean Village. The Comprehensive Plan text amendment will request amendments to Table FLU-2, the Commercial Land Uses Table found in Future Land Use Policy FLU-1.1.3.
- 3. Does not allow densities or intensities in excess of the densities and intensities which are permitted by the future land use categories of the affected property. As noted in "2." above, the Zoning Code text amendment request will be accompanied by a Comprehensive Plan text amendment request, specifically to Table FLU-2. This text amendment addresses density and intensity, providing that the intensity of a project in a Mediterranean Village is regulated by an approved Mediterranean Village Form-Based PAD plan with a maximum 4.0 FAR cap rather than by a more traditional floor area ratio and other zoning parameters.

- Page 6
 - 4. Will not cause a decline in the level of service for public infrastructure which is the subject of a concurrency requirement to a level of service which is less the minimum requirements of the Comprehensive Plan. A Concurrency Impact Statement will be submitted with this Application indicating compliance with all levels of service.
 - Does not directly conflict with an objective or policy of the Comprehensive Plan. The Project will not directly conflict with any known Comprehensive Plan policy or objective, and will in fact, further or implement several of the goals, objectives and policies as detailed in the Comprehensive Plan Analysis attached as Exhibit "F".

Zoning Code Text Amendment Justification

In order to create Mediterranean Village, with its mix of uses, stunning architecture, old Spanish and Mediterranean charm infused with modern amenities, and quality materials, a Zoning Code text amendment is needed. This proposed text amendment would create a new section of Division 5, Planned Area Development of Article III, Development Review, to be called "Coral Gables Mediterranean Village". The purpose of the amendment is to create a design review process for specific areas of the City's urbanized core which use a form-based regulating plan rather than more traditional zoning regulations to guide development in a specific infill and redevelopment area of the City. The new text would be inserted into the existing Zoning Code at the end of the PAD section since the existing PAD process would be used for its effectuation. It is tentatively numbered "Section 3-510".

The City has found that traditional floor area ratio based regulation of development intensity has sometimes led to unpredicted results and undesirable outcomes. The Coral Gables Mediterranean Village creates an alternative design process which uses the principles of formbased zoning to guide and control the desired building forms and masses and regulate public amenities for a specific redevelopment and infill location in the City.

Mediterranean Village is a project of great architectural complexity on an important infill site. This Project will feature multiple street frontages and building elevations, very elaborate facades and setbacks, complex circulation, and provision for generous amounts of public use of the site. Trying to develop a project of this complexity within a traditional zoning code would be a challenge. By their nature, zoning codes tend to segregate land uses and control the density and intensity of site development through set limitations and parameters such as floor area ratios, setbacks, limitations on density and parking ratios. What can easily be lost in the application of these parameters is the overall form of the intended project.

In the case of Mediterranean Village, the zoning district on the Property is Commercial which includes an extensive list of permitted uses, mostly of a commercial and retail nature. In addition, the Code contains a number of "performance standards" including minimum lot size, minimum parcel dimensions, minimum setbacks, maximum floor area ratio and maximum height. The district allows mixed use buildings as conditional uses, but does not specifically allow residential to be part of the "mix". Most planners and urban designers feel that the



8

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

STATEMENT OF USE

Page 7

inclusion of residential uses is critical to the success of a mixed use project, especially one of this scale.

In the case of the Coral Gables Mediterranean Village Zoning Code text amendment, it is proposed that the plan to be developed will utilize the PAD process which is already present in the Coral Gables Zoning Code. The PAD process includes a requirement for a development agreement, which in this case will include detailed quality standards for proposed uses, limitations on development rights, and esthetic and operational assurances to guide and regulate the project as it is built over time. In addition, the Coral Gables Mediterranean Village will include the components of typical form-based codes including the regulating plan, a narrative and justification of the design concept, and a uniform signage plan. A "green building" component and a detailed parking analysis will also be required. The Project will also include certain minimum development standards including size of site, a minimum mix of uses, (one of which must include residential), and provision for meeting the Level 2 Coral Gables Mediterranean Architectural Design bonus requirements. Architectural standards and architectural material standards will also be specified in the Code.

Proposed Mediterranean Village Form-Based PAD Criteria

The Coral Gables Mediterranean Village Form-Based PAD will be created under Zoning Code Section 3-510 that provides a form-based approach to developments such as Mediterranean Village and which will include a strong emphasis on the relationship of the proposed buildings with the public realm. The goal of the new Form-Based PAD regulations will be to appropriate redevelopment and infill in the City's urbanized area that is customized to and compatible with founder George Merrick's vision. The Mediterranean Village Form-Based PAD is available for properties that meet certain criteria as set forth in proposed Zoning Code Section 3-510. The Project satisfies the Mediterranean Village Form-Based PAD criteria as follows:

- The Project is located in an area which is suitable due to its contiguous infill 1. development opportunity. Located only one block south of the City's Central Business District, and with its beautifully designed buildings, streetscapes and corridors, the multi-faceted Project will become an icon in the heart of Coral Gables.
- The Project has a Coral Gables Mediterranean character. With its traditional 2. Mediterranean architecture, the design creatively incorporates the City's architectural heritage including Mediterranean style architecture, arcades and loggias and tower elements at the tops of the buildings, while providing a balance between uses, intensities and heights.
- The Project is strategically located and encompasses several blocks. The Project 3. encompasses over 6.7 acres of land, one block south of the CBD and adjacent to Ponce Circle Park, a focal point of the City primed for redevelopment.
- The Project encourages alternative modes of travel due to its location on a transit 4. route and enhances the ability of residents to walk to destinations and to live, work and play within the same area. With its walkable oak lined streets and

Page 8

community feel, the Project will promote pedestrian activity and use of alternative transit methods including the City's Trolley service thereby reducing the need to drive. The Project has pledged nearly \$17 Million to expand and enhance the City's trolley service.

- The Project is compatible with and next to land designated Commercial High-rise 5. intensity. The Project contains a mix of land uses, which are compatible with its neighbors. The Project's Commercial high-rise uses are located along transit corridors including Ponce de Leon Boulevard and close to the CBD.
- All of the area where the Project is proposed is zoned Commercial. 6.
- The Project involves re-use of a developed site to minimize environmental impact 7. to ecological communities, wetlands, agricultural lands and 100-year floodplains. The Property is an urban infill redevelopment project and will have no adverse environmental impacts.
- The Project will be mixed use and will have at least four different categories of 8 uses, one of which is residential. The Project has residential, office, hotel, retail and cultural uses.
- The Project will be designed to comply with LEED-ND (Leadership in Energy 9. and Environmental Design for Neighborhood Development) in accordance with the standards set forth on Exhibit "G".
- The Project's design satisfies the requirements set forth in proposed Code Section 10. 3-510 relating to regulating plans, street types, building forms and plazas and meets all of the General Standards set forth in Section 3-510-4 and the Architectural Standards in Section 3-510-5.

Mediterranean Village promises to drive a new decade of responsible redevelopment and economic growth near and within the CBD while also furthering George Merrick's vision of a Mediterranean-inspired City with an active urban core and tranquil residential neighborhoods. The Project would realize the goals, objectives and policies of the City by bringing a welldesigned, high-end mixed use development to an area immediately adjacent to the CBD that is presently unutilized. We urge your support of this request and we look forward to collaborating with you to make the Mediterranean Village a reality.

Thank you for your consideration of the Application. Please contact me if you have any questions or would like to discuss the foregoing.

Sincerely, leneo Juncia

Mario J. Garcia-Serra

MIA_ACTIVE 4272289.5



RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS





RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

ада 10

EXHIBIT "A'

Proposed Comprehensive Plan Amendments Related to Mediterranean Village:

Policy FLU-1.1.3.

Ole colfic cóler		able FLU-2. Commercial Land Uses	
Classification	Description	Density/Intensity	Height
Commercial High-Rise Intensity.	This category is oriented to the highest intensity commercial uses, including residential, retail, services, office, and mixed use.	Maximum F.A.R. of 3.0, or 3.5 with architectural incentives. Up to an additional 25% F.A.R. may be granted for properties qualifying as receiving sites for Transfer of Development Rights (TDRs).	Up to 150' maximum (no limitation on floors), or 190.5' maximum (with a maximum 3 additional floors) with architectural incentives per the Zoning Code.
	onice, and mixed use.	Residential use shall only be permitted as part of a mixed-use development as provided herein, <u>or a Mediterranean Village</u> .	The heights of structures located in a project located in a Mediterranean Village may exceed the applicable maximum, to the extent
		The density and intensity of a project located in a Mediterranean Village is controlled by an approved Mediterranean Village PAD Plan that cannot exceed a maximum F.A.R. of 4.0 and a maximum density of 125 units per acre.	approved by the City, for those areas containing only (a) architectural embellishment or (b) a top floor (one or two level) dining and entertainment destination use open to the public.
Commercial Mid- Rise Intensity.	This category is oriented to medium intensity pedestrian and neighborhood commercial uses, including residential, retail, services, office, and mixed use.	Maximum F.A.R. of 3.0, or 3.5 with architectural incentives. Up to an additional 25% F.A.R. may be granted for properties qualifying as receiving sites for Transfer of Development Rights (TDRs). Residential use shall only be permitted as part of a mixed-use development as provided herein, or a Mediterranean <u>Village</u> .	Up to 70' maximum (no limitation on floors), or 97' maximum (with a maximum 2 additional floors) with architectural incentives per the Zoning Code.
		The density and intensity of a project located in a Mediterranean Village is controlled by an approved Mediterranean Village PAD Plan that cannot exceed a maximum F.A.R. of 4.0 and a maximum density of 125 units per acre.	
Commercial Low-Rise Intensity.	This category is oriented to low intensity pedestrian and neighborhood commercial uses, including residential, retail, services, office, and mixed use.	Maximum F.A.R. of 3.0, or 3.5 with architectural incentives. Up to an additional 25% F.A.R. may be granted for properties qualifying as receiving sites for Transfer of Development Rights (TDRs). Residential use shall only be permitted as part of a mixed-use development as provided herein, or a Mediterranean Village.	Up to 50' maximum (no limitation on floors), or up to 77' maximum (with a maximum of 2 additional floors) with architectural incentives per the Zoning Code.
		The density and intensity of a project located in a Mediterranean Village is controlled by an approved Mediterranean Village PAD Plan that cannot exceed a maximum F.A.R. of 4.0	


RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS





CITY COMMISSION SECOND READING Ш 0 1 0 MEDITERRANEAN VI

EXHIBIT 'B'






RTKL

AGAVE PONCE

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS



RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

Ш 5 12 5 П 6 **M** MEDITERRANEA


RTKL



CITY COMMISSION п ZO IEDITERRANEAN AT PON

EXHIBIT 'B'

Connercial High- Mise



SKETCH TO ACCOMPANY LEGAL DESCRIPTION PROPOSED FUTURE LAND USE PARCEL 1

LEGAL DESCRIPTION:

PROPOSED FUTURE LAND USE PARCEL 1

Tract "B", a partien of Tracts "A" and "C", "CATAMAL CORNER," according to the Plat thereof, as recorded in Plat Baok 102 at Page 69, of the Public Records of Miami-Dade County, Florido, together with Lots 1, 2, 3, 15, 16, 17, 18, 19, partiens of Lots 6, 7, 14 and a partien of that certain 20' Wide Flatted Alley, all located within Block 30, "CORAL GABLES CRAFTS SECTION," according to the Plat thereof, as recorded in Plat Baok 10 at Page 40, of the Public Records of Miami-Dade County, Florida, being more particularly described as follows;

Commence at the centerline intersection of Coconul Grove Drive and Avenue Malaga as shown on the aforementioned Plat of "CORAL GABLES CRAFTS SECTION;" thence run North 44 degrees 27 minutes 35 seconds West, along the centerline of Coconut Grove Drive, for a distance of 395.39 feet to a point; thence run South 45 degrees 32 minutes 25 seconds West for a distance of 35.00 feet to the POINT OF BEGINNING of the following described parcel of land; thence run North 44 degrees 27 minutes 35 seconds West, along the Southwesterly right-of-way line of Coconut Grove Drive, for a distance of 252.12 feet to a Point of Curvature of a circular curve concave to the South; thence run urine, for a distance of 22.12 test to a rount of curvature of a circular curve conceve to the South, thence fun Westerly along the arc of a circular curve to the left, having a rodius of 25.00 feet, a central angle of 85 degrees 49 minutes 35 seconds, a chard distance of 34.04 feet through a chard bearing of North 87 degrees 22 minutes 23 seconds West for an arc distance of 37.45 feet to a Point of Compound Curvature with a circular curve conceve to seconds west for an arc assume of 37.43 rever to a round of the formation within a fination of the dorementioned Tract "C"); the Southeast (sold last course being coincident with the Northerly boundary line of the dorementioned Tract "C"); thence run Southerly along the arc of a circular curve to the left, having a radius of 200.00 feet; a central angle of 48 degrees 25 minutes 55 seconds, a chord distance of 164.07 feet through a chord bearing of South 25 degrees 29 minutes 52 seconds West, for an arc distance of 169.06 feet to a Point of Tangency (said last course being coincident with the Easterly right-of-way line of Pance De Lean Boulevard); thence run South 01 degrees 16 minutes 55 seconds West for a distance of 259.21 feet to a Paint of Curvature of a circular curve concave to the Northeast (said last West for a distance of 23.2.1 teet to a raint of Curvature of a circular curve Concere to the manueos (concere course being coincident with the Eastery right-or-way line of Pance De Leon Boulevard); thence run Easterly along the arc of a circular curve to the left, having a radius of 10.00 feet, a central angle of 90 degrees 44 minutes 35 seconds, a chard distance of 14.23 feet through a chard bearing of South 44 degrees 05 minutes 31 seconds Eost, for an arc distance of 15.84 feet to a Point of Tangency; thence run South 89 degrees 28 minutes 00 seconds East, along the Northerly right-of-way line of Avenue Malaga, for a distance of 196.40 feet to a point; thence run due North for a distance of 165.84 feet to a point on the next described circular curve concave to the Northwest; thence run Southwesterly along the arc of a circular curve to the right, having a radius of 280.00 feet, a central angle of 16 degrees 40 minutes 28 seconds, a chord distance of 81.20 feet through a chord bearing of South 73 degrees 51 minutes 46 seconds West, for an arc distance of 81.49 feet to a point; thence run due North for a distance of 144.23 feet to a point; thence run North 45 degrees 32 minutes 25 seconds East for a distance of 78.46 feet to the POINT OF BEGINNING, lying and being in Section 17, Township 54 South, Range 41 East, City of Coral Gables, Miami-Dade County, Florida.

Said parcel of land contains 63,649 square feet, more or less (1.46 acres, more or less).

NOTE

Bearings shown hereon relate to an assumed bearing (N44'27'35"E) along the centerline of Coconut Grove Drive.

See Sheet 1 for Sketch To Accompany Legal Description.


Prepared For: Agave Ponce LLC

Schwebke	-Shiskin & c	Associates, Inc. (LB-87)
	EYORS · ENGINEERS	 LAND PLANNERS BROWARD: (954) 435-7010 FAX: (305) 652-8284
3240 CORPORATE WAT, MIRAMAR, I	-LOMDA 33023 UNUE:(303) 632-7010	BRUMME (354) 455-7010 PM. (305) 652-6264 5
	ORDER NO.:203474	PREPARED UNDER MY SUPERVISION:
THIS IS <u>NOT</u> A "LAND SURVEY."	DATE: NOV. 17, 2014	Clet
SHEET OF SHEET(S)	F.B.:N.A.	MARK STEVEN JOHNSON SECRETARY/TREAS. FLORIDA PROF. LAND SURVEYOR NO. 4775

RECOMMENDED CONDITIONS OF APPROVAL AND
STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

14

Commercial Low Mise



SKETCH TO ACCOMPANY LEGAL DESCRIPTION PROPOSED FUTURE LAND USE PARCEL 2

LEGAL DESCRIPTION:

PROPOSED FUTURE LAND USE PARCEL 2

A portion of Tracts "A" and "C", "CATAMAL CORNER," according to the Plat thereof, as recorded in Plat Book 102 at Page 69, of the Public Records of Miami-Dade County, Florida, together with a portion of Lots 6, 7 and a portion of that certain 20' Wide Platted Alley, all located within Black 30, "CORAL GABLES CRAFTS SECTION," according to the Plat thereof, as recorded in Plat Book 10 at Page 40, of the Public Records of Miami-Dade County, Florida, being more particularly described as follows;

Commence at the centerline intersection of Coconut Grove Drive and Avenue Malaga as shown on the aforementioned Plot of "CDRAL GABLES CRAFTS SECTION," thence run North 44 degrees 27 minutes 35 seconds West, along the centerline of Coconut Grove Drive, for a distance of 237.33 feet to a point; thence run South 45 degrees 32 minutes 25 seconds West for a distance of 35.00 feet to a point on the Southwesterly right—of—way line of said Coconut Grove Drive and the PCINT OF BEGINNING of the following described parcel of lond; thence run North 44 degrees 27 minutes 35 seconds West, along the Southwesterly right—of—way line of Coconut Grove Drive, for a distance of 158.06 feet to a point; thence run South 45 degrees 32 minutes 25 seconds West for a distance of 78.46 feet to a point; thence run due South for a distance of 144.23 feet to a point on the next described circular curve concrve to the Northwest; thence run Northeosterly along the ar of a circular curve to the left, hoving a radius of 280.00 feet, a central angle of 39 degrees 10 minutes 40 seconds, a chord distance of 187.75 feet through a chord bearing of North 62 degrees 35 minutes 40 seconds test, for on arc distance of 187.67 feet to the POINT OF BEGINNING, lying and being in Section 17, Township 54 South, Range 41 East, City of Caral Gables, Miami—Dade County, Florida.

Said parcel of land contains 20,263 square feel, more or less (0.46 acres, more or less)

NOTE:

Bearings shown hereon relate to an assumed bearing (N44'27'35"E) along the centerline of Coconut Grove Drive.

See Sheet 1 for Sketch To Accompany Legal Description.

Prepared For: Agave Ponce LLC

Schwebke	-Shi	skin &	Associates, Onc.	(LB—87
			 LAND PLANNERS BROWARD: (954) 435–7010 FAX: (305) 652–82. 	84
HIS IS NOT A "LAND SURVEY."	ORDER NO .:	203474	PREPARED UNDER MY SUPERVISION:	
TIS IS MUL A LAND SURVET.	DATE:	NOV. 17. 2014	1 100	
HEET <u>2</u> OF <u>2</u> SHEET(S)	F.B.:	N.A.	MARK STEVEN JOHNSON SECRETAR FLORIDA PROF. LAND SURVEYOR NO	


RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS


15

RTKI

CITY COMMISSION п EDITERRANEAN

EXHIBIT 'B'






RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

16





SKETCH TO ACCOMPANY LEGAL DESCRIPTION PROPOSED FUTURE LAND USE PARCEL 4

LEGAL DESCRIPTION: PROPOSED FUTURE LAND USE PARCEL 4

Lot 11 and a partian of Lots 10 and 12, located within Block 30, "CORAL GABLES CRAFTS SECTION," according to the Plat thereof, as recorded in Plat Book 10 at Page 40, of the Public Records of Miami-Dade County, Florida, being more particularly described as fallows;

Commence at the centerline intersection of Cacanut Grave Drive and Avenue Malaga as shown on the aforementioned Plot of "CORAL GABLES CRAFTS SECTION;" thence run North 44 degrees 27 minutes 35 seconds West, along the centerline of Cacanut Grave Drive, for a distance of 39.61 feet to a point; thence run South 45 degrees 32 minutes 25 seconds West for a distance of 35.00 feet to a point on the Southwesterly right-of-way line of soid Cacanut Grave Drive and the POWT OF BEGINNING of the following described parcel of land; thence run North 44 degrees 27 minutes 35 seconds West, along the Southwesterly right-of-way line of Cacanut Grave Drive, for a distance of 34.28 feet to a point; thence run South 45 degrees 32 minutes 25 seconds West for a distance of 16.2,48 feet to a point; thence run South 45 degrees 32 minutes 25 seconds West for a distance of 16.2,48 feet to a point; thence run South 48 degrees 28 minutes 25 seconds West for a distance of 16.2,48 feet to a point; thence run South 48 degrees 28 minutes 25 seconds West for a distance of 16.2,48 feet to a point; thence run South 48 degrees 27 minutes 25 seconds test, along the Northerty right-of-way line of Avenue Malaga, for a distance of 107.35 feet to a Point of Curvature of a circular curve concave to the West; thence run Northerly along the arc of a circular curve to the left, having a radius of 10.00 feet, a central angle of 88 degrees 107 minutes 15 seconds, a chord distance of 14.08 feet thraving a a chard bearing of North 00 degrees 17 minutes 13 seconds cast for an arc distance of 14.08 feet to a Point of Tangency and the POINT OF BEGINNING, said parcel lying and being in Section 17, Township 54 South, Range 41 East, City of Carol Gables, Miami-Dade County, Florida.

Said parcel of land contains 6,242 square feet, more or less (0.14 acres, more or less)

NOTE:

Bearings shown hereon relate to an assumed bearing (N44'27'35'E) along the centerline of Coconut Grave Drive.


See Sheet 1 for Sketch To Accompany Legal Description.


Prepared For: Agave Ponce LLC

Schwebke-Shiskin & Associates, Inc. (LB-87) LAND SURVEYORS . ENGINEERS LAND PLANNERS 3240 CORPORATE WAY, MIRAMAR, FLORIDA 33025 DADE: (305) 652-7010 BROWARD: (854) 435-7010 FAX: (305) 652-8284 0 PREPARED UNDER MY SUPERVISION: 203474 ORDER NO . THIS IS NOT A "LAND SURVEY." NOV. 17. 2014 MARK STEVEN JOHNSON SECRETARY/TREAS. N.A. SHEET 2 OF 2 SHEET(S) F.B. FLORIDA PROF. LAND SURVEYOR NO. 4775 K11754411PONCE PLACE 2014\Sketch Legals\dwg\Proposed Future Land Use-Nov 2014.dwg

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS RTKL








RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

18

Connercial Mid Rise



SKETCH TO ACCOMPANY LEGAL DESCRIPTION PROPOSED FUTURE LAND USE PARCEL 6

LEGAL DESCRIPTION:

PROPOSED FUTURE LAND USE PARCEL 6

A portion of Lots 1, 2 and 3 of Block 5, a portion of lats 1, 2, 3 and 4 of Block 7, Lots 1 and 2 of Block 6, a portion of Lot 4 of Block 2, a portion of Lot 4 of Block 1, a portion of Tracts "C", "E" and "C", PONCE PLACE VILLAS EAST, according to the Plat thereof, as recorded in Plat Book 168 at Page 42, and that certain portion of the 20" Wide Platted Alley located within Block 23, "CORAL GABLES CRAFTS SECTION," according to the Plat thereof, as recorded in Plat Book 10 at Page 40, all of the Public Records of Miami-Dade County, Florida, being more particularly described as follows;

Commence at the centerline intersection of Coconut Grove Drive and Avenue Malaga as shown on the afarementioned Plat of "PONCE PLACE VILLAS EAST" thence run North 44 degrees 27 minutes 35 seconds West, along the centerline of Coconut Grove Drive, for a distance of 73.89 feet to a paint; thence run North 45 degrees 32 minutes 25 seconds East for a distance of 35.00 feet to a point on the Northerly right-of-way line of said Coconut Grove Drive and the POINT OF BEGINNING of the following described parcel of land; thence run North 45 degrees 32 minutes 25 seconds East for a distance of 88.07 feet to a point; thence run due North for a distance of 143.02 feet to a point; thence run due West, along the Southerly boundary line of Tract "F" of the aforementioned Plat of "PONCE PLACE VILLAS EAST," and its Westerly prolongation thereof, for a distance of 157.25 feet to a point on the next described circular curve concave to the Northwest; thence run Southerly along the arc of a circular curve to the right, having a radius of 280.00 feet, a central angle of 17 degrees 20 minutes 08 seconds, a chord distance of 84.39 feet through a chord bearing of South 19 degrees 46 minutes 43 seconds West, for an arc distance of 87.72 feet to a point; thence run South 44 degrees 27 minutes 35 seconds East, along the Northeastery right-of-way line of Coconul Grove Drive, for a distance of 18.94 feet to a point; thence run North 45 degrees 01 minutes 00 seconds East for a distance of 117.32 feet to a point (said last mentioned course being coincident with the Southeasterly boundary line of the aforementioned Tract "E," "PONCE PLACE VILLAS EAST;") thence run due East, along the centerline of the aforementioned 20' Wide Platted Alley located within Block 23, for a distance of 46.65 feet to a point; thence run due South for a distance of 10.00 feet to a point; thence run South 45 degrees 01 minutes 20 seconds West for a distance of 33.61 feet to a point; thence South 44 degrees 27 minutes 35 seconds East for a distance of 25.00 feet; thence South 45 degrees 01 minutes 20 seconds West for a distance of 110.00 feet to a point (said last mentioned 2 courses being coincident with the Northwesterly boundary line of the aforementioned Tract "G," "PONCE PLACE VILLAS EAST:" thence run South 44 degrees 27 minutes 35 seconds East, along the Northerly right-of-way line of Coconut Grove Drive, for a distance of 91.56 feet to the POINT OF BEGINNING, said parcel lying and being in Section 17, Township 54 South, Range 41 East, City of Coral Gables, Miami-Dade County, Florida

Said parcel of land contains 18,873 square feet, more or less (0.43 acres, more or less)

NOTE:

Bearings shown hereon relate to an assumed bearing (N44'27'35"E) along the centerline of Coconut Grove Drive.

See Sheet 1 for Sketch To Accompany Legal Description.

Prepared For: Agave Ponce LLC

Schwebke-Shiskin & Associates, Inc. (LB-87) LAND SURVEYORS . ENGINEERS LAND PLANNERS 3240 CORPORATE WAY, MIRAMAR, FLORIDA 33025 DADE: (305) 652-7010 BROWARD: (954) 435-7010 FAX: (305) 652-8284 0 REPARED UNDER MY SUPERVISION: 203474 ORDER NO .: THIS IS NOT A "LAND SURVEY." NOV. 17, 2014 MARK STEVEN JOHNSON SECRETARY/TREAS. SHEET 2 OF 2 SHEET(S) F.B.: FLORIDA PROF. LAND SURVEYOR NO. 4775 C\175441\PONCE PLACE 2014\Sketch Legals\dwg\Proposed Future Land Use-Nov 2014.dwg

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS



CITY COMMISSION

SKETCH TO ACCOMPANY LEGAL DESCRIPTION PROPOSED FUTURE LAND USE PARCEL 7 Scale: 1"=80' PROPOSED FUTURE LAND USE PARCEL 7 15,294± SQUARE FEET 0.35± ACRES PALERMO P.0.C. AVENUE . WEST 78.56' Right-of-Way Line DAS DIACT "4" 0 (168-42) 1288-45 20 (168-42) L=54.30' A=11'06'39 CB=S05'33'2 1 20' PLATIED ALLEY (10-40) VACATED BY CALIANO 2 3 .1 19407 32 LEGEND: P.O.B. - Point of Beginning (168-42) P.O.C. - Poi R - Rodius - Point of Commenc 30 8 - Delta Angle L - Arc Length C.D. – Chord Distance C.B. – Chord Bearing 6 - Centerline NOTES 1. Bearings shown hereon relate to an assumed bearing (N44'27'35"E) along the centerline of Coconut Grove Drive. 2. See Sheet 2 for Legal Description. Prepared For: Agave Ponce LLC Schwebke-Shiskin & Associates, Inc. (LB-87) LAND SURVEYORS . ENGINEERS · LAND PLANNERS 4 3240 CORPORATE WAY, MIRAMAR, FLORIDA 33025 DADE: (305) 652-7010 BROWARD: (954) 435-7010 FAX: (305) 652-8284 PREPARED UNDER MY SUPERVISION 203474 ORDER NO THIS IS NOT A "LAND SURVEY." NOV 17 2014 SECRETARY/TREAS. MARK STEVEN JOHNSON N.A. SHEET 1 OF 2 SHEET(S) F.B.: FLORIDA PROF. LAND SURVEYOR NO. 4775 K/175441\PONCE PLACE 2014\Sketch Legals\dwg\Proposed Future Land Use-Nov 2014.dwg

Commercial Mid Rise

SKETCH TO ACCOMPANY LEGAL DESCRIPTION PROPOSED FUTURE LAND USE PARCEL 7

LEGAL DESCRIPTION:

PROPOSED FUTURE LAND USE PARCEL 7

Lots 1, 2 and 3 of Block 3, a portion of Lots 1, 2 and 3 of Block 4, a portion of Lots 2, 3 and 4 of Block 2, and a portion of Tracts "C", "D," "E" and "F", PONCE PLACE VILLAS EAST, according to the Plat thereof, as recorded in Plat Book 168 at Page 42, of the Public Records of Miami-Dade County, Florida, being more particularly described as follows:

Commence at the centerline intersection of Galiano Street and Avenue Palermo as shown on the aforementioned Plat of 'PONCE PLACE VILLAS EAST,'' thence run due West, along the centerline of Avenue Palermo, for a distance of 78.56 feet to a point; thence run South for a distance of 30.00 feet to a point on the Southerly right-of-way line of said Avenue Palermo and the POINT OF BEGINNING of the following described parcel of land; thence run due West, along the Southerly right-of-way line of Avenue Palermo, for a distance of 152.00 feet to a point on the Southerly right-of-way line of said ble arc of a circular curve to the right, having a radius of 280.00 feet, a central angle of 11 degrees 06 minutes 39 seconds, a chord distance of 54.21 feet through a chord bearing of South 05 degrees 33 minutes 20 seconds West, for an arc distance of 54.21 feet through a chord bearing of South 05 degrees 33 minutes 20 seconds West, for an arc distance of 54.21 feet through a chord bearing of South 05 degrees 33 minutes 20 seconds West, for an arc distance of 54.00.00 feet to a point on the adorementioned Southerly right-of-way line of Avenue Palermo, and the POINT OF BEGINNING, said parcel lying and being in Section 17, Township 54 South, Range 41 East, City of Coral Gables, Miami-Dade County, Florida.

Said parcel of land contains 15,294 square leel, more or less (0.35 acres, more or less)

NOTE:

Bearings shown hereon relate to an assumed bearing (West) along the centerline of Avenue Palermo. See Sheet 1 for Sketch To Accompany Legal Description.


Prepared For: Agave Ponce LLC

Schwebke	-Shiskin & Associate	1, Inc. (LB-87)
LAND SURVE	YORS . ENGINEERS . LAND PLAN	NERS
3240 CORPORATE WAY, MIRAMAR, I	FLORIDA 33025 DADE:(305) 652-7010 BROWARD:(954) 435-7010	FAX:(305) 652-8284
THIS IS NOT A "LAND SURVEY."	ORDER NO.:	MY SUPERVISION:
1110 10 <u>1101</u> 11 0110 01101	DATE: NOV. 17, 2014	
SHEET _2_ OF _2_ SHEET(S)		NSON SECRETARY/TREAS. AND SURVEYOR NO. 4775
K.\175441\PONCE PLACE 2014\Sketch Legals	dwg\Proposed Future Land Use-Nov 2014.dwg	

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

20

Commercial Low Mise



SKETCH TO ACCOMPANY LEGAL DESCRIPTION PROPOSED FUTURE LAND USE PARCEL 8

LEGAL DESCRIPTION: PROPOSED FUTURE LAND USE PARCEL 8

Lots 1, 2, 3, and a partian of Lot 4 of Block 1, Lot 1, and a partion of Lots 2, 3 and 4 of Block 2, Tracts "A" and "B", and partians of Tracts "C", "D" and "E", "PONCE PLACE VILLAS EAST" according to the Plot thereot, as recorded in Plot Book 168 at Page 42, of the Public Records of Miami-Dade County, Florida, being more particularly described as follows;

Commence at the centerline intersection of Avenue Palermo and Galiano Street as shown on the oforementioned Plat of "PONCE PLACE VILLAS EAST," thence run due West, along the centerline of Avenue Palermo, for a distance of 230,55 feet to a point; thence run due South for a distance of 30,00 feet to a point on the Southenty right-of-way line of Avenue Palermo, said point being the PONT OF BEGINNING of the following described parcel of land; thence run due West, along the Southerty right-of-way line af Avenue Palermo, for a distance of 186.05 feet to a point on the of a circular curve concerve to the Southerst; thence run Southerty along the arc of a circular curve to the left, having a radius of 10.00 feet, a central angle of 134 degrees 27 minutes 35 seconds, a chord distance of 184.4 feet through a chord bearing of South 22 degrees 46 minutes 12 seconds West for an arc distance of 184.4 feet through a chord bearing of South 22 degrees 46 minutes 12 seconds West for an arc distance of 28,47 feet to a Point of Tangency; thence run South 44 degrees 27 minutes 35 seconds. East, along the Northeesterly right-of-way line of Coccount Grove Drive, for a distance of a circular curve to the left, having a radius of 280,00 feet, a central angle of 28 degrees 26 minutes 48 seconds, a chord distance of 137.59 feet through a chord bearing of North 14 degrees 13 minutes 24 seconds a chord distance of 137.59 feet through a chord dearing to North 14 degrees 13 minutes 24 seconds a chord distance of 137.59 feet through a chord due North for a distance of 48.04 feet to a point on the aforementioned Southerly right-of-way line of Avenue Palermo and the PONT OF BEGINNING, said parcel Jung and being in Section 17, Township 54 South, Range 41 East, City of Coral Gables, Miami-Dade County, Florida.

Said parcel of land contains 20,274 square feet, more or less (0.46 acres, more or less)

NOTE: Bearings shown hereon relate to an assumed bearing (N44'27'35"E) along the centerline of Coconut Grove Drive. See Sheet 1 for Sketch To Accompany Legal Description.

Prepared For: Agave Ponce LLC


Schwebke-Shiskin & Associates, Inc. (LB - 87)LAND SURVEYORS . ENGINEERS · LAND PLANNERS 3240 CORPORATE WAY, MIRAMAR, FLORIDA 33025 DADE: (305) 652-7010 BROWARD: (954) 435-7010 FAX: (305) 652-8284 6 PREPARED UNDER MY SUPERVISION: 203474 ORDER NO .: THIS IS NOT A "LAND SURVEY." NOV. 17. 2014 ec MARK STEVEN JOHNSON SECRETARY/TREAS. SHEET 2 OF 2 SHEET(S) N.A. F.B.: FLORIDA PROF. LAND SURVEYOR NO. 4775 K:\175441\PONCE PLACE 2014\Sketch Legals\dwg\Proposed Future Land Use-Nov 2014.dwg

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS FIKI

21

SECOND READING

CITY COMMISSION SECOND READING




Commercial High Rise

LEGAL DESCRIPTION: PROPOSED FUTURE LAND USE PARCEL 9 Lots 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 31, 32, 33, 34, 35, 36, partions of Lots 16 and 30, and a partion of that certain 20' Wide Platted Alley, all located within Block 20, "ORAL GABLES CRAFTS SECTION," acco to the Plat thereol, as recorded in Plat Book TIO al Page 40, of the Public Records of Miami-Dade County, Florid being more particularly described as follows: Commence at the centerline intersection of Avenue Polermo and Galiano Street as shown on the aforementioned J of "CORAL GABLES CRAFTS SECTION," there e run West, along the centerline of Avenue Polermo, for a diatance of 323.06 feet to a point; there run North for a distance of 300.01 feet to the POINT OF BECINNING of the followin described parcel of land; thence North for a distance of 100.07 feet; thence Stath 89 degrees 59 minutes 20 seconds East for a diatance of 244.50 feet; thence North for a distance of 100.07 feet (thence North 89 degrees 16 minutes 25 seconds, a chord distance of 1320.10 feet; thence Stath 89 degrees 50 minutes 20 South 61 degrees 18 minutes 55 seconds West for a a cistance of 100.07 feet to a point of tongency; thence South 61 degrees 38 minutes 55 seconds West for a a distance of 10.00 feet to a point of tongency; thence South 61 degrees 18 minutes 55 seconds West for a a cistance of 10.00 feet to a point of tongency; thence South 61 degrees 18 minutes 55 seconds West for a cistance of 10.00 feet to a point of tongency; thence South 61 degrees 18 minutes 55 seconds West for a cistance of 10.00 feet a point of congency; thence South 61 degrees 18 minutes 55 seconds West for a cristance of 10.00 feet, a point of congency; thence South 61 degrees 18 minutes 55 seconds West for a cristance of 10.00 feet, a point of tongency; thence South 61 degrees 16 minutes 55 seconds West for a cristance of 10.00 feet, a point of tongency; thence South 61 degrees 16 minutes 55 seconds West for a cristance of 10.00 feet, a point of tongency; thence South		SKETCH TO ACCOMPANY LEGAL DESCRIPTION PROPOSED FUTURE LAND USE PARCEL 9	
PROPOSED FUTURE LAND USE PARCEL 9 Lots 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 31, 32, 33, 34, 35, 36, partians of Lats 16 and 30, and a partian of that certain 20' Wide Platted Alley, all located within Block 20, "CORAL GABLES CRAFTS SECTION," according to the Plat thereot, as recorded in Plat Book 10 at Page 40, of the Public Records of Miami-Dade County, Flatid being more particularly described as follows: Commence at the centerline intersection of Avenue Palermo and Galiano Street as shown on the aforementioned J of "CORAL GABLES CRAFTS SECTION," thence run West, along the centerline of Avenue Palerma, for a distance of 320.00 feet to the POINT OF BEGINNING of the followin described parcel at land, thence North for a distance of 30.00 feet; thence South 89 degrees 59 minutes 20 seconds East for a distance of 244.50 feet; thence North for a distance of 12.91 feet through a charing and radius of 10.00 feet; thence South 89 degrees 59 minutes 20 seconds East for a distance of 244.50 feet; thence North for a distance of 15.91 feet through a charing earlier and for a distance of 15.91 feet through a charing and to a point of tongency; thence Southerly along the arc of a circular curve to the left, having a radius of 10.00 feet, central angle of 88 degrees 14 minutes 25 seconds West for a arc distance of 15.00 feet to a point of tongency; thence Southerly along the arc of a circular curve to the left, having a conduct of 19 degrees 12 minutes 07 seconds West for a distance of 15.00 feet to a point of tongency; thence Southerly along the arc of a circular curve to the left, having a radius of 10.00 feet, a central angle of 15.93 feet through a chard bearing of 30.00 feet, a central angle of 15.93 feet to a point of tongency thence East for a car cistance of 15.93 feet through a chard bearing of 30.00 feet, a central angle of 19 degrees 55 seconds West for a point 17. Township 54 South, Range 41 East, City of Corel Miami-Dade County, Florida. Sold parcel of land contains 67,576 square feet, more or less			
PROPOSED FUTURE LAND USE PARCEL 9 Lots 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 31, 32, 33, 34, 35, 36, partians of Lats 16 and 30, and a partian of that certain 20' Wide Platted Alley, all located within Block 20, "DORAL GABLES CRAFTS SECTION," according to the Plat thereot, as recorded in Plat Book 10 at Page 40, of the Public Records of Miami-Dade County, Flatid being more particularly described as follows; Cammence at the centerline intersection of Avenue Palermo and Galiano Street as shown on the aforementioned J of "CORAL GABLES CRAFTS SECTION," thence run West, along the centerline of Avenue Palerma, for a distance of 2020 feet to a point; thence run North for a distance of 302.00 feet to the POINT OF BEGINNING of the followin described parcel of land; thence North for a distance of 100.07 feet; thence South 89 degrees 59 minutes 20 seconds East for a distance of 244.50 feet; thence North for a distance of 112.00.1 feet; thence North 89 degrees 50 minutes 20 seconds East for a distance of 244.50 feet; thence North for a distance of 113.99 feet through a chord bearing of seconds West, for a a circular curve to the left, having a radius of 10.00 feet; central angle of 88 degrees 14 minutes 25 seconds west, for a arc distance of 10.00 feet, a central angle of 18 degrees 15 minutes 27 seconds West for a distance of 10.00 feet, a central angle of 14.30 feet through a chord bearing of south 44 degrees 21 minutes 55 seconds West for a distance of 10.00 feet, a central angle of 19 degrees 54 minutes 55 seconds West for a bord transmence. East a distance of 19.00 feet, thence Souther, thence Southery and the point of tongency; thence 55 seconds West for a bord transmence. East a distance of 16.00 feet, a central angle of 19.00 feet for apoint of tongency thence 55 seconds West for a bord transmence for apoint of tongency thence 55 seconds West for a bord transmence for apoint of tongency thence 55 seconds West for a bord to tangency thence. East a distance of 16.00 feet for a central angle of 19.00 feet			
PROPOSED FUTURE LAND USE PARCEL 9 Lots 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 31, 32, 33, 34, 35, 36, partians of Lats 16 and 30, and a partian of that certain 20' Wide Platted Alley, all located within Block 20, "CORAL GABLES CRAFTS SECTION," according to the Plat thereot, as recorded in Plat Book 10 at Page 40, of the Public Records of Miami-Dade County, Flatid being more particularly described as follows: Commence at the centerline intersection of Avenue Palermo and Galiano Street as shown on the aforementioned J of "CORAL GABLES CRAFTS SECTION," thence run West, along the centerline of Avenue Palerma, for a distance of 320.00 feet to the POINT OF BEGINNING of the followin described parcel at land, thence North for a distance of 30.00 feet; thence South 89 degrees 59 minutes 20 seconds East for a distance of 244.50 feet; thence North for a distance of 12.91 feet through a charing and radius of 10.00 feet; thence South 89 degrees 59 minutes 20 seconds East for a distance of 244.50 feet; thence North for a distance of 15.91 feet through a charing earlier and for a distance of 15.91 feet through a charing and to a point of tongency; thence Southerly along the arc of a circular curve to the left, having a radius of 10.00 feet, central angle of 88 degrees 14 minutes 25 seconds West for a arc distance of 15.00 feet to a point of tongency; thence Southerly along the arc of a circular curve to the left, having a conduct of 19 degrees 12 minutes 07 seconds West for a distance of 15.00 feet to a point of tongency; thence Southerly along the arc of a circular curve to the left, having a radius of 10.00 feet, a central angle of 15.93 feet through a chard bearing of 30.00 feet, a central angle of 15.93 feet to a point of tongency thence East for a car cistance of 15.93 feet through a chard bearing of 30.00 feet, a central angle of 19 degrees 55 seconds West for a point 17. Township 54 South, Range 41 East, City of Corel Miami-Dade County, Florida. Sold parcel of land contains 67,576 square feet, more or less			
PROPOSED FUTURE LAND USE PARCEL 9 Lots 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 31, 32, 33, 34, 35, 36, portions of Lots 16 and 30, and a portion of that cartain 20' Wide Platted Alley all located within Block 20, "CORAL GABLES CRAFTS SECTION," accord to the Plat thereot, as recorded in Plat Book 10 at Page 40, of the Public Records of Miami-Dade County, Flatid being more particularly described as follows: Commence at the centerline intersection of Avenue Palermo and Galiano Street as shown on the aforementioned J of "CORAL GABLES CRAFTS SECTION," thence run West, along the centerline of Avenue Palermo, for a distance of 323.06 feet to a point; thence run North for a distance of 30.00 feet to the PUINT OF BEGINNING of the followin described parcel of land; thence North for a distance of 30.00 feet to the POINT OF BEGINNING of the followin described set, along the Southery infinit-of-way, time of Avenue Sevilla, for a distance of 244.50 feet; thence North for a distance of 120.00 feet to the POINT OF BEGINNING of the followin described pascends West, along the arc of a circular curve to the left, horing a radius of 10.00 feet; central angle of 88 degrees 14 minutes 25 seconds, seconds, west, for a a cistance of 12.00 feet, to a point of tongency; thence Southerly along the arc of a circular curve to the left, horing a cradius of 10.00 feet; central angle of 88 degrees 15 minutes 25 seconds, seconds west, for a a cistance of 15.49 feet to a point of tongency; thence Southerly along the arc of a circular curve to the left, horing a chard bearing of south 10 degrees 16 minutes 55 seconds West for a distance of 10.00 feet, a central angle of 19 degrees 16 minutes 55 seconds West for a arc distance of 10.00 feet, a central angle of 19.00 feet for a cistance of 14.30 feet through a chard bearing of 10.00 feet, 6 central angle of 19.30 feet through a chard bearing of 19.40 degrees 12 minutes 55 seconds west for a point of tongency; thence Est a distance of 16.00 feet, 6 central angle 0.91 degrees 12 minutes 5			
PROPOSED FUTURE LAND USE PARCEL 9 Lots 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 31, 32, 33, 34, 35, 36, partions of Lots 16 and 30, and a partian of that certain 20' Mide Platted Alley, all located within Block 20, "CORAL GABLES CRAFTS SECTION," accords to the Plat thereot, as recorded in Plat Book 10 at Page 40, of the Public Records of Miami-Dade County, Flatid being more particularly described as follows; Commence at the centerline intersection of Avenue Polermo and Galiano Street as shown on the aforementioned J of "CORAL GABLES CRAFTS SECTION," thence run West, along the centerline of Avenue Polermo, for a distance of 323,06 teet to a point; thence run North for a distance of 30.00 feet; thence South 89 degrees 59 minutes 20 seconds West, along the Southery influed-two mediations of 1120,01 teet; thence South 89 degrees 59 minutes 20 seconds West, along the Southery influed-two fistance of 120,02 feet; thence North 89 degrees 59 minutes 20 seconds West, along the Southery influed-two distance of 13,99 feet tho a point of tongency; thence Southery along the arc of a circular curve to the left, horing a radius of 10,00 feet; thence South 61 distance of 10,00 feet; central angle of 88 degrees 16 minutes 25 seconds west, for a distance of 10,00 feet, a central angle of 10,00 feet; thence for a distance of 10,00 feet; central angle of 88 degrees 16 minutes 55 seconds West for a distance of 10,00 feet, a central angle of 11,00 feet; thence for a distance of 10,00 feet, a central angle of 91 degrees 17 minutes 55 seconds West for a circular curve to the left, horing a colume of a circular curve to the left, horing a radius of 10,00 feet, a central angle of 11,00 feet for a distance of 16,00 feet, a central angle of 11,00 feet for a distance of 15,00 feet to a point of tongency; thence South 01 degrees 16 minutes 55 seconds West for a arc distance of 10,00 feet, a central angle of 11,00 feet for a distance of 16,00 feet to a central angle of 11,00 feet for a distance of 16,00 feet ac central angle of 11,			
PROPOSED FUTURE LAND USE PARCEL 9 Lots 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 31, 32, 33, 34, 35, 36, partions of Lots 16 and 30, and a partian of that certain 20' Mide Platted Alley, all located within Block 20, "CORAL GABLES CRAFTS SECTION," accords to the Plat thereot, as recorded in Plat Book 10 at Page 40, of the Public Records of Miami-Dade County, Flatid being more particularly described as follows; Commence at the centerline intersection of Avenue Polermo and Galiano Street as shown on the aforementioned J of "CORAL GABLES CRAFTS SECTION," thence run West, along the centerline of Avenue Polermo, for a distance of 323,06 teet to a point; thence run North for a distance of 30.00 feet; thence South 89 degrees 59 minutes 20 seconds West, along the Southery influed-two mediations of 1120,01 teet; thence South 89 degrees 59 minutes 20 seconds West, along the Southery influed-two fistance of 120,02 feet; thence North 89 degrees 59 minutes 20 seconds West, along the Southery influed-two distance of 13,99 feet tho a point of tongency; thence Southery along the arc of a circular curve to the left, horing a radius of 10,00 feet; thence South 61 distance of 10,00 feet; central angle of 88 degrees 16 minutes 25 seconds west, for a distance of 10,00 feet, a central angle of 10,00 feet; thence for a distance of 10,00 feet; central angle of 88 degrees 16 minutes 55 seconds West for a distance of 10,00 feet, a central angle of 11,00 feet; thence for a distance of 10,00 feet, a central angle of 91 degrees 17 minutes 55 seconds West for a circular curve to the left, horing a colume of a circular curve to the left, horing a radius of 10,00 feet, a central angle of 11,00 feet for a distance of 16,00 feet, a central angle of 11,00 feet for a distance of 15,00 feet to a point of tongency; thence South 01 degrees 16 minutes 55 seconds West for a arc distance of 10,00 feet, a central angle of 11,00 feet for a distance of 16,00 feet to a central angle of 11,00 feet for a distance of 16,00 feet ac central angle of 11,			
PROPOSED FUTURE LAND USE PARCEL 9 Lots 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 31, 32, 33, 34, 35, 36, partions of Lots 16 and 30, and a partian of that certain 20' Mide Platted Alley, all located within Block 20, "CORAL GABLES CRAFTS SECTION," accords to the Plat thereot, as recorded in Plat Book 10 at Page 40, of the Public Records of Miami-Dade County, Flatid being more particularly described as follows; Commence at the centerline intersection of Avenue Polermo and Galiano Street as shown on the aforementioned J of "CORAL GABLES CRAFTS SECTION," thence run West, along the centerline of Avenue Polermo, for a distance of 323,06 teet to a point; thence run North for a distance of 30.00 feet; thence South 89 degrees 59 minutes 20 seconds West, along the Southery influed-two mediations of 1120,01 teet; thence South 89 degrees 59 minutes 20 seconds West, along the Southery influed-two fistance of 120,02 feet; thence North 89 degrees 59 minutes 20 seconds West, along the Southery influed-two distance of 13,99 feet tho a point of tongency; thence Southery along the arc of a circular curve to the left, horing a radius of 10,00 feet; thence South 61 distance of 10,00 feet; central angle of 88 degrees 16 minutes 25 seconds west, for a distance of 10,00 feet, a central angle of 10,00 feet; thence for a distance of 10,00 feet; central angle of 88 degrees 16 minutes 55 seconds West for a distance of 10,00 feet, a central angle of 11,00 feet; thence for a distance of 10,00 feet, a central angle of 91 degrees 17 minutes 55 seconds West for a circular curve to the left, horing a colume of a circular curve to the left, horing a radius of 10,00 feet, a central angle of 11,00 feet for a distance of 16,00 feet, a central angle of 11,00 feet for a distance of 15,00 feet to a point of tongency; thence South 01 degrees 16 minutes 55 seconds West for a arc distance of 10,00 feet, a central angle of 11,00 feet for a distance of 16,00 feet to a central angle of 11,00 feet for a distance of 16,00 feet ac central angle of 11,			
PROPOSED FUTURE LAND USE PARCEL 9 Lots 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 31, 32, 33, 34, 35, 36, partians of Lats 16 and 30, and a partian of that certain 20' Mide Platted Alley, all located within Block 20, "CORAL GABLES CRAFTS SECTION," accords to the Plat thereot, as recorded in Plat Book 10 at Page 40, of the Public Records of Miami-Dade County, Flatid being more particularly described as follows; Commence at the centerline intersection of Avenue Palermo and Galiano Street as shown on the aforementioned J of "CORAL GABLES CRAFTS SECTION," thence run West, along the centerline of Avenue Palerma, for a distance of 323,D6 feet to a point; thence run North for a distance of 30.00 feet; thence South 89 degrees 59 minutes 20 seconds Kest, along the Southerly raine of Avenue Sevilla, for a distance of 160.07 feet; thence South 89 degrees 59 minutes 20 seconds Kest, along the Southerly raine of Avenue Sevilla, for a distance of 10.00 feet; thence South 89 degrees 59 minutes 20 seconds Kest, along the Southerly raine of Avenue Sevilla, for a plant, thence North 89 degree so there in the Southerly raine of Avenue Sevilla, for a plant of Lavy target the Southerly raine of Avenue Sevilla, for a plant of Lavy target there. South 89 degrees 59 minutes 20 seconds West, for a a circular curve to the left, having a radius of 10.00 feet, central angle of 88 degrees 14 minutes 25 seconds, a chord distance of 15.49 feet to a point of tangency; thence South 89 degrees 15 minutes 55 seconds West, for a arc distance of 10.00 feet, a central angle of 14.30 feet through a chard bearing of 20.00 feet, a central angle of 14.30 feet through a chard bearing of 10.00 feet, a central angle of 14.30 feet through a chard bearing of South 01 degrees 16 minutes 55 seconds West, for a arc distance of 10.00 feet, a central angle of 19 degrees 12 minutes 55 seconds west, for a creatistance of 10.00 feet, a central angle of 19 degrees 12 minutes 55 seconds west, for a created transe of 10.00 feet, a central angle of 19 degrees 1	LEON DECODE	7704	
Lots 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 31, 32, 33, 34, 35, 36, portions of Lots 16 and 30, and a portion of that certain 20' Mide Platted Alley, all located within Block 20, "DORAL GABLES CRAFTS SECTION," accord to the Plat thereot, as recorded in Plat Book 10 of Page 40, of the Public Records of Miami-Dode County, Florid being more particularly described as follows; Commence at the centerline intersection of Avenue Palermo and Galiano Street as shown on the aforementioned p of "DORAL GABLES CRAFTS SECTION," interce run West, olong the centerline of Avenue Palerma, for a distance of 323.06 feet to a point; thence run North for a distance of 30.00 feet to the POINT OF BECINNING of the following described parcei of land; thence North for a distance of 100.07 feet; thence South 89 degrees 59 minutes 20 seconds West, along the Southery' right-of-way line of Avenue Sevila, for a adistance of 406.05 feet point of curvature; thence South 89 dangrees 139 minutes 25 seconds, a chord distance of 13.99 feet to a point of tangency; thence for a distance of 15.49 feet through a chord bearing of south 45 degrees 39 minutes 27 seconds West, for a distance of 10.00 feet; theree Southerly along the arc di a circular curve to the left, having a radius of 10.00 feet for minutes 55 seconds west along the Southerly of a distance of 15.49 feet to a point of tangency; thence South 67 dostance of 15.93 feet to a point of tangency; thence South 67 dostance of 15.93 feet to a point of unvature; thence Southerly along the arc distance of 15.93 feet to a point of unvature; thence for distance of 15.93 feet to a point of curvature; thence East a distance of 15.93 feet to a point of unvature; thence South 67 dostance of 15.93 feet to a point of tangency; thence feet minutes 55 seconds, was to a first of eating of South 64 degrees 12 minutes 57.576 square feet, more or less (1.55 acres, more or less) NOTE: Bearings shown hereon relate to an assumed bearing (West) along the centerline of Avenue Palermo. See Sheet 1 for Sketc	Caracterian active sectors		
portion of that certain 20' Wide Platted Alley, all located within Block 20, "DORAL GABLES CRAFTS SECTION," acco to the Plat thereot, as recorded in Plat Book 10 at Page 40, of the Public Records of Miami-Dode County, Flarid being more particularly described as follows; Commence at the centerline intersection of Avenue Palermo and Galiano Street as shown on the aforementional j of "DORAL GABLES CRAFTS SECTION," thence run West, along the centerline of Avenue Palerma, for a distance of 323,06 feet to a paint; thence run North for a distance of 30,00 feet to the POINT OF BEGINNING of the followin described parcel at land; thence North for a distance of 100,07 feet; thence South BS degrees 59 minutes 20 seconds East for a distance of 244.50 feet; thence North for a distance of 120,03 feet; thence North BY degrees minutes 40 seconds West, along the Southerly right-of-way line of Avenue Savilla, for a distance of 406.05 feet point of curvature; thence Southerly along the arc of a circular curve to the left, having a radius of 10.00 feet central angle of 88 degrees 44 minutes 25 seconds, a chord distance of 13,99 feet through a chord bearing of South 45 degrees 39 minutes 50 seconds West, for a distance of 10.00 feet, a central angle of 91 deg 16 minutes 55 seconds, a chord distance of 14,30 feet through a chord bearing of South 44 degrees 21 minute seconds East for a aircular curve to the left, having a radius of 10.00 feet, a central angle of 91 deg 16 minutes 55 seconds, a chord distance of 14,30 feet through a chord bearing of South 44 degrees 21 minute seconds East for a arc distance of 15,93 feet to a point of tangency; thence 17 minutes 55 seconds, a chord distance of 14,30 feet through a chord bearing of South, 44 degrees 21 minute seconds Cast for a arc distance of 15,93 feet to a point of tangency; thence East a distance of 166.03 feet to POINT OF BEGINNINC, said parcel lying and being in Section 17, Township 54 South, Range 41 East, City of Cerd Miami-Dade County, Florida. Sold parcel of land contains 67,5	11010520 101	une entre que l'indee a	
of "CORAL CABLES CRAFTS SECTION," thence run West, along the centerline of Arenue Polerma, for a distance of 323.06 feet to a paint; thence run North for o distance of 100.07 feet; thence South 89 degrees 59 minutes 20 seconds East for a distance of 244.50 feet; thence North for a distance of 120.01 feet; thence South 89 degrees 59 minutes 20 seconds East for a distance of 244.50 feet; thence North for a distance of 120.02 feet; thence South 89 degrees 59 minutes 40 seconds West, along the Southerly raine of Arenue Savilla, for a distance of 120.03 feet; thence North 89 degrees entrol of a seconds West, along the Southerly raine of Arenue Savilla, for a distance of 160.05 feet point of curvature; thence Southerly along the arc of a circular curve to the left, having a radius of 10.00 feet, central angle of 88 degrees 44 minutes 25 seconds, a chord distance of 15.49 feet to a point of tongency; thence Southerly along the arc of a distance of 10.02 feet to a point of tongency; thence Southerly along the left, having a radius of 10.00 feet, a central angle of 15.91 feet through a chord bearing of 30 seconds West, for a arc distance of 10.00 feet, a central angle of 15.91 feet through a chord bearing of 30 south 45 degrees 16 minutes 55 seconds West for a distance of 10.00 feet, a central angle of 15.91 feet through a chord bearing of 30 degrees for a distance of 16.50 feet to a point of tongency; thence East for a arc distance of 15.91 feet through a chord bearing of 30 degrees of 4 minutes 15.91 feet through a chord bearing of 30 degrees 16 minutes 55 seconds West for a point of tangency; thence East a distance of 16.00 feet, a central angle of 15.91 feet to a point of tangency; thence East a distance of 16.60 feet to POINT OF BEDINNING, said parcel lying and being in Section 17, Township 54 South, Range 41 East, City of Coral Miami–Dade Countly, Florida. Soid parcel of land contains 67,576 square feet, more or less (1.55 acres, more or less) NOTE: Bearings shown hereon relate to an assume	portion of that to the Plat the	t certain 20' Wide Platted Alley, all located within Block 20, "CORAL GABLES CRAFTS SECTION," oc ereof, as recorded in Plat Book 10 at Page 40, of the Public Records of Miami—Dode County, Fla	cord
NOTE: Bearings shown hereon relate to an assumed bearing (West) along the centerline of Avenue Palermo. See Shoet 1 for Sketch To Accompany Legal Description.	of "CORAL GAB 323.06 feet to described para seconds East 1 minutes 40 se point of curval central angle of South 45 degr South 45	BLES CRAFTS SECTION;" thence run West, olong the centerline of Avenue Polermo, for a distance or a point; thence run North for a distance of 30.00 feet to the POINT OF BEGINNING of the follo et al land; thence North for a distance of 100.07 feet; thence South 89 degrees 59 minutes 20 for a distance of 244.50 feet; thence North for a distance al 120.03 feet; thence North 89 degrees conds West, along the Southeryr ight-of-way line of Avenue Sevilla, for a distance of 406.05 fi ture; thence Southery along the arc of a circular curve to the left, having a radius of 10.00 feet evends West, animutes 22 seconds, a chard distance of 13.99 feet through a chord bearing rees 19 minutes 07 seconds West, for a arc distance of 15.49 feet to a point of tongency; the rees 16 minutes 55 seconds West for a distance of 200.26 feet to a point of tongency; the g the arc of a circular curve to the left, having a radius of 10.00 feet, a central angle of 91 is seconds, a chord distance of 14.30 feet through a chord bearing of South 44 degrees 21 min for a arc distance of 15.93 feet to a point of tangency; thence East a distance of 166.03 feet (NNNG, said parcel lying and being in Section 17, Tomship 54 South, Range 41 East, City of Corr	of wing prees eet to eet, a of nce degre ules to t
Bearings shown hereon relate to an assumed bearing (West) along the centerline of Avenue Palermo. See Sheet 1 for Sketch To Accompany Legal Description.	Said parcel of	land contains 67,576 square leet, more or less (1.55 acres, more or less)	
Bearings shown hereon relate to an assumed bearing (West) along the centerline of Avenue Palermo. See Shoet 1 for Sketch To Accompany Legal Description.			
See Sheet 1 for Sketch To Accompany Legal Description.		a second s	
Trepared Ton, Ayore Tonee LLD			
	riepureu ron.	- rights r stres and	
Schurebre- Shiskin & Associates, Inc. (18		LAND SURVEYORS . ENGINEERS . LAND PLANNERS	b
LAND SURVEYORS · ENGINEERS · LAND PLANNERS	3240 CORPO	9RATE WAY, MIRAMAR, FLORIDA 33025 DADE:(305) 652–7010 BROWARD:(954) 435–7010 FAX:(305) 652–8284	1
		ORDER NO.:	T
LAND SURVEYORS · ENGINEERS · LAND PLANNERS 3240 CORPORATE WAY, MIRAMAR, FLORIDA 33025 DADE(305) 652-7010 BROWARD:(954) 435-7010 FAC(305) 652-8284 ORDER NO. 203474 PREPARED UNDER MY SUPERVISION:	man in him -		
LAND SURVEYORS · ENGINEERS · LAND PLANNERS 3240 CORPORATE WAY, MIRAMAR, FLORIDA 33025 DADE/(305) 652-7010 BROWARD/(954) 435-7010 FAX:(306) 652-8284	THIS IS NOT A		

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

AGAVE POINCE

Commercial Mid Rise



LEGAL DESCRIPTION:		
PROPOSED FUTURE LAND USE P.	PARCEL 10	
CRAFTS SECTION," occording to	28, 29, and partions of Lats 20, 21 and 30, all located within Block 20, "CORAL GABLES o the Plat thereof, as recorded in Plat Baak 10 at Page 40, of the Public Records of eing more particularly described as follows;	
of "CORAL GABLES CRAFTS SEC 78,56 feet to a point; thence n line of Avenue Palermo and the North for a distance of 100.03 Southerly boundary line of a 20 thence run due South for a dis Avenue Palermo, for a distance	ntersection of Avenue Palermo and Galiano Street as shown on the aforementioned Plat CTION," thence run due West, along the contertime of Avenue Palermo, for a distance of run due North for a distance of 30.00 feet to a point on the Northerly right-of-way he PONT OF BEGINNING of the following described porcel of land; thence continue due 31 feet to a point; thence run North 89 degrees 59 minutes 20 seconds West, along the 20' Wide Platted Alley located within Block 20, for a distance of 244.50 feet to a point; fistance of 100.07 feet; thence run due East, along the Northerly right-of-way fine of re of 244.50 feet to the POINT OF BEGINNING, said parcel lying and being in Section 17, Eost, City of Coral Gobles, Miami-Dade County, Florida.	
Said parcel of land contains 24	24.462 square feel, more or less (0.56 acres, more or less)	
2 C		
NOTE:		
	te to an assumed bearing (West) along the centerline of Avenue Palermo.	
	Accompany Legal Description.	
See Sheet 1 for Sketch To /	110	
See Sheet 1 for Sketch To /	LLC	
	ШС	_
See Sheet 1 for Sketch To / Prepared For: Agave Ponce L		-
See Sheet 1 for Sketch To / Prepared For: Agave Ponce L	e-Shiskin & Associates, Inc. (18-87)	-
See Sheet 1 for Sketch To 1 Prepared For: Agave Ponce L Schurzbre LAND SURV	e-Shiskin & Associates, Inc. (18-87)	-
See Sheet 1 for Sketch To 1 Prepared For: Agave Ponce L Schurzbre LAND SURV	E-Shiskin & Associates, Inc. (LB-B7) VEYORS · ENGINEERS · LAND PLANNERS R. ROBER 33025 DUDE(SOS) 652-7010 BROWMRD(964) 435-7010 TAK(306) 652-8284	_
See Sheet 1 for Sketch To 1 Prepared For: Agave Ponce L Schurzbre LAND SURV	E-Shiskin & Associates, Inc. (LB-B7) VEVORS · ENGINEERS · LAND PLANNERS R, FLOREDA 33025 EDDE(305) 652-7010 EROWARD(954) 435-7010 FAX(305) 652-8264 ORDER NO: 203474 PREPARED UNDER MY SUPERVISION:	_
See Sheet 1 for Sketch To 1 Prepared For: Agave Pance L Schurz Erke LAND SURV 3240 CORPORATE WAY, MIRAMAR,	CE-Shiskin & Associates, Inc. (LB-87) VEYORS · ENGINEERS · LAND PLANNERS R, FLORIDA 33025 DADE(305) 652-7010 BROWARD(954) 435-7010 FAX(305) 652-8284 ORDER NO: 203474 PREPARED UNDER MY SUPERVISION: DATE: MOV. 17, 2014	-
See Sheet 1 for Sketch To 1 Prepared For: Agave Pance L Schurz Erke LAND SURV 3240 CORPORATE WAY, MIRAMAR,	E-Shiskin & Associates, Inc. (LB-B7) VEVORS · ENGINEERS · LAND PLANNERS R, FLOREDA 33025 EDUE(305) 652-7010 EROWARD(954) 435-7010 FAX(305) 652-8264 ORDER NO: 203474 PREPARED UNDER MY SUPERVISION: DATE: NOV. 17, 2014	_

SKETCH TO ACCOMPANY LEGAL DESCRIPTION


PROPOSED FUTURE LAND USE PARCEL 10

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

AGAVE PONCE

CITY COMMISSION п EDITERRANEAN AT POI

EXHIBIT 'B'



SKETCH TO ACCOMPANY LEGAL DESCRIPTION PROPOSED FUTURE LAND USE PARCEL 11

LEGAL DESCRIPTION:

PROPOSED FUTURE LAND USE PARCEL 11

Lots 17, 18, and 19, and portions of Lots 16, 20 and 21, and a portion of that certain 20' Wide Platted Alley, all located within Block 20, "CORAL GABLES CRAFTS SECTION," according to the Plat thereol, as recorded in Plat Book 10 at Page 40, of the Public Records of Miami-Dade County, Florida, being more particularly described os follows;

Commence at the centerline intersection of Avenue Palermo and Galiano Street as shown on the aforementioned Plat of "CORAL GABLES CRAFTS SECTION," thence run due West, doing the contention of Avenue Polermo, for a distance of 7.255 feet to a point; thence run due North for a distance of 30.00 feet to a point on the Northerly right-of-way line of Avenue Palermo and the POINT OF BEGINNING of the following described parcel of land; thence run due East, along the Nartherly right-of-way line of Avenue Palermo, for a distance of 39.45 feet to a Point of Curvature of a circular curve concave to the Northwest; thence run Northerly along the arc of a circular curve to the left, having a radius of 10.00 feet, a central angle of 88 degrees 43 minutes 05 seconds, a chord distance of 13.98 feet through a chord bearing of North 45 degrees 38 minutes 28 seconds East, for an arc distance of 115.48 feet to a Point of Tangency; thence run North 01 degrees 16 minutes 55 seconds East, along the Westerly right-of-way line of Galiano Street, for a distance of 200.09 feet to a Point of Curvature of a circular curve concave to the Southwest; thence run Westerly along the arc of a circular curve to the left, having a radius of 10.00 feet, a central angle of 91 degrees 15 minutes 35 seconds, a chord distance of 14.30 leel through a chord bearing of North 44 degrees 20 minutes 53 seconds West, for an arc distance of 14.30 feet to a Point of Tangency; thence run North 89 degrees 58 minutes 40 seconds West, olong the Southerly right-of-way line of Avenue Sevilla, for a distance of 43.93 feet to a point; thence run due South for a distance of 220.05 feet to a point on the Northerly right-of-way line of Avenue Palermo and the POINT OF BEGINNING, said parcel lying and being in Section 17, Township 54 South, Range 41 East, City of Coral Gables, Miami-Dade County, Florida.

Said parcel of land contains 11,331 square feet, more or less (0.26 acres, more or less)

NOTE:

Bearings shown hereon relate to an assumed bearing (West) along the centerline of Avenue Palermo. See Sheet 1 for Sketch To Accompany Legal Description.

Prepared For: Agave Ponce LLC

OCHUTEDRE	EVORS	ENGINEERS	Associates, Inc.	(LB-87
			BROWARD:(954) 435-7010 TAX:(305) 652-8284	1
HIS IS NOT A "LAND SURVEY."	ORDER NO.:	203474	PREPARED UNDER MY SUPERVISION:	Ŧ
HIS IS NOT A DAND SURVET.	DATE: NO	V. 17, 2014	Chec	
SHEET <u>2</u> OF <u>2</u> SHEET(S)	F.B.:	N.A.	MARK STEVEN JOHNSON SECRETARY/TH FLORIDA PROF. LAND SURVEYOR NO. 4	

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

24

Ш ET. AT PONCE CIRCL (5 MEDITERRANEAN





RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS







RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

Section 3-510-11	Administration	1.1
	Intent	
	Applicability	
	Procedure	
	Development Agroement	
	Application Submission Items	
	How To Use These Standards	
ection 3-510-2:	Regulating Plans	2.1
	Intent	
	Senert Types Plan	
	Regulating Plan	
Section 3-510-31	Building Form Standards	3.1
	Frontage on Most than One Street	
	Description of Street Types	
	Summary of Street Type Standards	
	Signature Streets	
	Building Height, Profile and Parking Location Building Placement and Frontage Elements	
	Streart Cross Sections	
	Plazas	
	Building Height, Profile and Parking Location Building Placement and Fromage Elements	
	Downstown Storets Building Holph, Profile and Parking Location Huilding Placement and Frontage Elements Storet Coost Sociation	
	Apartment and Townhouse Starets Building Height, Profile and Pathing Location Building Placement and Frantage Demons	
	Steere Crow Sections	
	Paseos	
	Public Access Easements, and Driveways	
ection 3-510-4+	General Standards	4.1
	Intent	
	Building Size	
	Permitted Uses	
	Medkermanan Boom	
	Geren Building	
	Traffic Study	
	Transla	
	Pedestriau Amenities	
	Public An	
	Parking	
	Vehicular Access to Buildings	
	Parking Under Public Rights-of-Way	
	Bridges and Roofs Over Public Right-of-Way	
	Activated Rooffops	
	Hoor Area Ratio	
	Landscope	
section 3-510-51	Architectural Standards	5.1
	Intent	
	Mediterranean Architecture	
Section 3-510-6	Definitions	6.1

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

ET. AT PONCE CIRCL MEDITERRANEAN

27

RTKL

AGAVE POINCE

SECTION 3-510-3 | ADMINISTRATION

Section 3-510-1: Administration

A. Intent

The intent of this section is to create an alternative to the current regulations of development intensity in the walkable urban village-style area of Coral Gables. The City finds that the current regulations sumetimes lead to unpredictable results. and, in some cases, have fallen short of ensuring the City's desired outcome. The goal of these regulations is appropriate redevelopment and infill in the City's urbanized areas that is customized to and compatible with founder George Merrick's vision. The regulations use the touchstone of Metrick's plan and Coral Gables Mediterraneau architecture to create a green. walkable and diverse Mediterranean Village environment, with a sense of place and identity. Except as provided in this section, all provisions of the applicable underlying land use and zoning regulations, including the Planned Area Development (PAD) regulations, shall control the use and development of the property in the Mediterranean Village.

B. Applicability

1. Mediterranean Village

The Mediterranean Village option is only available for the properties bounded by Ponce de Leon Boulevard. on the west, Sevilla Avenue on the north, Galiano Street on the east, and Malaga Avenue on the south. This area is identified because It is a suitable contiguous infill development opportunity in the City for the form-based approach. The area has several locational characteristics that make it mitable:

- a. Mediterranean Village in character, and
- b. Strategically located and encompassing several blocks, and
- c. Enhances the ability of residents and visitors to walk to destinations and to live, work and play within the same area; encourages alternative modes of travel; and reduces vehicular traffic due to its location on a transit route, and Mediterranean Village
- sl. Appropriate intensity

i. Next to land designated in the Comprehensive Plan for and developed with "commercial high-rise intensity" development, and

II. A significant portion of the area is currently designated in the Comprehensive Plan as "commercial highrise intensity development," and

e. All of the area is zoned Commercial, and

f. The area involves re-use of a developed site(s) with access to transit, existing utilities, and infrastructure and roadway networks to minimize environmental impact to ecological communities, wetlands, agricultural lands, and 100-year Boodplains.

- In addition to the above requirements, the Mediterranean Village option must meet the following standards:
- a. Minimum site area. The minimum site area required for a Mediterranean Village shall be not less than six (6) acres.
- b. Ownership, All land included within a Mediterranean Village shall be owned by the applicant requesting approval of such development, whether that applicant be an individual, parmenhip or corporation, or groups of individuals, partnerships or corporations. The applicant shall present proof of the unified control of the entire area within the proposed PAD and shall submit an agreement stating that If the owner(s) proceeds with the proposed development shey will:

i. Develop the property in accordance with:

- · The final development plan approved by the City Commission for the area.
- · Regulations existing when the PAD ordinance is adopted.
- Such other conditions or modifications as may be attached to the approval of the special-use permit for the construction of such PAD.

II. Provide agreements and declarations of restrictive covenants acceptable to the City Commission for completion of the development in accordance with the final development plan as well as for the continuing operation and maintemarice of such areas, functions and facilities as are not to be provided, operated or maintained at general public expense.

2. Properties inside the boundaries of, but excluded from, a

Redevelopment of a property which is surrounded by, but is not a part of, an approved Mediterranean Village shall be compatible with the scale, building form, quality and design of adjacent uses within the Mediterranean Village.

C. Procedure

1. The Mediterranean Village development option is authorized by the Comprehensive Plan and utilizes the existing PAD

DRAFT May 18, 2015

MEDITERRANEAN VILLAGE FORM-BASED FLANRED AREA DEVELOPMENT

- SECTION 3-530-E | ADMINISTRATION
- process, rather than creating a separate overlay zone. In addition to following the review procedures and requirements of the PAD process, the City Commission may approve. approve with conditions or modifications, or disapprove any request for development under the Mediterranean Village PAD program.
- 2. The City Commission shall review the components of # D. Development Agreement proposal and evaluate its compliance with the Standards required in this Section, with full discretion to reject, approve, modify or condition any approval as needed to comply with the intent and purpose of this Section. The PAD regulations in Section 3-502 A. and Section 3-502 C. of the Zoning Code shall not apply to a Mediterranean Village.
- 3. Applications to amend an approved Mediserranean Village shall be processed in the same manner as an application to approve the Mediterranean Village, following the procedures in effect at the time of the application to amend. The Development Services Director may determine that specific requirements and procedures of the application process required by the Zoning Code are not necessary if an application to amend does not affect those requirements.
- 4. Treatment of Newly Acquired Property: In the event that additional property within or adjacent to an approved Mediterranean Village is acquired by the applicant or subarquent owner of the Mediterranean Village property, the applicant or subsequent property owner shall develop and maintain the acquired property in a manner consistent with the approved Mediterranean Village, and compatible with the building form and design of adjacent uses. Specifically,
- a. If the newly acquired property is interior to the Mediterraneau Village, the applicant or subsequent property owner shall apply to amend the Comprehensive Plan, the Zoning Map and the Mediterranean Village approval within 180 days to incorporate the acquired property and develop it in a manner that is consistent with and fully integrated into the Mediterranean Village, and proceed with its review, approval and development within 18 months of the application date, unless this deadline is extended by the Development Services Director.
- b. If the newly acquired adjacent property is exterior to the Mediterranean Village and has at least 100 feet of frontage on Ponce de Leon Boulevard or Sevilla Avenue, the applicant or subsequent property owner shall evaluate whether the property should be added to the Mediterranean Village approval, and ensure the development and maintenance of the acquired

property in a manner that is consistent and compatible with both (a) the Mediterranean Village and its off-size improvements, and (b) the form, uses and quality of all adjacent properties.

A proposed development agreement shall accompany the Mediterranean Village application, to assure all of the comminnents and conditions associated with the Mediterratican Village option. Designed to assure a world class, unified and integrated mixed use project, the agreement shall include at least the following:

- 1. Detailed quality standards for attributes of the project including use and tenant selection, tenant build-out, maintenance and operations, and
- 2. Limits on the development rights granted, and
- 5. Aothetic and operational assurances regarding well-integrand modifications and alterations over time, and
- Assurances as to valet operation and tandem parking and contribution to transit, if a parking reduction is rought, and
- 5. Off site improvements and timing of such.
- 6. Any common areas established for the PAD shall be subject to the following:
- a. The applicant shall establish an association for the ownership and maintenance of all common areas on the property, including open space, public art, recreational facilities, private streets, etc. Such association shall not be dissolved not shall it dispose of any common areas by sale or otherwise (except to an organization conceived and established to own and maintain the common areas), however, the conditions of transfer shall conform to the Development Plan.
- b. Membership in the association shall be mandatory for each property owner in the PAD and any successive purchaser that has a right of enjoyment of the common areas.
- c. The association shall be responsible for liability insurance, local taxes, the maintenance of the property, and the long term maintenance of all encroachments into the Rights-of-Way.
- d. Property owners that have a right of enjoyment of the common areas shall pay their pro rata share of the cost, or the assessment levied by the association shall become a lien on the property.

22 MEDITERRANEAN VILLAGE FORM-BASED FLANNED AREA DEVELOPMENT



28

SECTION & VID.3 | ADMINISTRATION

SECTION 3-530-2 1 ADMINISTRATION

3-510-1 (E) (2), Application Requirements

1. A Street-Types Plan.

limited to:

3.

1.4

A Regulating Plan.

meeting. In addition, the applicant shall submit:

The applicant shall submit a public hearing application

including all plans, documents, materials and information

identified and required by staff at the required pre-application

Building massing, elevations and sections of any

proposed buildings facades that face public or private

rights-of-way or open spaces, drawn at an appropriate

scale. The elevation drawings shall comply with the

sections, and elevations of all public spaces, including

streets, plazas, arcades, paseos, and building frontages

of at least the first 45' of the buildings, and addressing,

a. The location of Parking and Service and which

portions of the proposed development are served,

Circulation patterns of vehicles, bicycles and

Turning radii of service vehicles and their ability

to complete all turning movements within the

d. The location of bicycle parking, lockers and

6. Analysis of LEED-ND indicating how the project

7. Any other diagrams, notes, and/or charts that identify

requirements from these standards and demonstrate

conforms with LEED-ND requirements.

4. Pedestrian Open Space Plan, including detailed plans,

5. Parking and Service Diagrams, including but not

Architectural Standards in Section 3-510-5.

streetscape, landscape, and materials.

pedestrians within buildings,

building, and

shower facility.

how they have been met.

e. In the event that the association established to own and maintain commons areas or any successor organization, shall at any time after the establishment of the PAD fuil to maintain the common areas in reasonable order and condition in accordance with the Development Plan, the City Commission may serve written notice upon such association and/or the owners of the PAD and hold a public hearing. If deficiencies of maintenance are not corrected within thirty (30) days after such notice and hearing the City Commission shall call upon any public or private agency to maintain the common areas for a period of one year. When the City Commission determines that the subject organization is not prepared or able to maintain the common areas such public or private agency shall continue maintenance for yearly periods.

The cost of such maintenance by such agency shall be assessed proportionally against the properties within the PAD that have a right of enjoyment of the common areas and shall become a lien on said peoperties.

- f. Land utilized for such common areas shall be restricted by appropriate legal instrument satisfactory to the City 3-510-1 (E) (1), Pre-application Meeting Attorney as common areas in perpetuity in accordance with the provisions of Article 5, Division 23. Such instrument shall be recorded in the Public Records of Dade County and shall be binding upon the developer, property owners association, successors, and assigns and shall constitute a covenant running with the land-
- 7. A process for ensuring that the applicant and any subsequent property owner shall be fully responsible for the initial development, maintenance, redevelopment if needed, and repair of all private and public infrastructure, both below and above ground, within a Mediterranean Village including, but not limited to, utilities; pedestrian amenities; tree grates; adjacent of above ground rights-of-ways, streets, alleys; and paseos and sidewalks.
- 8. Surery or a bond for the cost of restoration of the development sise and its adjacent public rights-of-way if the project does not proceed to completion as approved.
- 9. Standards and procedures governing the notice to the City or approval by the City for future changes to the mix of uses affecting the shared parking calculations.
- 10. Traffic calming and streetscape improvement strategy for adjacent residential streets affected by project traffic including timing of requirements.

DRAFT May 18, 2015

11. Mechanian for tracking and demonstrating continued consistency with the use assumptions utilized in the calculation of any shared parking reduction approved with Mediterranean Village, and further providing guidelines and procedures for the City to approve any material deviations from the use assumptions underlying the shared parking reduction study.

E. Application Submission Items

n addition to the procedure and application submission items outlined in Section 3-505 and 3-506, applicants shall demonstrate to the Development Services Department that the proposed development complies with all of the regulations in this Section 3-510. These may include drawings, diagrams, and calculations that should be self-explanatory to staff assigned to review the submission. Any limitations of the size or other requirements of submission drawings shall be consistent with any imposed by the Zoning Code.

An applicant shall schedule a pre-application meeting with the Development Services Director or his/her designee to verify that a project or development meets the zoning standards prior to the preparation of detailed construction documents and/or subdivision plans. In addition to the requirements outlined in Section 3-505, the applicant shall bring to the meeting:

- 1. Survey of all property proposed to be included in the Mediterranean Village showing existing conditions,
- 2. Site plan or sketch showing lot lines, building footprints, driveways, parking, sidewalks, walkways, Parti diagrams, rights-of-way encroachment locations, etc.,
- 3. A list or notation of all proposed uses, existing and/ or proposed for the site and drawings of the front elevation (facing streets or public spaces) of all the buildings proposed to be constructed or altered, with the location of the proposed uses notated on the drawings.
- Site sections showing adjacent buildings, and

MEDITERRANEAN VILLAGE FORM-BASED FLANRED AREA DEVELOPMENT

Context analysis of surrounding streets and blocks. including but not limited to photos, figure-ground plane, sections, and street elevations indicating how the proposed development relates to its context.

F. How to Use this Section

The following steps generally describe the process to use these Standarde

- 1. In Section 3-510-2 (Regulating Plans), locate your property or properties in the Street Types Plan, taking note of the street-type designation. The majority of regulations are dictated by the Street Type on which the building or property fronts.
- 2. In Section 3-510-3 (Building Form Standards), review the main form-giving standards such as height, setbacks, and parking locations. The Building Form Standards also contain permitted land uses, organized by street-type, as well as regularments for street cross sections and streetscaping, If an application involves reconstruction of street surfaces.
- 3. In Section 3-510-4 (General Standards), review the additional standards that apply within all street-type designations. The General Standards also include adjustments to the landscaping regulations in Division 11, Landscaping, of the Coral Gables Zoning Code.
- 4. In Section 3-510-5 (Architectural Standarda), review the standards that apply to all buildings irrespective of streettype designation, and additional standards that may only apply if certain building details or accessories are proposed by the applicant.
- 5. In Section 3-510-6 (Definitions), refer to definitions for all terms capitalised in these standards.

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS



П

Π

Т

SECTION 2-310-2 | REGULATING FLANS

Section 3-510-2: Regulating Plans

A. Intent

The intended result of the Street Type Plan and the Regulating. Plan is the creation of memorable public spaces, including streets and plazas, through the creation of "oundoor living, rooms" shaped by high quality building frontages.

B. Street Types Plan

The Street Types Plan's purpose is to provide a framework that depicts predictable physical outcomes to control development form and intensity in lieu of floor area ratio requirements. The Street Types Plan sets up a system of categories based on form and character from which the regulations for buildings, and the interface between the building and the street, are based The various land development regulations are specific to, and may vary from one street type to another. If a single building is intended to face more than one street type, then the standards for that building will vary based on the portion of the building facing each street type. At street intersections shown in the regulating plan, the demancation for some street types will "turn the corner." This signifies that the rules for the street with the greater importance must continue around the corner of a building for the maximum distance noted on the map.

The dashed red line shows the boundary of the proposed Mediterranean Village. For each of the street type designations. the rules specific to those locations can be found in Section 3-510-3, Building Form Standarda

Signature Streets: Primary thoroughfares with wide rights of way that accommodate taller buildings.

Placas: Public spaces defined by integrated, harmonious streetscape, pedestrian amenities, and building fromages that work together to shape an "outdoor living room."

Downtown Streets: Typical streets within Downtown Coral. Gables that accommodate taller buildings that respectfully step back at a reasonable height.

Apartment & Townhouse Streets: Smaller-scale, residential steeets that are lined with low-scale multifamily buildings.

Paseos: Mid-block, open air pedestrian accessways that interconnect two public rights-of-ways

Alleys (Public or Private): Narrow accesswary in the rear of the properties intended for parking access, trails pick-up and other services.

C. Regulating Plan

The Regulating Plan's purpose is to add additional design

RTKL

EDITERRANEAN AT PO

30

requirements that are place specific. The Regulating Plan identifies physical features within the Mediterranean Village

Build-To Line: A range of allowable distances from a street right-of-way that the building shall be built to in order to create a cohesive street frontage.

Shopfront Frontage: A ground floor lined with storefronts made with a combination of opaque and transparent materials. The uses behind shopfronts shall be commercial uses allowed by this section. Shops and restaurants shall have operable doors along their front facades spaced at an average of 60 feet on center. Door requirements for Retail Anchors may be reduced if windows provide visibility into the store. A shopfront may occur at the street-facing edge of the building or it may be set back under or inside an arcade. See Section 3-510-5. Architectural Standards, for specific requirements regarding storefroms.

Arcade Frontage: Acovered pedeurian space along the street level of

Pedestrian Amenities: Sidewalks along the buildings' frontages with this designation on the Regulating Plan shall contain pedestrian amenities as required by the Mediterranean Level 2 Bonus program.

due to their special use, architectural design, or history. These buildings are given priority in site plan design and are made a focal point of public spaces. Frontages of surrounding buildings shall be harmonious with and subservient to Historic/ Civic Buildings identified on the Regulating Plan. In addition, Historic Buildings are subject to all applicable standards in the Zoning Code for historic structures.

Upper Level Bridges Upper level bridges are optional at the approximate locations shown on the Regulating Plan only. See Section 3-510-4, General Standards for additional requirements pertaining to upper level bridges.

Upper Level Stepback: Locations where upper floors of tall ildings set back from the Build-To Line in order to respectfully shape public space and allow additional light and air at street level.

Terminated Vista: An architectural treatment or expression on the facade of a building that is visible from a distance due to its relationship to the street grid.

Signature Terminated Vista: An architectural feature on a building that may include additional floors and height in recognition of its location fronting a Signature Street and its unique site and visibility.


2.1

DRAFT May 18, 2015 MEDITERRANEAN VILLAGE FORM-BASED FLANNED AREA DEVELOPMENT

that shall be included in any subsequent buildings designed with the rules of this section.

abuilding, as described in Section 3-510-5. Architectural Standards.

Historic/Civic Buildings Buildings that have significance




B. Street Type Plan

LECTION 3-510-3 L REGULATING PLANS



11 MEDITERRABEAN VILLAGE FORM-BASED FLANNED AREA DEVELOPMENT DRAFT May 15, 7015





RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

5 T П Т 0 MEDITERRANEAN ň

RTKL



IEDITERRANEAN VIL AT PONCE

EXHIBIT 'C'

LECTION 3-E10-5 (BUILDING FORM STANDARDS

Section 3-510-3: Building Form Standards

A. Intent

The purpose of the Building Form Standards is to establish. The method of division used by the applicant must be the physical and functional relationships between buildings. All proposed new buildings in the Mediterranean Village must follow the prescribed Building Form Standards set forth herein. The standards set forth rules related to building. placement (build-to-lines, setbacks, lot widths, etc.), intended building types, permitted uses, and building heights.

B. Frontage on More than One Street Type

In concept, when a single platted property is at the Intersection of two different street type designations, the designation of greater intensity (typically the frontage street for the property) should govern for all sides of the property adjacent to a public right-of-way or side property line. This works well when the depth of a lot is 50 feet to 200 feet. However, if the property extends to one entire block and the applicant is proposing one building to occupy the majority of the entire block, the intention of the Mediterranean Village Form-Based PAD is to cause the building to provide distinction of character along the different street types as designated in the Street Types Plan. In this latter case, one building could have frontages along 3 or more different street types.

If an application does have a single building that faces more than one street-type designation, it should be the decision of the applicant as to where the division occurs between designations, and the designations should be clearly defined in the design of the building through the submitted documents. These guidelines shall be followed as determined the Development Services Director:

(1) In the case of a corner site, the rules of the frontage street. typically that of the greater intensity, should not extend deeper than 200 feet.

(2) If there is an alley or pedestrian passageway, whether publicly dedicated or not and whether existing or proposed. the logical location for a change in designation would be along the centerline of that alley or passageway.

(3) In the case of a proposed building that extends across the depth of the block to two opposite streets, the division should be located between the midpoint of the block, or off the midpoint so that the bias of the "deeper" side of the block does not exceed 75% of the distance of the entire block depth.

described on the site plan or an additional plan diagram to illustrate compliance. For proposed Mediterranean Villages that contain more than one lot, more than one method of division may be used for a single application. However, the method of division used for one continuous frontage shall be the same.

C. Description of Street Types

Some elements of Street Types vary, while some elements remain constant or only vary slightly. These variations include lane widths, parking and sidewalk configurations, frontage rules and landscaping standards.

Signature Streets: Primary thoroughfares with wide rights of way that accommodate taller buildings.

Plazas: Public spaces defined by integrated, harmonious streetscape, pedestrian amenities, and building frontages that work together to shape an "outdoor living room.

Downtown Streets: Typical streets within Downtown Coral Gables that accommodate taller buildings that respectfully step back at a reasonable height.

Apartment & Townhouse Streets: Smaller-scale, residential streets that are lined with low-scale multifamily buildings.

Paseos: Mid-block, non-air conditioned, publicly accessible pedestrian accessways that interconnect two public rights-ofway or interconnected pases.

Alleys (Public or Private): Narrow accessways in the rear of the properties intended for parking access, trash pick-up and other services.

3.1

	Signature	Plaza	Downtown	Apt & Townhouse	Paseos	Alleys
Street Names	Ponce de Leon	At the intersection of Ponce de Leon with Palermo & Co- conut Grove Drive	Sevilla, Malaga, Palerme & Coconut Grove Drive	Galaro & Malaga		
Heights						
Building Height ¹⁸	2 Floors min	3 Floors min	2 Floors min	1 Floor min		
	190'-6" max or as provided in the Comprohensive Plan	190-6" max or as provided in the Comprohensive Plan	1907-0" max or as provided in the Comprohensive Plan	3 Floors max or as provided in the Comprohensive Plan		
Signature Terminated Vista Building Height Bonus [®]	2 Floors max	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Rootop Architectural Element	a ⁱⁿ					
Pooliop Area	3/4 max	3/4 max	1/2 max	1/3 max		
Height Above Roattop	29 mai	25° max	25° max	11' max		
Signature Terminated Vista Rootop Aruhitec- tural Element Bonus ⁽²⁾	1/2 Building Height max, including 25" allowed	Not Applicable	Not Applicable	Not Applicable	[
Floor Heights (Floor to Floor)					1	
Ground Flaor & 3nd Floor	tt' min 17' max	tt'min 17'mas	11'min 17'max	6" min 13'6" max		
Third Floar	lif min 17' max	¥ min 17' max	B' min 13'6" max	9' min 13'8" max		
Upper Floors ^(A) (above 3rd Floor)	IF min 13'6" max	9' min 13'0' max	8' min 13'6" max	Not Applicable	1	
Ground Finished Floor level above sidewak ³⁸	6" max	8° max	6" max	18" min 4" max		

(4) Ramping may be necessary between the floor of the arcade and the sidewalk for ADA compliance. Ramping may occur in between the arcade's cul-

urns or piers and/or in the sidewalk area. The floor of an arcade at a street's edge shall also meet this requirements

(5) Upper Level Floors containing public uses, such as halrooms, may exceed the maximum Floor to Floor height up to a maximum of 30".



DRAFT May 18, 2015

MEDITERRANEAN VILLAGE FORM-BASED FLANNED AREA DEVELOPMENT

32 MEDITERRANEAN VILLAGE FORM-BASED FLANNED AREA DEVELOPMENT DRAFT May 18, 2015




Street Types:	Signature	Plaza	Downtown	Apt & Townhouse	Paseos	Alleys
Street Names	Pance de Leon	At the intersection of Ponce de Leon with Palemo & Coconut Grove Orive	Sevilla, Malaga, Palernio & Cocceut Grove Drive	Galiano & Malago		
Street Widths						
Right of Way Width	100' mm	35,000 st min 1:3 max width length	60' min 70' max	60" min	10° min 30° max	20' min 30' max
Building Profile						10
Septack	۵.	Recommended 15' at 8th Floor	Recommended 15' at 8th Floor	Not Applicable		Not Applicable
Building Specing above 8th Flour	45° min separation	60' min separation	60' min separation	Not Applicable	Not Applicable	Not Applicable
Building Floorplate above IIth Floor	30,000sf office max 22,000sf residential 215' length max	25,000sf office max 20,000sf residential 215' length max	25,000st office max 18,000st residential 215' length max	Not Applicable		Not Applicable
Parking Placement ^(N)	3rd - 8th Floor	3rd - Bh Floor	3rd - Bh Floor	Ground Floor		Ground Floor
Parking Setback from Primary Street BTL	Recommended 20 min 70% min of Frontlage	Recommended 20 ^o min	0' min	10' min		0
Parking Setback from Side Street 871.	20' min 70% of Frontage	Not Applicable	Not Applicable	30° min		20' min
Building Placement						
Front Build-to Line ⁸⁵	0'min 14'max	0' min 14' mai	0 min 14' max	0' min 34' mas		Refer to neares
Bide Setback (next to another property)	Not Applicable	Not Applicable	0' 10' min from SFR	Not Applicable	Not Applicable	Street Type Frustage
Rear setback	Not Applicable	Not Applicable	10' C with Alley	10' 0' with Alley	5 - 52 1	Not Applicable
Frontage Balld-out ^(II)	100%	100%	80% min	50% mit	()	Not Applicable
Frontage Elements (ref	er to Section 3-510-5	Architectural Standa	inds for further clarific	ation)		
Allowed Frontage	Shopfront	Shipfront	Shapfront	Stoops	Shopford	Steep
Elements:	Gallery	Gallery	Gallery	Canopy	Gallery	Porch
	Arcade	Accade	Arcade	Parches	Arcade	Balcony
	Canopy	Canopy	Canopy	Balcony	Canopy	Canopy
	Balcony	Balcony	Balcony	Awning	Balcony	Awning
	Auting	Awning	Aunitg		Awning	Bay Windows

SECTION 3-510-5 | BUILDING FORM STANDARDS

Outdoor Dining¹⁰

3.3

SECTION 3-510-5 | BUILDING FORM STANDARDS



1.4 MEDITERRANEAN VILLAGE FORM-RASED PLANNED AREA DEVELOPMENT DRAFT May 16 2015

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

CITY COMMISSION SECOND READING

Note

(1) Parking may be located underground and is prohibited on the Ground Floor and 2nd Floor for all street types. See Section 4: General Standards for additional parking requirements.

Outdoor Dining¹⁸

(2) Build-to lines are measured from the property line along a street frontage to a distance back from the street.

Outdoor Dining¹⁶ Outdoor Dining¹⁶

(1) Frontage Build-out in the width of the facade to be built along the build-be line. It is measured based on the percentage of the front property line running, along the steet-type designation from the Sheet Type Plan in Section 2. For Signature Sheets and Plazas, entraces to drop-offs, gartage dumputers, delivery bays and parking parages shall be fluxt and integrated with the facade of the building. If a gollery or anade is used in the facade of the building, any doors for vehicular access should be setted a minimum of 20 from the inside wall of the peddentials conduct. (4) Outdoor dating shall be permitted in ROW subjects to City parcial with Amountainment agreement.


DRAFT May 18, 2015

MEDITERRAINEAN VILLAGE FORM-BASED PLANNED AREA DEVELOPMENT

33

RTKL

AGAVE FONCE




Values to the Corresponding letters are in Table 3.5A Key

Property Line Building Area - - - Build-to Line (BTL)

Front Build-to Line ²¹	0' min to 14' max	
Frontage Build-out ⁽⁸⁾	100% th	6

3. Parking Location



Key


	Property Line Parking Area	Selback Line
Parking 5	ocation, Table 3	10

Front Setback	20' min, when liner space present 🔘
Side Setback	20' min. when liner space present @
Parking and Service ma	ry be located underground.
	f a minimum depth of 20 feet is required for at

least 70% of the primary bontage on all parking floors.



SECTION 3-510-5 | BUILDING FORM STANDARDS





Key ------ Property Line ------ Build-to Line (BTL) Encroachment Area

Frontage Elements may encroach forward of the build-to line, barring any additional restrictions by the public entity that has control over the public right of way.

Distance	12' max, or 2 feet behind the surb; if less	
10		

Shophurts, Arcade, Balcory, Frontage Gallery, Canopy, Awning Elements

See Section 5; Architectural Standards for further requirements of these frontage elements.

There are no restrictions for building frontage elements entirely within private property unless otherwise stated in Section 5, Architectural Standarite


5. Miscellaneous

- a. All buildings must have a Primary Pedestrian Entrance along the hort facade.
- b. Loading docks, everhead roll-down doors and other service entries shall not be located an street-facing facades.

SECTION 3-110-1 | BUILDING FORM STANDARDS

6. Street Cross Sections





e

Wallway Type

3.0 MEDITERRANEAN VILLAGE FORM-BASED PLANNED AREA DEVELOPMENT

2

100

Public Park


DRAFT May 16, 2015

14 sidewalk



RTKL

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS



SECTION 3-510-5 (BUILDING FORM STANDARDS

Movement Type Mutti-modal, pedestrian priented Street Type Signature Street "Modifications to street cross sections shall be reviewed and approved by

Miami Date County		
Lanes		
Traffic Lanes	11.	G
Bicycle Lanes	sharrows	

17

	Edges		
	Curb Type	C'Raised	
G	Planter Type	Tree Welts in sidewalk w flush grade	ł.
0	Landscape Type	Medium Trees, evenly spaced @ 2010.0. avg.	
	Walkway Type	14' sidewalk	1

Right-ef-Way (ROW) Width

Curb Face to Curb Face Width

100

50'

o

o

3.7

DRAFT May 18, 2013


Parking Lanes

Medans.

MEDITERRANEAN VILLAGE FORM-BASED FLANNED AREA DEVELOPMENT


F. Plazas

Plazas have similar parameters to Signature Street, however Plazas shape public spaces within a public right of way along primary thoroughfares and any privately owned open spaces shown in the Street Type Map. 1. Building Heights & Profile



SECTION 3-510-5 | BUILDING FORM STANDARDS

Heights 3 Fibers min 100'-6" to eave max O Building Height ¹¹¹ or as provided in the **Comprehensive** Plan Rootop Architectural Elements⁽⁷⁾ Rootlop Ares 314 max 0 Height Above Roottop 257 max Floor Heights (Soor to floor) ø Ground Floor & 2nd Floor 11' min 17' mas 0 Third Floor 望 min 17 max Upper Floors (above 3rd Floor)⁴⁶ 8' min 13'6" max 0 Ground Finished Floor above sidewalk⁴⁴ 0 C' max Profile 0 Height to Stepback # Floors max Recommended Stepback above Bh Floor 15' 0 807 min Building Separation above 8th Floor 25,000sf office max Building Floorplate above 8th Floor 20,000ef residential 215' length max **Parking Placement** Srd - 8th Floor **Recommended Parking Settack** 20' min 0 from Primary Street BTL Parking Setback 0 min from Side Street BTL (1) See note 1 on page 3.2 (3) See note 3 on page 3.2. (4) See note 4 on page 3.2. (5) See note 5 on page 3.2. Alternative Profile with Arcade Build-to Line +0



- - Build-to Line (BTL) Building

DRAFT May 18 2015 1.8 MEDITERRANEAN VILLAGE FORM-BASED PLANNED AREA DEVELOPMENT

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS CITY COMMISSION SECOND READING






Values to the Corresponding letters are in Table 3.5A

ey Property Line	Building Area
Build-to Line (BTL)	
Contraction of the second seco	

Front Build-to Line [®]	0' min to 14' max.	0
Frontage Build-out ^{By}	100%	
(2) See note 2 on page 3.3. (3) See note 3 on page 3.3.		

3. Parking Location




Key ········ Property Line



- Front Setback 20° mm. Side Setback 0 min a. Parking and Service may be localed underground
- b. Habitable liner space of a minimum depth of 20 feet is required along the primary frontage on all parking foors.

DRAFT May 18, 2015 MEDITERRAINEAN VILLAGE FORM-BASED FLANNED AREA DEVELOPMENT

SECTION 3-510-5 | BUILDING FORM STANDARDS





Key --- Property Line Encruachment Area - - - Build to Line (BTL)

Frontage Elements may encroach forward of the build-to line, barring any additional restrictions by the public entity that has control over the public right of way.

Distance	12' max. or 2 feet behind the curb, if less	
Allowed	Charlente Annale Colonna	

Shopfronts, Arcade, Balcony, Frontage Gallery, Catopy, Awring. Elements

See Section 5, Architectural Standards for further requirements of these Rontage elements


There are no restrictions for building frontage elements entirely within private property unless otherwise stated in Section 5. Architectural Standards

5. Miscellaneous

- a. All buildings must have a Primary Pedestrian Entrance along the front facade.
- It. Loading docks, overhead roll-down doors and other service entries shall not be located an street-facing facades.
- c. All areas designated as a Plaza shall be streetscaped in a cohesive design. Facades fronting a plaza shall have a consistent appearance in
- materials, proportions, colors, and height. d. First and second Floors shall respect and be compatible with any historic buildings in height, scale, mass and detail.

3.9

SECTION 3-110-1 | BUILDING FORM STANDARDS




- - - Build to Line (BTL) Building

MEDITERRANEAN VILLAGE FORM-BASED PLANNED AREA DEVELOPMENT

3.30

Heights		
Building Height ⁽⁹⁾	2 Floors min 1007-8" to eave max or as provided in the Comprehensive Plan	0
Rootop Architectural Elements th		
Rooftop Area	1/2 max	
Height Abeve Roottop	25' total height max	0
Flour Heights (floor to floor)	Aller and Aller and	
Ground Floor & 2nd Floor	11' min 17' max	0
Third Floor	8' min 13%" max	0000
Upper Floors (above 3rd Floor) ⁸⁶	9' min 13'8' max	0
Ground Finished Floor above sidewalk ⁽⁴⁾	6° max	0
Profile		-3
Height to Stopback	E Floors max	0
Recommended Steptrack above 8th Floor	15'	0
Building Separation above 8th Floor	60' min	
Building Floorplate above Bth Floor	25,000sf office max 15,000sf residential max 215 length max	
Parking Placement	3rd - 8th Floor	0
Parking Setback from Primary Street BTL	<i>v</i> .	
Parking Setback from Side Street BTL	¢.	
(1) See note 1 on page 3.2. (3) See note 3 on page 3.2. (4) See note 4 on page 3.2. (5) See note 5 on page 3.2.		





DRAFT May 18, 2015


RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

Ø

36

RTKL


AGAVE FONCE








Property Line 	Upper Floor Building Area Building Area		
Front Build-to Line	0'min 14'max	0	
Side Setback	0', 10' min next to residential		
Rear Setback	10', 0' with alley		
Frontage Build-out ^{B1} 80% min		0	
	AND	-	







Property Line Parking Acea	Settlack Line
Perking Lincation, Table 3	118
Front Setback	0° min.
Side Sethack	0' min.
a Manhoot and Paraly a match	a Residual in distant in di-


a. Parking and Service may be located underground

DRAFT May 18, 2015 MEDITERRANEAN VILLAGE FORM-BASED FLANNED AREA DEVELOPMENT 3.11

0

SECTION 3-510-5 | BUILDING FORM STANDARDS

4. Frontage Elements



-- Property Line Encruachment Area - - Build-to Line (BTL)

Frontage Elements may encreach forward of the build-to line, barring any additional restrictions by the public entity that has control over the public right of way.

Distance	12 max. or 2 feet behind the curb, if less	0
Allowed Frontage	Shopfronts, Arçade, Balcony, Dallary, Catogry, Austria	

Gallery, Canopy, Awring Elements

See Section 5, Architectural Standards for further requirements of these frontage elements. There are no restrictions for building frontage elements entirely within


private property unless otherwise stated in Section 5. Architectural Standards

5. Miscellaneous

- a. All buildings must have a primary pedestrian entrance along the front facade.
- b. Loading docks, overhead roll-down doors and other service entries shall not be located on street-facing facades, refer to Section 3-510-5, Archi-**Nectoral Standards**

SECTION 3-510-5 | BUILDING FORM STANDARDS

6. Street Cross Sections Applicants may choose any of the cross sections and plans in this section if adding new thoroughfares or streetscaping existing ones.



Application		Overall Widths		
Movement Type	Multi-modal, pedestrian oriented	Right-of-Way (ROW) Width	60/	
Street Type	Downtown Street	Curb Face to Curb Face Width	38'	
"Modifications to street cro	as sections shall be reviewed and approved by			

6" Raised

@ 30" o.c. avg.

17' sidewalk

tree wells in sidewalk w flush grate

Medium Trees, evenly spaced

Miami-Dade Court	ty .		20102	
Lanes		 		

Traffic Lanes

Sicycle Lanes

Parking Lanes

Mediana

	22	Curb Type
10	Θ	Planter Type
atarrows		1
E.	0	Landscape Type
n/a	0	Walkway Type
	10° sharrows 8° n/a	sharrows 8' O

DRAFT May 18, 2015 3.11 MEDITERRANEAN VILLAGE FORM-BASED PLANNED AREA DEVELOPMENT


RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

Edges

CITY COMMISSION SECOND READING








SECTION 3-510-5 | BUILDING FORM STANDARDS .

H. Apartment & Townhouse Street

Apartment & Townhouse Streets are smaller streets that serve as a transition from higher intensity urban areas to low-intensity single-family neighborboods.

1. Building Heights & Profile



1 Floor min Building Height 19 3 Fibora max Rootop Architectural Elements¹⁸ **Roatop Area** 1/2 max . Architectural Element Stepback 10° min Height Above Rooffep TT' max . Floor Heights (floor to floor) Ground Floor 5' min 138' max 0 0 Upper Floors 9' min 13%' max 0 Ground Finished Floor above sidewalk 10° min Habitable Ground Floor Depth 10° min 0

(1) See note 1 on page 3.2. (3) See note 3 on page 3.2.

2. Building Placement

Values to the Corresponding letters are in Table 3.148

ley	2 1 2	
	Property Line	Building Area
	Build-to Line (BTL)	1011 T 1011 P 2111 P

Front Street BTL ^{db}	0'min 14'max	0
Side Street Setback	0°	0
Side Sethick	0" 10" min next to residential	0
Rear Setback	10° 0° with alley	ø
Frontage Build-out ^{#1}	50%	0

(2) See note 2 on page 3.3. (3) See note 3 on page 3.3.

3.14 MEDITERRANEAN VILLAGE FORM-BASED PLANNED AREA DEVELOPMENT

DRAFT May 18, 2015




38

RTKL

AGAVE FONCE

3. Parking Location

Parking and Service may be located underground. Driveways shall be located off of alleys. See Section 4: General Standards for additional parking requirements




Malazara Ba Mara	Patractics	addent Indiana and	r in Table 3.15A
VAIDER DO 101E	Procession.	ngeng records and	1 III 18000 3.12Pt

Key Property Line Build-to Line (BTL)	Ground Floor Parking Are	
Ferling Location Teble 215 Setback from Front Street BTL	10 mit.	0
Setback from Side Street BTL	20 min.	0
Rear Setback	10'min 0'with an Alley	0

SECTION 3-510-5 | BUILDING FORM STANDARDS

4. Frontage Elements



Values to the Corresponding letters are in Table 3.158

Key ---- Property Line Encroachment Area 100 - - Build-to Line (BTL)

_	100 C - 1		11000		2000 A. 16 C. 16	121013
	rantilige		BAID	1.1		
	A	COLLARS.	10.101			

t may encrose to forward of the build-to line, barn this by the public entity that has control over the	
git of way. Istance 12' max. or 2 feet behind the surb, if less	
	ons by the public entity that has control over the

Allowed Stoop, Porch, Balcony, Frontage

Canopy, Awning, Eay Windows Dements

See Section 5, Architectural Standards for further requirements of these trontage elements.

There are no restrictions for building liuntage elements entirely within private property unless otherwise stated in Section 5, Architectural Standards

5. Miscellaneous

- a. Where a building facade steps back or is absent from the BTL, the BTL line should be maintained and defined by fence, landscape wall or hedge 30"-54" high.
- b. All buildings shall have a Primary Pedestrian Entrance, such as a Stoop or Porch, along the front street facade. All buildings fronting a corner are recommended to have a Stoop or Porch with a Primary Pedestrian Entrance at the corner.
- c. Driveways, garage doors, and service areas shall be accessed from an Alley and may not be visible from the Apartment & Townhouse Street.

1.15


DRAFT May 18, 2015


MEDITERRAINEAN VILLAGE FORM-BASED FLANNED AREA DEVELOPMENT


SECTION 3-510-5 | BUILDING FORM STANDARDS

6. Street Cross Sections

Applicants shall conform to the cross sections and plan in this section if adding new thoroughteres or streetscaping existing ones. Apartment & Townhouse Streets without Median (Galiano, Malaga)







60

22-38

6' Raised

@ 30' e.c. avg. 9'-12' sidewalk

tree pits in sidewalk planter areas within sidewalk

Large Trees, evenly spaced

0

0

0

Application		Overall Widths
Movement Type	Multi-modal, pedestrian oriented	Right-of-Way (ROW) Width
Street Type 'Modifications to street on Mami-Dade County	Apartment & Townhouse Street oss sections shall be reviewed and approved by	Carb Face to Carb Face Width
alami-case county.		Edges
		Curb Type
Lanes	10.00	Director Town

Lanes			
Traffic Lanes	10'	Θ	Planter Type
Bicycle Lanes	Bicycle Boulevard		Landscape Type
Parking Lanes	S' when present	Ø	Carronape 1994
Medians	5'-0' when present at inters	ections	Wallowsy Type

DRAFT May 18, 2015 3.16 MEDITERRANEAN VILLAGE FORM-BASED PLANNED AREA DEVELOPMENT

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS CITY COMMISSION SECOND READING






SECTION 3-510-5 (BUILDING FORM STANDARDS.

I. Paseos


Paseos are mid-block pedestrian accessways that are fronted with store fronts, doors, windows, and other active elements.

1. Placement and Dimensions



Values to the Corresponding letters are in Table 3.17A.

Paseo Placement and Dimensions, Table 3.17A		
Distance from a side street:	250' max	C
With	10° min	0
Vertical Clearance	10° min	G
Frontage Element Encroachment	permitted 10' min clear space	G



2. Frontage Elements

Alk	swed Frontage Elen	ients, Table 3.17B	
544	Section 5, Architecture	al Standards for additional regulations.	-
	Shopfront	 Gallery 	
	Arcade	 Canopy 	
	Awring	 Balcony 	

Note: Paseos shall be open-air, non-air conditioned spaces that connect two public spaces. Dead and passes are prohibited. Vehicular use and service use is prohibited.


2.17

SECTION 3-510-1 | BUILDING FORM STANDARDS


J. Alleys (Public or Private) Aleys (public or private) are same accessed in the properties intended for parking access, trash pick-up and other services.

1. Placement

2. Frontage Elements



Building and Alley Placement	Table 3.18A	
Width of Alley	20' min. 30' max	G
Frontage Element Encroachment	€ max 20' min vertical clearance	6



Values to the Corresponding letters are in Table 3.16A.

Alt	owed Frontage Ele	ments, Table 3.18B
See	Section 5, Architectu	ral Standards for additional regulations
	Balcony	 Canopy
	Awning	

Note Dead-end alleys are prohibited.

DRAFT May 18, 2013 MEDITERRANEAN VILLAGE FORM-BASED PLANNED AREA DEVELOPMENT



DRAFT May 18, 2015.



RTKL

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

RECTION 3-520-4) GENERAL STANDARDS

SECTION 3-510-4 | GENERAL STANDARDS

3-510-4 General Standards

A. Intent

The General Standards apply to all buildings, irrespective of AMediterranean Villageshall comply with the Non-residential the street-type designation.

B. Building Site

1. Platting and/or replatting

Nothing contained herein shall be construed as requiring the platting and/or replatting of a deselopment site for a PAD provided, however, that the Planning and Zoning Board and the development site when it determines that the platting or replatting would be in the best interest of the community.

2. Easements

The City Commission may, as a condition of PAD approval. require that mitable areas for easements be set aside, dedicated and/or improved for the installation of public utilities and purposes which include, but shall not be limited to water, gas, telephone, electric power, sewer, drainage, public access, ingress, egress, and other public purposes which may be deemed necessary by the City Commission.

3. Installation of utilities

All utilities within a PAD including but not limited to telephone, electrical systems and television rables shall be installed underground.

C. Permitted Uses

A Mediterranean Village must be mixed-use and have at least four different categories of uses, one of which must be residential. Other uses may include retail, lodging, office, entertainment, civic, and public uses. The application shall specify the permissible location of use categories by street type-Any particular use within a use category that is allowed by both the applicable land use designation and noning district is shopfonts shall have retail or restaurant uses.

D. Mediterranean Bonus

use requirements of the Mediterranean Level 2 Bonus program as outlined in Section 5-604, except as modified in these Form-Based Regulations.

E. Green Building

A Mediterratean Village shall obtain Leadership in Energy and Environmental Design for Neighborhood Development City Commission may require the platting or replaning of (LEED-ND) Certification or an equivalent nationally recognized green certification program.

F. Traffic Study

The project shall include a Traffic Impact Study for the surrounding neighborhoods that identifies traffic effects on adjacent residencial streets. A staffic calming and streetscape improvement strategy for affected streets shall be incorporated into the Development Agreement, which will include contributions towards neighborhood street improvements to mitigate potential traffic impacts.

G. Transit

The project shall include a Transit Improvement Plan as part of the Development Agreement, which will include contributions to local transit systems for the purposes of expanded hours and days of service and shorter headways.

H. Pedestrian Amenities

Where noted on the Regularing Plan in Section 2, an applicant needs to demonstrate, with a submission item called the Pedestrian Amenity Plan, all pedestrian amenities provided allowed in a Mediterranean Village. Ground level mandatory for the full length of the sidewalk of that required frontage

4.1

Pedestrian Amenities include, but are not limited to: shading: devices such as arcades, mature shade trees, canopies, large awnings, etc. There shall be no "gaps" between pedestrian amenities greater

than 15 feet along such frontage.

The applicant may also propose covenants, including covenants in lieu of unities of title, or other mechanisms of property control that may be needed to maintain such pedestrian amenities.

1. Public Art

Public Art beyond that currently required by the Zoning Code shall be provided as focal points of the project, including but not limited to sculptures, mosaics, and other forms of art in the public realm.

J. Parking

The intent of the parking standards is to encourage a balance between pedestrian-oriented development and necessary car storage. The goal is to construct neither more nor less parking than is needed. Parking specifications, such as space dimensions and aisle width shall be used in accordance with Article 5, Division 14 of the Zoning Code.

1. On-Street Parking Counted

On-street parking spaces directly abutting a lot shall count toward the parking requirement for development of that lot, encept that such spaces shall not count toward parking requirements for disabled persons.

2. Bicycle Parking

A minimum of one bicycle rack parking place shall be provided within the public or private frontage for every ten vehicular parking spaces in covered areas. Bicycle Parking shall be in accordance with the City's adopted Bicycle Master Plan. Bicycle changing facilities, including lockers and showers, shall be provided on site. Space for future bike sharing facilities shall be reserved on she

3. Valet Parking

The project must propose to provide adequately staffed vales services during the hours of operation of all uses, including appropriate time following closing to accommodate the departure of valet parked cars. Projects shall submit an operational plan for the valet services, specifying details, including but not limited to maximum wait times, distance from valet drop-off points to valet parking areas, operation modification to the functioning of any required parking areas such as stacking, and the number of operators at peak and non-peak hours. The applicant shall covenant and agree in the PAD development agreement that if the City finds that this level of staffing is inadequate following implementation of the plan, the project will adjust the number of operators accordingly to the satisfaction of the City. Parking may be proposed to be in the form of tandem parking located in areas that are only accessible to valets. If tandem parking is approved, then continued valet service for that area shall be assured by a covenant and a condition of approval of the project.

4. Electric Vehicle Charging Station

An electric vehicle charging system providing one (1) reserved vehicle charging station per 50 dwelling units or hotel units or fraction thereof and one (1) whicle charging station for every 200 required spaces or faction thereof for all other uses. Each vehicle charging station shall count as one required parking space. The use of electric vehicle charging stations for charging, shall be free for all parking users. However, fees for the use of station in areas of parking reserved for residential or houl uses shall be controlled for the management of those uses. Such stations shall be strategically located in groups of no less than 2 stations, based on the location of garage and use access points. The applicant may propose to provide more electric vehicle charging stations than required if the City determines that the community needs and proposed uses support a greater number of charging stations.

DRAFT May 18, 2015

41 MEDITERRANEAN VILLAGE FORM-BASED PLANNED AREA DEVELOPMENT

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS







41

RTKI


MCTION 3-510-4) GENERAL STANDARDS

MCTION 3-510-4 (GENTRAL STANDARDS

5. Shared Parking Reduction

Reductions from the minimum required parking spaces from the Zoning Code may be approved as part of the Coral Gables Mediterranean Village. Reductions shall be calculated using an accredited system for calculating shared parking. Parking shall fulfill between ninery (90) percent and one hundred ten (110) percent of the calculated total after the shared parking reduction. Such reduction shall exclude any and all proposed and anticipated parking spaces reserved exclusively for a specific use such as residential, office, theater, etc. Dedicated valee parking spaces, however, may be part of the shared parking reduction. The number of required spaces may be reduced by any one or more of the following methods, as may be reduced by the City:

- Urban Land Institute (ULI) Shared Parking Methodology
- SmartCode Shared Parking Matrix, as shown in Diagram 4.3
- Applicants may provide a parking study completed by a certified professional engineer, engineering firm or similar, junifying the proposed parking solution.



SmertCode Shared Parking Mainty, Teble 4.3

The SmartCode Shared Parking Matrix provides the method for calculating shared parking for buildings with more than one use.

The parking required for any two uses in a single project is calculated by dividing the number of spaces required by the lesser of the two uses by the appropriate factor from this Table and adding the result to the greater use justifying requirement.

For instance: for a building with a residential use requiring 100 spaces and a commercial use requiring 20 spaces, the 20 spaces divided by the sharing factor of 1.2 would reduce the total requirement to 100 plus 17 spaces. For users not individed in this shart in a mixed use project a sharing factor of 1.1 shall be allowed. The study must be prepared using a professionally appropriate methodology that is approved by the City, detailing land uses in accordance with Institute of Transportation Engineers (TTE) parking generation categories. At a minimum, the methodology must incorporate all of the following considerations, as well as any other data or analyses that the City deems appropriate for the requisined reduction.

a. Parking Characteristics of Similar Projects and Uses

The study must incorporate analyses of actual parking demand at similar uses and projects located in the City. The analyses may also reference similar uses and projects located in Miami-Dade County, or elsewhere in South Florida. These analyses must evaluate factors such as the uses, hours of operation, peak parking demands, location, amount and type of reserved parking that is proposed, proposed impact on nearby on street patking, and occupancy rates of the similar use and project in comparison to those of the proposed uses and project.

b. Operational Assessment

The study must demonstrate how the project will optimize the parking operations and traffic conditions within a quarter mile of the project boundaries, and propose and agree to provide appropriate mechanisms to protect the surrounding neighborhood, including, but not limited to appropriate signage and the locations of all ingress and egrees points.

c. Transit

The study must analyze the impact of nearby transit services on parking demand for the project, and must also analyze the projected use of other alternative modes of travel such as bicycle and pedestrian. The study must reference and the project must propose to contribute to the enhancement of nearby transit services through expanding toutes and lengthening hours of service.

d. Valet Plan

The study must reference and the project must propose to provide adequately staffed valet services during the bours of operation of all uses, including an appropriate time following closing to accommodate the departure of valet parked care. Projects shall submit an operational plan for the valet service, specifying details, including but not limited to maximum wait times, distance from valet drop-off points to valet parking areas, operational modifications to the functioning of any required parking areas such as macking, and the number of operators at peak and non-peak hours.

4.1

DRAFT May 18, 2015 MEDITERRANEAN VILLAGE FORM-BASED PLANNED AREA DEVELOPMENT

K. Vehicular Access to Buildings

The following extrema shall be used to ensure these uses do not detract from the overall walkability of the Mediterranean VIIlage and its pedestrian connectivity to the surrounding areas.

1. Loading and Service

Leading and service entries shall be allowed only on Downtown street types, alleys and within parking lots and structures. All turning movements of service vehicles shall be accommodated within the building.

2. Parking Garages Entry

Vehicular entry gates at gatage entries shall be positioned a minimum of twenty (20) feet behind the front wall of the building. At acaded frontages, this distance is measured from the interior/rear wall of the arcade. To increase safety during off-hours, the setback area between the entry gate and the public idewalk may be gated at the sidewalk edge during times when the gatage is closed.

Vehicular entries to garages shall be allowed only from rightsof-way and alleys. Vehicular entries to garages are prohibited on Signature street types and Apartment/Townbouse atreet types. Vehicular entries on Downtown street-type frontages shall have a maximum width of 24°.

Pedestrian entries to parking garages shall be directly from the street or paseo as well as from the camilgaous building. Pedestrian entries to garages shall be linked to cross-block paseos wherever possible.

L. Parking Under Public Right-of-Way

Subterranean parking may occur under the rights-of-way of Downtown Streets and Plazas when adjacent pareels share ownership and upon approval by the Public Works Director. All encroachments under the right-of-way in excess of nine inches, including landscaping, lighting and irrigation, will require Commission approval as per City Code 62-3

Tree wells shall be regularly spaced at 30' minimum on streets and given adequate depth to allow for a mature tree canopy above the underground parking deck.

Air ventilation exhausts shall not obstruct or exhaust onto public sidewalk and shall be at least 8° above ground level. These vents shall not adversely impact pedestrians or residential areas. Exhausts shall be located in rear alleys, back of house

locations and upper level parking decks and shall be screened to match the character of the adjacent building(s).

M. Bridges and Roofs Over Public Right-of-Way

Upper level bridges are permitted where shown on the Regulating Plan in Section 2, and only when both sides of a street are in common ownership or development agreement. Upper level bridges shall be long enough to cross the public rightof-way without intruding into the thoroughfare with support columns. The vertical clearance of upper level bridges shall be subject to City staff review and approval. Upper level bridges shall not exceed 10 feet in width in any one location and shall only be permitted on the second floor and perpendicular to the street. Such attructores shall only occur on the Block Face in one location per street as identified in the Regulating Plan. Additional upper levelbridges, and/or those tharare wider than 10 freet, and/or those of multiple stories may be allowed following the approval from the Coal Gables City Commission.

Transparent or translucent structures covering over public rights of way shall only occur above permitted Upper Level Bridges with approved lighting study and security study. Plazas as designated by the Street Types Plan shall not be covered by such tractures.

Bridges and resofs over the right-of-way shall remain accessible for cleaning and maintenance by the owners. The applicant must agree that at any time, the public entity that controls that public right-of-way retains the right to demand the removal of such structures for any reason at the owners' expense without challenge or compensation.

All encroachments over the right-of-way in excess of nine inches, including landscaping, lighting and irrigation, will require Commission approval as per City Code 62-3

N. Activated Rooftops

Green living roofs are required on all commercial flat roofs over 1000 square fert in area. At least 5% of total roof area shall be publicly accessible. Using open terraces, parks and outdoor dining and loomge areas, publicly accessible roofs shall be landscaped and garden-like in its appearance. At least one of the publicly accessible roofs shall incorporate at least one public use such as dining, entertainment, or membership club with operating hours for public accessibility as specified by the City.

4.4. MEDITERRANEAN VILLAGE FORM-BASED FLANNED AREA DEVELOPMENT



42

RTKL

MCTION 3-550-4) GENERAL STANDARDS

Activated rooftops within 100° of right-of-way adjacent to single-family residences shall comply with all City lighting, noise, and nighttime use requirements.

O. Floor Area Ratio

The maximum combined Floor Area Ratio of all buildings within the Mediterranean Village Form-Based Planned Area. Development shall be 4.0.

P. Landscape

Landscape open space requirements are subject to the requirements in Article 5, Division 11 in the Zoning Code, except where noted in this section.

For calculating the requirements, the total lot area shall be based upon the survey submitted with the application. The required amount of landscaped area can be provided at street level, within the public right-of-way, in elevated areas, in roof top gardens or terraces, in planter boses, or at grade in yards or planting beds.

All landscaped areas of plazas and required setbacks shall be continuously maintained in a good, healthy condition, and sprinkler systems of sufficient size and spacing shall be installed to serve all required landscaped areas. Irrigation shall supply a minimum of the equivalent 115 inch rainfall per week, Rain sensors shall be installed in all systems.

To ensure quality and longeviry, the following additional conditions for tree planting in streets, medians and plazas shall apply:

- All trees shall be Florida Grade #1 or better.
- A signed and sealed "Professional Preparer's Statement of • Compliance" shall be submitted by the Project Landscape Architect at time of submission for approval.
- A signed and sealed "Professional Preparer's Certifica-tion at time of Final Inspection" shall be submitted by the project Landscape Architect before a Certificate of Occupancy may be issued.
- A minimum of 30 percent of the total of all trees or palms planted shall be of a native species.
- A minimum 6 by 6 foot opening and 10 cubic feet of soil, clear of utilities, shall be provided for all trees located above underground structures.
- . Root barriers shall be provided for all tree plantings.
- Tree grates or other approved devices shall be provided around all trees in hard surfaced areas to ensure adequare ٠ water and air peneuration.

DRAFT May 18, 2015

MEDITERRANEAN VILLAGE FORM-BASED FLANNED AREA DEVELOPMENT

Lambacapa, Tabla 4.5.		
Landscape Open Space		
Toantxione/Apt Street Type	50% min	

Wother Street Ty	dets.	20% m	sin:		
Nacas, courlywith, nay be considered assessed.					

Percentage based upon total lot area

Landscape area can be provided at street level, within the public right-of-way, el-evaled areas, planter boxes, planters, etc.

Street Trees		
Average Spacing	307 max.	
Colper	6 inches min	
Clear Trunk Height	6' min.	
Height	16' min.	

Unret Irees shall be placed along Signalure. Downlown, and Apartment & Town Interne Science Patters shall not be used as street loves.

Etrand treas are not required when arcades or gallerins are provided in the ROW.

Median Trees	
Calpin	6 inches min.
Clear Trunk Height	IF min.
Height	10° min.
Canopy Coverage	100% within 2 years of installation
Spread	10° min.
Median trees may be a maxim	um of 2016 Rowering Traves or palms.
Fairs or markets shade have (1)	A feet to be informed with a lowbare callsoft may be utilized

to satisfy the above large shads tree requirements at a 3.1 ratio.

Plaza Trees	
Caliper	6 inches min
Oner Trutk Height	8'min
Canopy Coverage	100% within 3 years of installation
Palms	10% max.
Height	16' min.
Balana man he of obvaria contralación	(Canani Inland Date Date) abranis dark

cases way be or biodust rat	services overlary mainted unite Promit, proverse calory
ifers (North African Date Pali	n); Medjoo7(Date Palm); and 'Zahidf' (Date Palm);
phoenix sylvestris (WVId Date P	Netro), roystories state (Fibrida Royal Pater) and regia
Cultari Royal Paim).	

45

STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

CITY COMMISSION SECOND READING

RECOMMENDED CONDITIONS OF APPROVAL AND

43

RTKI

CITY COMMISSION

EXHIBIT 'C'

SECTION 3-535-5 LARCHITECTURAL STANDARDS

Section 3-510-5: Architectural Standards

A. Intent

The Architectural Standards are intended to implement a cohesive character for redevelopment within the Mediterranean Villap. These Standards address many components of architectural detailing and building design that relate to the public realm between buildings and the street.

All buildings proposed as part of the Coral Gables Mediterranean Village shall meet the minimum requirements of the Mediterranean Level 2 Bonus program in Section 5-604 of the City Code. In addition, all buildings proposed as part of the Coral Gables Mediterranean Village shall comply with the Architectural Standards that follow. Where there are conflicts, the Mediterranean Village Form-Based PAD Architectural Standards shall supersede.

At the discretion of the City, a third party-design review may be requested to allow the preliminary schematic design of the project to be reviewed by an architect trained in traditional architecture, in order to ensure consistency with the principles of Medineranean Architecture as outlined in these Standards.

If these standards conflict with ADA standards or the current building construction & life-safety codes used by the City and the State of Florida, those codes will supersede.


The requirements of the Architectural Standards are organized by topic or architectural detail. All buildings are required to use the Architectural Standards for all schematic designs and architectural elements, such as Frontage Elements listed in Section 3-510-3, Building Form Standards, according to Street Type and Regulating Plan.

- These standards are subdivided into the following sections:
 - B. Mediterranean Architecture
 - 1. Classical Proportion
 - 2. Massing 3. Vertical Hierarchy
 - 4. Emphasis
 - 5. Fenestration
 - 6. Windows and Doors
 - 7. Garage Openings
 - 8. Awnings, Canoples, and Balconies
 - 9. Columns and Piers
 - 10. Arches
 - 11. Intercolumniation
 - 12. Arcades and Loggias
 - 13. Roofs
 - 14. Rooftop Architectural Elements
 - 15. Shopfronts and Signage
 - 16. Porches, Stoops and Garden Walls
 - 17. Comice and Expression Lines
 - 18. Materials

The building examples contained in this section showcase design elements and architectural styles that are mandatory as part of Section 5-605 of the Zoning Code. The examples are intended to demonstrate character and configuration, and are for illustrative purposes. The accompanying text and dimensional requirements are the tukes that govern permitted development.

SECTION 3/530-5 | ARCHITECTURAL STANDARDS

B. Mediterranean Architecture






RTKL

DRAFT May 18, 2015 MEDITERRANEAN VILLAGE FORM-BASED PLANNED AREA DEVELOPMENT \$1

5.2 MEDITERRANEAN VILLAGE FORM-BASED FLANNED AREA DEVELOPMENT


DRAFT May 15, 7015

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS



SECTION 3 530-5 (ARCHITECTURAL STANDARDS

1. Classical Proportion




RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS CITY COMMISSION SECOND READING

45

RTKL

AGAVE FONCE




DRAFT May 18, 2025

MEDITERRANEAN VILLAGE FORM-BASED PLANNED AREA DEVELOPMENT

55

SECTION & \$10-5 | ARCHITECTURAL STANDARDS





Vertical Herarchy, Table 5.8		
Top Architectural Elements		
Omate Column		Arthen
Cenate Wendows		Correct Line
City Scale Design		Window Surround
Middle Architectural Element		
Repetitive Bays	_	Single, Single Fenestration
Onute Architectural Element		
 Constant of the constant of the c		a bound for cultured with
Base Architectural Elements		
 Single, Heavy Columns 		Arches
 Windee Surround 		Restation
 Pedentrian Scale Design 		Water Table
 Stephent 		Cornice Line

Math

MEDITERRAREAN VILLAGE FORM-BASED PLANNED AREA DEVELOPMENT 5.8

DRAFT May 18, 7015

CITY COMMISSION SECOND READING

п

RTKL




RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

SECTION 9-330-5 | ARCHITECTURAL STANDARDS

3. Vertical Hierarchy Mi blik and toy. The base of the building that cores a load-bearing function and thall be designed with a simple rhythm and potter that corpress the function of the building that the walk of the City. The transition between each write all be earlied by a Cornie ine. Bakony, or Stephack.






58 MEDITERRANEAN VILLAGE FORM-BASED FLANNED AREA DEVELOPMENT

DRAFT May 18, 7015

Base





ORAFT May 18, 3015 MEDITERRANEAN VILLAGE FORM-BASED PLANNED AREA DEVELOPMENT

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

CITY COMMISSION SECOND READING

RTKL



47

5.7

#12 LOOR

DRAFT May 18, 2015

. 74 Ē

6. Windows and Doors

reflect Mediterranean Architectural precedent.

Windows and Doors are important character-defining fea-


sures of a building. Proportions, materials, and style shall




RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

MEDITERRANEAN VILLAGE FORM-BASED PLANNED AREA DEVELOPMENT

SECTION 3-510-5-1 ARCHITECTURAL STANDARDS





PER ROCA

Windows and Doors, Table	5.9
Height:Width Rates	Classical Proportion Height > Width
Material	Solid Wood, Wood Venets, Painted, Stained Anodized Metal
Deer Caller	vates.
Window Frame Celor	Black, Bronze, White
Shopbort Frane Color	Biotate
Glass Color	Clear, non-reflective
Permitted Window Types	Sash, Casement, Fixed, Transens
Permitted Door Types	Solid. French Doors
Window Grouping	Pared Windows, Horizontal bands of vertically proportioned Windows
Lights	Divided Lights with Vertical Properties
Frame Setback from Facade	4" mit: 0


5.8

SECTION & \$10-5 | ARCHITECTURAL STANDARDS

7. Garage Openings

Parking garage facades shall be designed according to the rules of Fenestration, page 5.8. Garage Openings shall be designed to be compatible with the overall Mediterranean Architectural style and Window design of the building, but with a simplified treatment that expresses the utili-tarian parking use. Garage Openings shall be screened initial participants competentiate in the accession of the second in Coral Gables, as shown in the examples on this page. Ramping shall be internalized wherever possible.





5.10 MEDITERRANEAN VILLAGE FORM-BASED FLANNED AREA DEVELOPMENT DRAFT May 18, 7015



for pedestrians.

8. Awnings, Canopies, and Balconies

Awnings, Canopies, and Balconies provide Emphasis to the

Facade, and have the utility of providing shade and rain

protection. Awnings and Canopies enhance the Fenestra-

tion of the Building. The shape shall relate to the window

or door opening. Barrel shaped Awnings should be used to

complement arched windows and square Awnings on rect-

angular windows. When placed above ground level Shop-

fronts, Awnings and Canopies are permitted to encroach


across the sidewalk in order to provide generous protection

SECTION 3-510-5-1 ARCHITECTURAL STANDARDS


SECTION 5 530 5 1 ARCHITECTURAL STANDARDS

9. Columns and Piers

design of the building, including scale, proportion, function, formality, and materials. All Columns and Piers shall be designed to appear to be load bearing according. to the rules of tectonics. Columns and Piers shall have an expressed Base, Middle (Shafi), and Top (Capital). When using Columns from a Classical Order, the correct elements and proportions of that Order shall be used.



The design of Columns and Piers shall relate to the overall



7% the Column Diameter Capital Height* Entimin 1/3 of Column Height above flam

"Companies Order Farles sufficient in this Table. Classical Column Orders shall avoid. the current properties of the chronor order, including the Tanzan, Donic, Iona;, Costo-tinan another Composite order.

DRAFT May 18, 2015 8.12 MEDITERRANKAN VILLAGE FORM-BASED PLANNED AREA DEVELOPMENT

0

0

G

0

0

6

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

17.200.10

ab 64

and and a state and a state and a state of the state of t

i i i -

3 п 5 <u>MEDITERRANE</u>



RTKL

49

our corning shall be or look blue scatarid labric and be limited to too (7) epices. Campies shall be other supported from beine by brackets, or from allone by suppri-

The design of Avenega and Casopers shall taken in the sate, shape, materials, and

uion cables in chains.

DRAFT May 18, 2015

Awnings and Canopies, Table 5.11A

Genund Flore Encroachment into ROW

Ground Floer Clearance from Selewalk

Upper Floor Enumachment into ROW

Authing and Canopy Depth

Auring Precent Slope

style of the Operated

MEDITERRANEAN VILLAGE FORM-BASED FLANNED AREA DEVELOPMENT

Annings shall be constructed with a metal hane and cluth or careas covering. Club, in

if' trat

2 min Residential

1.5' min for structure


6.5 mm for loose fabric.

100% mm Residential

40% mga Ground Hoor Retail

6' min Ground Floor Retail

up to 12" from edge of starts



Raild to

Balcere Balcon

Balcorr

Baltonie

Battone

A less of

in sin città

0



nies, Table 5.118		
o Linn		
y Depth	Z 1991	0
y Underside Clearance from Sidewalk	30' min	0
y Etxnouchment into ROW	E max	0
es way occur forward of the Baltill To Care. Set	iach, and isr Built-1	e-Zone
et shall be designed with visible support such a	as brackets.	
Ellakemies is reprintmended to be avoid with E in baterious the Haras. Middle and Top of the Har		naklie

Radings shall be compatible only other trim elaments, such as doorheredue transs.

5.11

CITY COMMISSION

EXHIBIT 'C'


SECTION 3-510-5-1 ARCHITECTURAL STANDARDS


10. Arches

Semi-Circular Arch

DRAFT May 18, 2015

Arches shall be used sparingly to emphasize important elements on a building, such as Primary Pedestrian Entrances and Terminated Vistas that can be seen from a distance, and Civic spaces. Arches shall be designed with Classical Proportion and according to the common sense rules of tectonics. All elements of the Arch shall align to a center point and the springing of the Arch shall align with its means of support, as shown in the illustrations on this page.






SECTION & \$10-5 | ARCHITECTURAL STANDARDS

11. Intercolumniation


Columns or Piers that are regularly spaced along a line create a Colonnade. The spacing between each Column (Intercolumniation), shall relate to the overall proportion of the individual Column. The space between Columns shall be vertical in proportion to express a load-bearing function.

A series of Arches aligned as an Arcade shall be designed with Rhythm, as shown in Table 5.14.

Colonnades and Arcades are often framed by a more solid End Bay.







Intercolumniatio	n, Table 5.14		
Column Height	See Table 3.9	O	
Column Spacing	415 1/5 Bai Collateri Height	0	
libythre	Equal Spocing of Columns and/or Arches	0	
Did Bay	Optional: Invarier Point, Columns, or solid scall caps the order of a Colormalis or Arcadis. Follows rules of Classical Proportion	0	
Separate position (One Colornale or Accade on top of another)	The bottom Colonnato of Arcade shall be hearing and express a load bearing function. Columns shall align use on top of another allong a cottar line.	ė	

5.24 MEDITERRANEAN VILLAGE FORM-BASED FLANNED AREA DEVELOPMENT DRAFT May 18, 7015

RTKL




RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS


Semi-Circular Arch

12. Arcades and Loggias

Arcades and Loggias shall be open-air spaces that connect the ground floor of the street-facing facade of a building to the right-of-way, providing a publicly accessible, comfortable pedestrian space along the ground floor of the building. Arcades shall be designed to be consistent with the proportion, scale, architectural style, and materials of the main building. Each bay of the Areade shall be vertically proportioned in order to allow sufficient light and visibility to the Ground Floor facade of the building.



SECTOR 3-530-5-1 ARCHITECTURAL STANDARDS




Ø 0 ø

Arcades and Loggias, Table 5.1	5
theogra	1 or 2 Floors; Optional Upper Level Walksray
Obarance	10 mm
Underside Clearance at Sidewalk	1.6 x Depth min
Length of Escade	30% mm
Distance from Edge of Carb	10° mm
Cound Elser height show sidewelk	Fair

A continuous Pedestrian Zone shall be manipalised within the Arcade of Loggia along the Daking Face, and shall not be violaturated by protructing Servicence, Stairs, Excalators, Elevators and other building elements.

Arcades and Loggias may occur loncard of BTL and/or surback, and may encreach within the salaesak speet City approval. Habitable Space, makennys and/or Temaces above Arcades and Logges may occur

Innexed of BTD, spon City approval.



DRAFT May 18, 3015


MEDITERRANEAN VILLAGE FORM-BASED PLANNED AREA DEVELOPMENT

SECTION 3 530 5 1 ARCHITECTURAL STANDARDS

13. Roofs

Roofs are an important character-defining feature, marking the moment where the building meets the sky. Roof shapes shall be simple and shall relate to the Massing of the building. Medirerranean Village Roofs shall be Gable, Hip, or Parapes, in keeping with the Mediterranean Architectural precedents. Shed roofs may be used sparingly. The scale and slope of the Roof and the elements of the Roof (Eave overhang, bracket size, Parapet detailing) shall relate to the height of the Building and the visibility of the Roof from the sidewalk.







	ALSEA.	127
11/	Market I	
	311	

		Parapets, Table 5.16B		
17 Slope man	0	Parapet Height	3.5° mil	0
2 Slope min	0	Parapet Wall Thickness	Il' min	
there should and public	аржин.			
tta color barrel ble, of cl	ay commit.	and approximation (The presence of the real process	and a second	
	10.00			all then a functioner
		COLOR OF STREET, S	2 Slope min Paraget Wall Thickness chan strivet and petitic spaces. na color barrel tile, of city conset, Paragets shall be designed with	2 Stope min furget Wall Thickness IF min hum abouts and paths: spaces. Prospects way turns decenative distanting with an inequalization of the second

MEDITERRANKAN VILLAGE FORM-BASED PLANNED AREA DEVELOPMENT DRAFT May 18, 2015 3.26

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS CITY COMMISSION SECOND READING



AGAVE FONCE

SECTION 3-510-5-1 ARCHITECTURAL STANDARDS

14. Rooftop Architectural Elements

Rooftop Architectural Elements are non-air conditioned features located above the primary mass of the building. Rooftop Architectural Elements are excluded from the Building Height calculation. Rooftop Architectural Elements shall relate to the overall proportion and design of the building, and shall be used to emphasine Building Massing. The scale of the Rooftop Architectural Element shall relate to its Height on the Building and its visibility from the Sidewalk level.





Rooftop Architectural Eler	nerrhs, Table 5.17	
Elements Excluded From Ballding Height Calculation	Lanterns, Cupilas, Parapets, Chemieys, Toeves, Routinp Log gias, Belvederes, Screened Mechanical Areas	
Roofing Materials	Terracotta-color Barrel Tile or Copper	The state of the s
Ratur to Section 3-330-3 Building P tanaf Elements Juport on Street Tag	one Standards for provines of Rootop Architec-	

DRAFT May 18, 2015 MEDITERRANEAN VILLAGE FORM-BASED FLANNED AREA DEVELOPMENT

SECTOR & \$10-5 | ARCHITECTURAL STANDARDS

15. Shopfronts and Signage

Shopfmets are a mandatory Frontage on Signature Streets and Plazas. In a minod-use building, the Ground Floor Shopfront shall be distinguished from the rest of the building, placing emphasis on the display windows. At least 60 percent of the ground floor Shopfront shall be glass.

0

Signs shall enhance the Mediterranean character of the building, and shall be designed as part of a uniform Signage Plan approved by the City. Outdoor advertising signs, automatic electric changing signs, and entrance features are not permitted as part of a Mediterranean Village. All signs shall not obstruct sight visibility triangles at street intersections.


All signage for applications under this section shall conform to Section 5 Division 19, Signs, of the Zoning Code and shall be reviewed by the Board of Architects.

Wayfinding Signage shall:


Provide disectional and information signs that are attractive, clear and consistent in theme, location and design. Identify key civic areas, or public destinations and facilities,

e.g. public parking structures, shopping facilities, transit routes and stops, etc. Be coordinated with other atreencage furniture (e.g., light

be coordinated with other alrectacape furniture (e.g., light posts, transit/tuolley shelters) where possible to reduce visual clutter in the public realm.



Shepfront Ratio of Opening to Wall	2/3 mm
Shephant Windowsill Height above Ground Line	10' min 36' max
Bakhead Surface	Tite (3x3 or 4x4) Wood Recessed Pone
Shepfront Windows	Clear Glass (20%, bold transmission
Rickplate shall be of durable material (wood, mar	sonry, stone)
Permanent, fixed security grates or grilles in front	of windows are prohibite
The Expression Line shall be placed above the strong definition to the top of the Shopfront.	Sign Panel and provide



5.18 MEDITERRANEAN VILLAGE FORM-BASED FLANNED AREA DEVELOPMENT

DRAFT May 18, 7015

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

52


RTKL

SECTION 3-510-5-1 ARCHITECTURAL STANDARDS

16. Porches, Stoops and Garden Walls

Porches, Stoops, and Garden Walls are recommended Fromages for small apartment buildings and rownhouses. These Fromages shall be designed with the proportions, materials, and architectural style of the main building, and shall be Mediterranean in character.





Porches and Stoops, Table	5.19A	
Porch Depth	If mits	
Stoop Depth	3 min	
Roof Underside Clearance	8' min	. 0
Familied Hoor Height	10' min above sidewalk	0
	mard of the build to fine. setback, and/	or build to
prime, but shall not cross into public	a subset of second	
and the second se	of, other with a roof, or also according	the mail
Prothes and Stoops shall be crow	ed, either with a roof, or area accel in	the mail

-		
Garden Walls, Table 5.198		
Gardon Wall Height	2 min 4 max	
Interior/Rear Garden Wall	17 man	
Materials	Constructed of Masonr	y Sluce
Where Garties Walls and Fercus o parallel to adjacent taloeality, and	cour along unrest thratages, they typically within 2 fast of the pro-	
Gardien Walts may situa act on form	ruturing scuts along a property'	i edge

5.38

DRAFT May 18, 2015

MEDITERRANEAN VILLAGE FORM-BASED PLANNED AREA DEVELOPMENT

8


SECTION 3-530-5 (ARCHITECTURAL STANDARDS

17. Cornice and Expression Lines

Cornice Lines and Expression Lines can be used to mark the transition between the Base, Middle, and Top of the Building. The single mass of a building may be divided by means of mouldings, or Expression Lines. In each Base, Middle, or Top subdivision, windows of different sizes and situapes, and in different numbers, shall be grouped together. Horizontal subdivision shall be achieved in two ways:

- Offset the plane of the facade by stepping back, permitted only on elements such as towers.
 Lines upon the facade created via shadows from
- moldings.

The size and proportion of height to width of a building are primary aspects of its character. A building facade's perceived scale combines with that of adjacent buildings and those across the street to provide a sense of shape, enclosure, and proportion of the arreet or public space.



Cornices and Expression Lines, Table 5.20

Bindfo lone Connected Interview Inte

the Sideralk.

320 MEDITERRANKAN VILLAGE FORM-BASED PLANNED AREA DEVELOPMENT DRAFT May 18, 2013

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

61613

6ho

14.773

Contraction of the second

lé

100

2.





CITY COMMISSION SECOND READING



SECTION 3-515-5-1 ARCHITECTURAL STANDARDS

18. Materials

Materials, Table 5.21

Stucce Finish over CMU

Prohibited Materials


of smiller quality of monufactory. Matoriry Venuet depth


Smooth or fored provided in tracture and particul. Masonry - Load-bearing of Veneer

Porcation - Decorative Tile or Enamel Panels

1.88

All emerior walls of all buildings shall exceed the requirements of Section 5-606, "Exterior Wall - Material and Color" and shall incorporate superior quality materials designed to be compatible with the Mediterranean Architectural examples. Building wall materials on each facade shall be designed so that visually heavier materials are below visually lighter materials.





5.21

RTKL

DRAFT May 18, 2015 MEDITERRANEAN VILLAGE FORM-BASED FLANRED AREA DEVELOPMENT

SECTION 3-930-5 (ARCHITECTURAL STANDARDS

19. References

The following list of reference books is recommended as supplemental information with Section 3-510-5, Architectural Standards. Mediterranean architecture is dependant on historical precedents to guide and inspire designers. Wisdom and guidance are found in these precendents and references.

Alberti, Leon Battista. On the Art of Bullding in Ten Books-

Cook, S.E. "Jerry" and Skinnen Tina. Architectural Details: Spain and the Mediterranean Auglen: Schiffer Publishing Ltd., 2005.

Cusato, Marianne. Ger Your House Right. New York: Sterling. Publishing Co., 2007

Gromort, Georges. The Elements of Classical Architecture-New York: W.W. Norton, 2001

Les Concours Publics d' Architecture, V.1 - V.15, Paris, 1898

Robinson, John Beverley. Architectural Composition. New York: D. Van Nostrand Company, 1908

Smith, Thomas Gordon, Vitravius on Architecture, New York: The Monacelli Press, 2003

Snyder, Frank M. Building Details. New York: WW Norton, 2008

Stratton, Arthur. Elements of Form & Design in Classic Architecture, London: BT Barsford Limited, 1925

Vignola, Giacomo Barorzi. Canon of the Five Orders of Achitecture, New York: Acanthus Press, 1999

Vitruvius Pollio, Marcus. Ten Books on Architecture

5.72 MEDITERRANEAN VILLAGE FORM-BASED FLANNED AREA DEVELOPMENT DRAFT May 15, 7015



RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

SECTION 3-510-6 | DEFINITIONS

Section 3-510-6 Definitions

Anchor Retail: A larger store, usually a department store. or major retail chain, ranging 30,000 square feet to 45,000 square feet.

Apartment & Townhouse Streets: Smaller-scale, residential streets that are lined with low-scale multifamily buildings

abuilding, as described in Section 3-510-5, Architectural Standards

Arch: A curved part of a structure that is over an opening and that supports a wall or other weight above the opening.

Balcony: An open habitable portion of an upperfloor extending beyond a building's exterior wall that is not supported from below by vertical columns or piers but is instead supported by either a cantilever or brackets.

Block Face: The aggregate of all the building Facades on one side of a Block. The Block Face provides the content for establishing architectural harmony.

Building Frontage: The side of a building which faces the frontage street. The required building frontage per lot type is the percentage of lot width over which the Principal Facade extends.

Cornice: Projecting horizontal decorative molding along the top or horizontal facade breaks of a wall or building

Capolas: A domelike structure surmounting a roof, often used as a lookout or to admit light and air.

Downtown Streets: Typical streets within Downtown Coral Gables that accommodate taller buildings that respectfully step back at a reasonable height

Encroachment: Any structural element such as Galleries, Garden Walls, Porches, Stoops, Balconies, or Awnings that break the plane of a vertical or horizontal regulatory limit extending into a Setback or forward of the Build-to Line.

Hoor: A Habitable level within a building.

Front Facade: The Facade designated to bear the address and Principal Entrance to the building.

Historic/Civic Building: Buildings that have significance due to their special use, architectural design, or history. These huildings are given priority in site plan design and are made a Arcade Frontage Acovered pedestrian space along the street level of focal point of public spaces. Frontages of surrounding buildings shall be harmonious with and subservient to Historic/ Civic Buildingsidentified on the Regulating Plan. In addition, Historic Buildings are subject to all applicable standards in the Coral Gables Zoning Code for historic structures.

> Paseo: A public area, sidewalk, pedestrian pass-through and/ or passageway that is commonly shared or used for pedestrian circulation. Paseos are open-air, non-air conditioned spaces that are open to the public.

Primary Pedestrian Entrances A grade level entrance from the public right-of-way for pedestrians that are easily accessible and are designed to minimize walking distances.

Principal Facade (For purposes of placing buildings along build-to lines or build-to zones): the front plane of a building not including Encroachments.

Regulating Plan: A plan or map of the Mediterranean Village designating the locations of physical features that shall be included in any subsequent building.

Rooftop Architectural Elements Architectural features not used for human occupancy, consisting of spires, belfries, or Cupolas; Parapet walls, and Cornices without windows; chimneys, ventilators, skylights, and antennas.

Shared Parking: An accounting for parking spaces that are available to more than one function. The requirement is reduced by a factor, shown as a calculation. The Shared Parking ratio varies according to multiple functions to close proximity, which are unlikely to require the spaces at the same time.

6.1

SECTION 3-510-5 | DEFINITIONS

Shopfront Frontage: A ground floor lined with storefronts made with a combination of op aque and transparent materials. The uses behind shopfronts shall be commercial uses allowed by this section. Shops and restaurants shall have operable doors along their front facades spaced at an average of 60 feet on center. A shopfront may occur at the street-facing edge of the building or it may be set back under or inside an arcade. See Section 3-310-5, Architectural Standards, for specific requirements regarding storefronts.

Signature Streets: Primary thoroughfares with wide rights of way that accommodate taller buildings

Signature Terminated Vistar An architectural feature on a building that may include additional floors and height in recognition of its location frunting a Signature Street and its unique site and visibility.

Stepbacle Locations where upper flours of tall buildings set back from the Build-To Line in order to respectfully shape public space and allow additional light and air at treet level.

Stoops A small staircase ending in a platform and leading to the entrance of an apartment building or townhouse.

Street Type: Classification of public space based on its existing or desired physical form. Street Type classification is used to regulate Building Form.

Street Type Plan: A map depicting a system of categories based on form and character from which the regulations for buildings, and the interface between the building and the street, are based.

Terminated Vista: An architectural treatment or expression on the facade of a building that is visible from long distances due to its siting within its urban context. It may include a combination of any of the following: a noticeable change in materials, a change in proportion of the massing of the building, a change in window sizes and/or spacing, or a rower with or without an architectural appurtenance above it.

Upper Level Bridge: Upper level bridges are optional at the approximate locations shown on the Regulating Plan only. See Section 3-510-4, General Standards for additional requirements pertaining to upper level bridges.

DRAFT May 18, 2015 6.1 MEDITERBANEAN VILLAGE FORM-BASED PLANNED AREA DEVELOPMENT

IEDITERRANEAN


DRAFT May 18, 2015

MEDITERRANEAN VILLAGE FORM-BASED FLANNED AREA DEVELOPMENT

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS



RTKI



RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS



RTKL

CITY COMMISSION

EXHIBIT 'E'

Kimley »Horn

To:	Mr. Mario Garcia-Serra, Esg. Gunster, Yoakley & Stewart, P.A.
From	John McWilliams, P.E. JUAR
Cc:	Eduardo Avila Agave Holdings, Inc.
Date:	May 27, 2015
Subject:	Mediterranean Village Development – Coral Gables, Florida Coral Gables Trolley Service Enhancements

Per your request, Kimley-Horn and Associates, Inc. has reviewed the existing City of Coral Gables trolley operations to identify potential enhancements to the service to better serve the City's central business district. The following sections summarize our proposed operations and service enhancements.

New Trolley Vehicles

Expansion of the trolley service is limited by the number and age of the fleet. As such we are proposing to make a contribution of approximately \$1.34 million to the CRy of Coral Gables to purchase up to four (4) new trolley vehicles. This cost estimate was provided by City staff. These additions to the fleet will allow for vehicle replacement, new trolley routes, and/or the expansion of new trolley service.

New or Expanded Trolley Service

In addition to funding new trolley vehicles, the following contributions are proposed:

New Downtown Trolley Route

The Trolley Service Master Plan recommended further investigation of a downtown loop traversing the City's core along Athambra Circle, Merrick Way, Galiano Street, Atmeria Avenue, and Salzedo Street in a clockwise direction. We consider this concept a worthwhile complement to the existing north-south trolley route along Ponce De Leon Boulevard. However, the 2013 study did not contemplate the proposed Mediterranean Village project located one (1) block south of Atmeria Avenue. Therefore, we recommend a minor modification to the Master Plan route circulating along Sevilla Avenue from Galiano Street to Ponce De Leon Boulevard, and back to Almeria Avenue. Refer to the attachment for a map of the existing and proposed routes. The proposed service would operate Monday through Friday at a cost of \$176,000 per year for 25 years (\$4.40 million) per estimates provided by City staff. Approximate headways for the service will be 10 minutes consistent with the current trolley service.

Existing Trolley Route Enhancements

Existing enhancements to the trolley route should be considered including extension of operating hours, weekend operations, and holiday service. The existing trolley currently operates from 6:30 a.m. to 8 p.m. on weekdays with 10-15 minute headways. The proposed enhancements would include the following:

kimley-horn com

305 673 292

hom com 1221 Brokell Avenue, Sute 400, Marri, FL 33131

305 673 2825



RTKL

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

1221 Brokell Avenue, Suite 400, Marri, FL 33131

Kimley »Horn

May 27, 2015, Mr. Mario Garcia-Serra, Esq., Page 2

- Extension of weekday operating hours (Monday through Thursday) until 10 p.m.
- · Extension of Friday operating hours until 12 a.m.
- · Saturday operating hours from 6 a.m. to 12 a.m.
- Sunday operating hours from 8 a.m. to 8 p.m.
- · Holiday operating hours from 8 a.m. to 10 p.m.

The existing headways would be maintained under this operations plan. Based upon estimates provided by City staff, these service enhancements are \$11.25 million for 25 years of operation.

In summary, the total contribution towards enhancement of the City's trolley services is \$16.990 million per estimated provided by City staff.

971_191004356500-De Spaner VilageConspondence105.2715 gesta sena tolley mentilation







RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

AGAVE PONCE.

RTKL

CITY COMMISSION

EXHIBIT 'F'

COMPREHENSIVE PLAN ANALYSIS

The Project will be consistent with the Comprehensive Plan and Zoning Code criteria included in the proposed text amendments. However, the Project is also consistent with the spirit and intent of the Comprehensive Plan as presently enacted. Most notably, the Project is fully consistent with the following Comprehensive Plan goals, policies, and objectives:

<u>Goal FLU-1</u> – Protect, strengthen, and enhance the City of Coral Gables as a vibrant community ensuring that its neighborhoods, business opportunities, shopping, employment centers, cultural activities, historic value, desirable housing, open spaces, and natural resources make the City a very desirable place to work, live and play.

Old Spanish Village will strengthen and enhance the City of Coral Gables as a vibrant community with a mix of uses including office, residential, hotel, commercial, civic, and cultural. The Project is a community within a community with walkable streets, preserved historic buildings, large open spaces and amenities for residents, guests and the public making it a very desirable place to live, work and play. The Project is only one block south of the City's Central Business District, and with its beautifully designed buildings, streetscapes and corridors, the multi-faceted development will become an icon in the heart of Coral Gables.

Objective FLU-1.1 - Preserve Coral Gables as a "placemaker" where the balance of existing and future uses is maintained to achieve a high quality living environment by encouraging compatible land uses, restoring and protecting the natural environment, and providing facilities and services which meet or exceed the minimum Level of Service (LOS) standards and meet the social and economic needs of the community through the Comprehensive Plan and Future Land Use Classifications and Map.

Old Spanish Village will preserve Coral Gables as a "placemaker" and balance the existing and future surrounding land uses to achieve a high quality living and working environment. The Property is zoned Commercial, but has multiple Commercial land uses including Commercial High-Rise, Commercial Mid-Rise and Commercial Low-Rise. The land uses will remain, but will be reconfigured within the Property to achieve the best possible mix and orientation of uses within the Property. A majority of the Commercial High Rise structures will be located along the main transit corridors of Ponce de Leon Boulevard, Sevilla Avenue and Palermo Avenue, while the lower intensity uses, densities and heights will be located on the cast side and "wrap" the Project to properly transition to the lower density residential neighborhoods to the east. The Project's design will bring the Biltmore Hotel type of grandiose Mediterranean architecture and signature structures to this area. The Project will also enhance the infrastructure, facilities and services surrounding the development and be consistent and compatible with the surrounding uses.

Objective FLU-1.2 - Efforts shall continue to be made to control blighting influences, and redevelopment shall continue to be encouraged in areas experiencing deterioration.

Old Spanish Village will reinvigorate a large mostly vacant property which is in great need of redevelopment. The Property, which is a focal point of the City adjacent to Ponce Circle, has been sitting dormant and vacant and has fallen into disrepair. The Project, once approved, will create excitement in the surrounding area and spark redevelopment efforts to control blighting influences.

<u>Objective FLU-1.4</u> - Provide for protection of natural and historic resources from development and/or redevelopment together with continued maintenance.

The Project will protect and maintain a historic structure which will be integrated into the design and redevelopment of the Property. The structure at 2901 Ponce de Leon Boulevard, on the corner of Ponce de Leon Boulevard and Palermo Avenue, which previously served as a sales office for Coral Gables founder, George Merrick, will remain and will be preserved. The structure will be a focal point and historic landmark at one of the main entrances to the Project and will complement the architectural details and features of Old Spanish Village.

<u>Objective FLU-1.7</u> – Discourage the proliferation of urban sprawl by including a regulatory framework for encouraging future infill and redevelopment within existing developed areas.

Old Spanish Village will create an infill redevelopment project which will discourage urban sprawl and encourage the reuse of underutilized parcels. The Project will replace older, vacant and underutilized parcels with an entire village of compatible uses including residential, office, hotel and commercial, which will revitalize and reenergize this area of Ponce de Leon Boulevard.

<u>Policy FLU-1.9.1</u> - Encourage balanced mixed use development in the central business district and adjoining commercial areas to promote pedestrian activity and provide for specific commitments to design excellence and long term economic and cultural vitality.

Old Spanish Village has a balanced mix of uses within steps of the Central Business District and has been beautifully designed with large pedestrian corridors, open spaces and green areas which provide street level activation, amenities and connectivity to the Central Business District. The Project, with its walkable oak lined streets and community feel will promote pedestrian activity and use of alternative transit methods including the City's Trolley service thereby reducing the need to drive.

<u>Objectives DES-1.1</u> – Preserve and promote high quality, creative design and site planning that is compatible with the City's architectural heritage, surrounding development, public spaces and open spaces.

Old Spanish Village will bring new energy and excitement to this area of the City while reaffirming George Merrick's original vision for Coral Gables' design, look and lifestyle. The Project is a signature design by RTKL which creates a community within a community. The design creatively incorporates the City's architectural heritage including Mediterranean style

RTKL



60



architecture, arcades and loggias and tower elements at the tops of the buildings, while providing a balance between uses, intensities and heights. The Project is consistent and compatible with the surrounding areas and satisfies the City's vision for new development. Old Spanish Village provides ample setbacks and stepbacks, variations in rooflines, green rooftops, large public open spaces and green areas which will contain water features, fountains and public art.

<u>Policy DES-1.1.1</u> - Promote and support George Merrick's vision consistent with the established historic and cultural fabric of the City.

Old Spanish Village's design is inspired by the classical Mediterranean architecture of Spain and will honor and promote George Merrick's vision for the City of Coral Gables. With taller tower features shaping the perimeter of the Project and arcades and loggiss throughout, Old Spanish Village mixes old world Mediterranean architecture and features with today's modern and efficient residential, office and commercial buildings.

<u>Policy DES-1.1.2</u> - Provide for rigorous design guidelines, standards, and review processes via the City's Zoning Code that ensure high quality design of buildings and spaces.

The Applicant and project architect are committed to complying with and satisfying the rigorous design guidelines, standards and review processes, which are further strengthened by the accompanying proposed Zoning Code Text Amendment, in order to ensure that the Project is being designed and constructed with the utmost quality and detail.

Objective DES-1.2 - Preserve the Coral Gables Mediterranean design and architecture.

Old Spanish Village is beautifully designed in a Mediterranean architectural style compatible with the City's architectural heritage. The Project promotes sound and aesthetically pleasing designs and uses and will ensure the preservation of the unique character of the City's Mediterranean architecture.

<u>Policy DES-1.2.1</u> - Continue the award of development bonuses and/or other incentives to promote Coral Gables Mediterranean design character providing for but not limited to the following: creative use of architecture to promote public realm improvements and pedestrian amenities; provide a visual linkage between contemporary architecture and the existing and new architectural fabric; encourage landmark opportunities; and creation of public open spaces.

Old Spanish Village, with its assemblage of 6.72 acres of property, allowed the architect to creatively design an entire Mediterranean village with a variety of uses, intensities and public spaces. The Project satisfies the requirements to achieve development bonuses of height and FAR, as it enhances Coral Gables' Mediterranean design character. Its design is a creative use of Mediterranean architecture which promotes public realm improvements and pedestrian amenities including plazas, colonnades and large walkable sidewalks along the street corridors. With a

3

desire to promote pedestrian friendly corridors and to protect adjacent lower intensity uses, the architect mixed Mediterranean style - creating landmark towers of interest to frame the development - and a variety of heights and intensities to balance the Project's mass. The most impressive feature of the Project is the public realm where numerous streetscape and infrastructure improvements within and immediately surrounding the Project and large public spaces, courtyards and open accessible areas and amenities for pedestrians are provided. The signature development and outstanding creative designs are achievable only with the City's award of the development bonuses.

<u>Policy MOB-1.1.1</u> - Promote mixed use development to provide housing and commercial services near employment centers, thereby reducing the need to drive.

Old Spanish Village is located one block south of the Central Business District boundary and will provide housing, lodging, commercial and entertainment facilities within walking distance to the employment center. The Project will create pedestrian friendly corridors with large sidewalks and green areas as well as provide a City trolley stop to service the residents and visitors and move them comfortably around the City without being dependent on automobiles.

<u>Policy MOB-1.1.2</u> - Encourage land use decisions that encourage infill, redevelopment and reuse of vacant or underutilized parcels that support walking, bicycling and public transit use.

Old Spanish Village is located on 6.72 acres of property adjacent to Ponce Circle that is currently vacant, deteriorating or underutilized. The Project is designed to create an urban infill development – a Mediterranean Village - with a variety of uses including office, residential, hotel and commercial. Because of the large assemblage of land, the architect is able to design the Project to include large public corridors with tree lined sidewalks, green areas and pedestrian amenities, all which support walking, bicycling and public transit use. The Project will maintain a City trolley stop to allow residents and visitors easy access and transit along the Ponce de Leon Boulevard corridor.

Policy MOB-1.1.3 - Locate higher density development along transit corridors and near multimodal stations.

Old Spanish Village's main transit corridors are Ponce de Leon Boulevard, its western boundary, Palermo Avenue, which cuts through the center of the development and Sevilla Avenue, its northern boundary and the start of the Central Business District. The Project has been designed with its high density development including the office tower, hotel and residential buildings along these corridors and has created wide, tree lined sidewalks and a designated City trolley stop to encourage a walkable community close to transit and near employment centers.

<u>Goal HIS-1</u> - Preserve and promote the recognition of structures, sites, manmade or natural landscape elements, works of art or integrated combinations thereof, which serve as visible reminders of the history and cultural heritage of the City.

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

At the corner of Ponce de Leon Boulevard and Palermo Avenue is the former sales office of George Merrick, which structure has been designated historic and will be preserved. The structure will be a focal point and historic landmark at one of the main entrances to the Project and will complement the architectural details and features of Old Spanish Village.

<u>Policy GRN-1.3.2</u> – All new development proposals shall include designated safe pedestrian paths of travel within the site and provide pedestrian access to and from the public right-of-way to encourage walkability.

Old Spanish Village will include designated safe pedestrian paths of travel within the site and will provide pedestrian access to and from the public rights-of-way to encourage walkability. The roadways throughout and surrounding the Project will be resurfaced and new public infrastructure and public spaces including open lawns and brick lined interior passageways will be created. Pedestrian amenities including benches, fountains and water features and public art pieces will be incorporated throughout the Project to activate the public realm and corridors.

MIA_ACTIVE 4232839.2



62

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS



NOTE:

• THE PROJECT IS REGISTERED WITH USGBC AND THE DEVELOPER COMMITS TO STAGE 2 & 3 LEED-ND SUBMITTAL

LEED-ND STAGES

- STAGE 1- CONDITIONALLY APPROVED PLAN: PROVIDES THE CONDITIONAL APPROVAL OF A LEED-ND PLAN AVAILABLE FOR PROJECTS BEFORE THEY HAVE COMPLETED THE ENTITLEMENTS, OR PUBLIC REVIEW, PROCESS. IT IS ENVISIONED THAT COMPLETING STAGE 1 WILL HELP PROJECTS GET SUPPORT FROM THE LOCAL GOVERNMENT AND FROM THE COMMUNITY
- STAGE 2 PRE-CERTIFIED PLAN: ORE-CERTIFIES A LEED-ND PLAN AND IS APPLICABLE FOR FULLY ENTITLED PROJECTS ON PROJECTS UNDER CONSTRUCTION. COMPLETING THIS REVIEW CAN HELP PROJECTS SECURE FINANCING, EXPEDITED PERMITTING OR ATTRACT TENANTS.
- STAGE 3- CERTIFIED NEIGHBORHOOD DEVELOPMENT: COMPLETED PROJECTS FORMALLY APPLY FOR LEED CERTIFICATION TO RECOGNIZE THAT THE PROJECT HAS ACHIEVED ALL OF THE PREREQUISITES AND CREDITS ATTEMPTED.

LEED-ND ANALYSIS

- STE DEVELOPMENT WITH EXISTING MEIGHORPHODD ASSETS THE GOAL FOR THIS PROJECTS CONCEPT IS TO SITUATE A DEVELOPMENT WITHIN A 14 MILE WALK OF AT LEAST 5 DIFFERENT SHOPS, USES AND FACILITIES. IN ADDITION, THE PROJECTS GEOGRAPHIC CENTER IS LOCATED WITHIN A 1/2 MILE WALK OF 7 DIFFERENT DIVERSE USES.
- CONSERVATION OF EXISTING SPECIES AND ECOLOGICAL COMMUNITIES: A STUDY WILL BE COMPLETED TO DETERMINE FINER ARE ANY EXISTING OR POSSIBLE FUTURE ENDANGERED SPECIES AND ECOLOGICAL COMMUNITIES THAT MAY AFFECT THE PROJECT S SITE. IF ANY SPECIES OR # ECOLOGICAL COMMUNITIES ARE POUND OR ARE UNLEXY TO OCCUR. THEN THE DEVELOPMENT SHALL COMPLY WITH AN APPROVED HABITAT CONSERVATION PLAN.
- WETLAND AND WATER BODY CONSERVATION: WE WILL STRIVE TO PRESERVE WATER QUALITY, NATURAL HYDROLLOGY AND HABITATS BY LESSENING THE IMPACT ON WETLANDS AND WATER BODIES. DUE TO THE LOCATION OF THE SITE, NO WETLANDS OR NATURAL BODIES OF WATER WILL BE IMPACTED.
- AGRICULTURAL AND LAND CONSERVATION: BY INCORPORATING THIS
 CONCEPT WE INTEND TO PROTECT VALUABLE FARMLAND AND FORESTS
 FROM BEING DEVELOPED. DUE TO THE NATURE OF THE SITE, NO VALUABLE
 FARMLAND OR FORESTS WILL BE AFFECTED.
- FLOODPLAIN AVOIDANCE: THE PROPOSED LOCATION OF THE PROJECT IS
 IN A FEMA DESIGNATED FLOOD ZONE X. THIS TYPE OF ZONE IS NOT PRONE
 TO A 100 YEAR FLOOD.
- WALKABLE STREETS: WE WILL STRIVE TO PROVIDE A MORE LIVABLE AND WALKABLE MICRO ENVIRONMENT WHERE PEOPLE ARE LESS AUTO DEPENDENT.
- COMPACT DEVELOPMENT: WE PLAN TO PROVIDE A MORE LIVABLE AND WALKABLE MICRO ENVIRONMENT WHERE PEOPLE ARE LESS AUTO DEPENDANT.
- CONNECTED AND OPEN COMMUNITY: THE SITE WAS SELECTED TO MAXIMIZE THE PEDESTRIAN CONNECTIVITY TO OTHER PARTS OF THE COMMUNITY. WE ALSO MEET THE REQUIRED NUMBER OF INTERSECTIONS TO CONNECT THE SITE WITH THE SURROUNDING COMMUNITY THROUGH OTHER TYPES OF TRANSPORTATION.
- BUILDING ENERGY EFFICIENCY: IT IS THE GOAL TO PROVIDE AN ENERGY EFFICIENT PROJECT THROUGH THE USE OF PASSIVE AND ACTIVE SYSTEMS.
- BUILDING WATER EFFICIENCY: IT IS THE GOAL TO PROVIDE A WATER EFFICIENT PROJECT THROUGH THE USE OF LOW FLOW FIXTURES.

RECOMMENDED CONDITIONS OF APPROVAL AND STATEMENT OF USE AND JUSTIFICATION WITH EXHIBITS

CITY COMMISSION SECOND READING

AGAVE POINCE

RTKL



ZONING DATA

1. SITE DATA :		5. PROPOSED BUILDING
A. LAND USE CLASSIFICATION	COMMERCIAL LOW-RISE INTENSITY COMMERCIAL MID-RISE INTENSITY COMMERCIAL HIGH-RISE INTENSITY	AND FLOORS: FLO A. HOTEL
B. FEMA ZONE	ZONE - X	B. OFFICE
C. LOT AREA	+- 292,794 SF (6.72 ACRES)	C. RESIDENTIAL TOWER 1
D. LOT COVERAGE	NO MIN. OR MAX.	D. RESIDENTIAL TOWER 2
E. HEIGHT RESTRICTIONS	VARIES 36' + MECHANICAL 190-6" + MECH / HOTEL 218'-6" + MECH	6. LAND USE AREAS:
2. SETBACKS:		EXIS COMMERCIAL LOW RISE 111,
A. FRONT (N)	PROPOSED:	COMMERCIAL MID RISE 49,4
SEVILLA AVENUE	0'-0"	COMMERCIAL HIGH RISE 113,2
B. FRONT (E) GALIANO STREET	0'-0"	7. USE BREAKDOWN (F
C. FRONT (S) MALAGA AVENUE	0'-0"	RETAIL RESTAURANT
D. FRONT (W) PONCE DE LEON BLVD	0'-0"	OFFICE HOTEL RESIDENTIAL
E. FRONT (N) PALERMO AVENUE	0'-0"	TOWNHOMES
F. FRONT (S) PALERMO AVENUE	0'-0"	8. OPEN SPACE DATA:
	0-0	OPEN SPACE IN ACCORDANCE WITH ARTICLE 5 IN ZONING CODE AND SECTION 3-510-4 OF F.B.F "% OF TOTAL SITE AREA
G. FRONT (N) COCONUT GROVE DRIVE	0'-0"	A. PROVIDED ON-SITE OPEN SPACE
H. FRONT (S) COCONUT GROVE DRIVE	0'-0"	- GROUND FLOOR OPEN SPACE - ROOFTOP OPEN SPACE:
		TOTAL ON-SITE OPEN SPACE:

3. ALLOWED FLOOR TO FLOOR HEIGHTS

PER STREET TYPE:	1ST & 2ND FLOORS:	<u>3RD</u> FLOOR:	<u>4+</u> FLOORS:
A. SIGNATURE STREETS	11' - 17'	9' - 17'	9' - 13' 6"
B. PLAZA STREETS	11' - 17'	9' - 17'	9' - 13' 6"
C. DOWNTOWN STREETS	11' - 17'	9' - 13' 6"	9' - 13' 6"
D. APT & TOWNHOUSE STREETS	9' - 13' 6"	9' - 13' 6"	N/A

4. ALLOWED BUILDING HEIGHTS PER STREET TYPE:

A. SIGNATURE STREETS	190'-6" MAX**
B. PLAZA STREETS	190'-6" MAX
C. DOWNTOWN STREETS	190'-6" MAX
D. APT & TOWNHOUSE STREETS	3 FLOORS

5. PROPOSED BUILDING HEIGHTS AND FLOORS:			
	FLOORS:	HEIGHT:	
A. HOTEL	19	218'-6"	
B. OFFICE	13	190'-6"	
C. RESIDENTIAL TOWER 1	17	190'-6"	
D. RESIDENTIAL TOWER 2	17	190'-6"	
6. LAND USE AREA	<u>S:</u>		
COMMERCIAL LOW RISE	EXISTING: 111,555 SF	PROPOSED: 72,155 SF	
COMMERCIAL MID RISE	49,498 SF	89,406 SF	
COMMERCIAL HIGH RISE	113,207 SF	131,233 SF	
7. USE BREAKDOW RETAIL RESTAURANT OFFICE HOTEL RESIDENTIAL TOWNHOMES	<u>/N (FOR P</u>	ARKING CALCS): 265,000 SF 29,000 SF 317,000 SF 184 ROOMS 214 UNITS 15 TOWNHOMES	
B. OPEN SPACE DATA: OPEN SPACE IN ACCORDANCE WITH ARTICLE 5. DIVISION 11 IN ZONING CODE AND SECTION 35/10-4 OF FAB-PAD. "% OF TOTAL SITE AREA A. PROVIDED ON-SITE OPEN SPACE - GROUND FLOOR OPEN SPACE: - ROOVIDD FLOOR OPEN SPACE: - ROOVIDD OPEN SPACE: 117.269 SF (19%)*			
TOTAL ON-SITE OPEN SPACE:	,456 SF(59%)*		
B. PROVIDED OFF-SITE OPEN SPACE - GROUND FLOOR: - ROOFTOP: TOTAL OFF-SITE OPEN SPACE:		732 SF 592 SF 	
TOTAL OPEN SPACE (ON AND OFF SITE):		,880 SF	

** FOR FURTHER OPEN SPACE AREA BREAKDOWN SEE ON-SITE GROUND FLOOR OPEN SPACE DIAGRAM

9. PARKING DATA:	10. LOADING SPACES:			
USE	ANALYSIS REQUIREMENT	TOTAL REQUIRED FOR MIXED USE	TOTAL REQUIRED FOR MIXED USE	
A. RESIDENTIAL		3 FOR 399,999 SF OF NON-RESIDENTIA 1 FOR EACH ADDITONAL 100,000 SF O		
- TOWNHOUSE	29	TOTAL PROVIDED 8	SPAC	
- 2 BR	193	11. F.A.R. CALCULATION	10.	
- 3 BR	167	USE	<u></u>	
B. COMMERCIAL AND HOTEL		- HOTEL 0.77 FAR 2	25,75	
- RETAIL	969		83,49 79,70	
- RESTAURANT (FAMILY)	48	- TOWNHOUSE 0.17 FAR 4	01,993 7,559	
- RESTAURANT (FINE)	172		2,766 ,901 S	
- HOTEL	134	TOTAL 4.00 FAR 1	,171,1	
- OFFICE	976	LEVEL		
TOTAL REQ'D PARKING: TOTAL REQUIRED ELECTRICAL VEHICLE CHARGING STATIONS:	2,687 SPACES 1/50 x RESIDENTIAL UNITS AND HOTEL ROOMS + 1/200 x TOTAL PROVIDED COMMERCIAL PARKING	- LEVEL.01 1 - LEVEL.02 1 - LEVEL.03 7 - LEVEL.03 7 - LEVEL.04 1 - LEVEL.05 3 - LEVEL.05 1	SQ.F 54,36 91,88 4,539 4,459 5,672 4,459	
TOTAL REQUIRED BICYCLE PARKIN	G: 1/10 PARKING SPACES PROVIDED	- LEVEL 08 3	15,672 15,459 10,525	
C. PROVIDED PARKING			5,998 5,998	
- TOWNHOUSES - LEVEL B2 - LEVEL B1 - LEVEL 03 - LEVEL 04 - LEVEL 05 - LEVEL 06 - LEVEL 06 - LEVEL 07 - LEVEL 08	30 185 632 295 324 324 324 324 324 249	RESIDENTIAL LEVEL 12 RESIDENTIAL LEVEL 13 RESIDENTIAL LEVEL 14 RESIDENTIAL LEVEL 14 RESIDENTIAL LEVEL 15 RESIDENTIAL LEVEL 16 RESIDENTIAL LEVEL 17 OFFICE LEVEL 08 OFFICE LEVEL 09 2	15,998 15,998 15,998 14,055 17,366 11,816 19,620 19,620	
PROVIDED OFF-STREET PARKING:	2687 SPACES	- OFFICE LEVEL 11 2	9,620 9,620	
PROVIDED ON-STREET PARKING:	55 SPACES		5,036 5,036	
TOTAL PROVIDED PARKING:	2742 SPACES*		4,459	
*IN COMPLIANCE WITH FORM BASE	ED PAD SECTION 3-510-5 J 5	- HOTEL LEVEL 12 1	3,168 2,590	
TOTAL PROVIDED MANDATORY VALET SPACES: TOTAL PROVIDED ELECTRICAL	60 SPACES	- HOTEL LEVEL 14 1 - HOTEL LEVEL 15 1 - HOTEL LEVEL 16 9	0,882 0,871 0,871 0,891 S 0,026	
VEHICLE CHARGING STATIONS:	22 SPACES	- HOTEL LEVEL 18 4	,799 5	
TOTAL PROVIDED BICYCLE PARKIN	G: 275 SPACES	TOTAL 1	,171,1	

R 399,999 SF OF NON-RESIDENTIAL AREA R EACH ADDITONAL 100,000 SF OF NON-RESIDENTIAL ARE 8 SPACES

F.A.K. CAL	COLATIC	NO.
TEL FICE MMERCIAL SIDENTIAL WNHOUSE CK OF HOUSE RVICE	0.77 FAR 0.97 FAR 0.95 FAR 1.03 FAR 0.17 FAR 0.08 FAR 0.03 FAR	225,756 SQ.FT. 283,495 SQ.FT. 279,707 SQ.FT. 301,992 SQ.FT. 47,559 SQ.FT. 22,766 SQ.FT. 9,901 SQ.FT.
AL	4.00 FAR	1,171,176 SQ.FT.
EL		
/EL -01/-02 /EL 01 /EL 02 /EL 03 /EL 04 /EL 05 /EL 06 /EL 07 /EL 08 /EL 09		0 SQ.FT. 154,367 SQ.FT. 191,884 SQ.FT. 74,539 SQ.FT. 14,459 SQ.FT. 35,672 SQ.FT. 14,459 SQ.FT. 35,672 SQ.FT. 35,459 SQ.FT. 80,525 SQ.FT.
SIDENTIAL LEVEL SIDENTIAL LEVEL SIDENTIAL LEVEL SIDENTIAL LEVEL SIDENTIAL LEVEL SIDENTIAL LEVEL SIDENTIAL LEVEL	11 12 13 14 15 16	35,998 SQ.FT. 35,998 SQ.FT. 35,998 SQ.FT. 35,998 SQ.FT. 35,998 SQ.FT. 35,998 SQ.FT. 27,366 SQ.FT. 21,816 SQ.FT.
FICE LEVEL 08 FICE LEVEL 09 FICE LEVEL 10 FICE LEVEL 11 FICE LEVEL 12 FICE LEVEL 13		29,620 SQ.FT. 29,620 SQ.FT. 29,620 SQ.FT. 29,620 SQ.FT. 25,036 SQ.FT. 25,036 SQ.FT.
TEL LEVEL 10 TEL LEVEL 11 TEL LEVEL 12 TEL LEVEL 13 TEL LEVEL 14 TEL LEVEL 15 TEL LEVEL 16 TEL LEVEL 17 TEL LEVEL 17 TEL LEVEL 18 TEL LEVEL 19		14,459 SQ.FT. 13,168 SQ.FT. 12,590 SQ.FT. 10,882 SQ.FT. 10,871 SQ.FT. 10,871 SQ.FT. 9,891 SQ.FT. 10,026 SQ.FT. 4,799 SQ.FT. 4,799 SQ.FT.
AL		1,171,176 SQ.FT.

F.A.R. 1,171,176 / 292,794 = 4.000

SITE INFORMATION

67

AGAVE POINCE



SITE AERIAL







68

SITE INFORMATION

SITE CONTEXT MAP



SITE INFORMATION

69

RTKL

AGAVE PONCE

CITY COMMISSION SECOND READING \mathbf{O} Ř $\overline{\mathbf{O}}$ MEDITERRANEAN VIL AT PONCE

SITE CONTEXT ANALYSIS






SITE INFORMATION


70

RTKL

AGAVE PONCE.

SITE CONTEXT EXTERIOR ELEVATION







NUMBER OF O MANU LINET MUT LANTON.

PONCE DE LADRIBLIO DALIAND BT O mont anoth and software him. SANTANDED FOR

5 M 0 AT PON MEDITERRANEA






INFORMATION

CITY COMMISSION SECOND READING Ш 0 <u>n</u> 0 MEDITERRANEAN VI

SITE AREA PLAN




RTKL




SITE INFORMATION

LAND USE AREA CHART

EXISTING LAND USE	COMMERCIAL LOW DENSITY	COMMERCIAL MEDIUM DENSITY	COMMERCIAL HIGH DENSITY
NORTH PARCEL	0.25 ACRES	1.14 ACRES	0.98 ACRES
CENTRAL PARCEL	1.43 ACRES		
SOUTH PARCEL	0.88 ACRES		1.62 ACRES
TOTAL	2.56 ACRES (41%) 111,556 SF	1.14 ACRES (18%) 49,490 SF	2.60 ACRES (41%) 113,206 SF



PROPOSED LAND USE	COMMERCIAL LOW DENSITY	COMMERCIAL MEDIUM DENSITY	COMMERCIAL HIGH DENSITY
NORTH PARCEL	0.26 ACRES	0.56 ACRES	1.55 ACRES
CENTRAL PARCEL	0.81 ACRES	0.80 ACRES	
SOUTH PARCEL	0.60 ACRES	0.47 ACRES	1.46 ACRES
TOTAL	1.67 ACRES (25%) 72,155 SF	1.83 ACRES (31%) 89,406 SF	3.01 ACRES (44%) 131,233 SF



TT. **A**, 6 Ř С С Ш AT PON **MEDITERRANE**


RTKL

AGAVE POINCE

73

CITY COMMISSION SECOND READING П 0 TY 5 MEDITERRANEAN VI AT PONCI

EXISTING LAND USE DIAGRAM




74

AGAVE FONCE

RTKL

PROPOSED LAND USE DIAGRAM



Ш





SITE INFORMATION

CITY COMMISSION SECOND READING Ш 0 ř 0 MEDITERRANEAN VIL

RTKL



SITE INFORMATION


NHOUSE STREETS

50% MIN


951' - 5" x 0.5 = 475' - 9"

101 - 41 (85)





USES PER STREET TYPE




RTKL



SITE INFORMATION

CITY COMMISSION SECOND READING

BUILDING HEIGHTS AND SETBACKS




RTKL AREADIS COMPANY



SITE INFORMATION

RESIDENTIAL SETBACK



SITE INFORMATION


5 П 5 MEDITERRANEA

CITY COMMISSION SECOND READING

MZ.

RTKL






RESIDENTIAL SETBACK

RTKL



SITE INFORMATION





TOTAL SF OVER 45'-0" WITHIN RESIDENTIAL SETBACK		
LEVEL 04	43,069 SF	
LEVEL 05	43,069 SF	
LEVEL 06	43,069 SF	
LEVEL 07	43,069 SF	
LEVEL 08	43,069 SF	
LEVEL 09	10,409 SF	
LEVEL 10	8,742 SF	
LEVEL 11	8,742 SF	
LEVEL 12	8,742 SF	
LEVEL 13	8,742 SF	
LEVEL 14	8,742 SF	
LEVEL 15	8,085 SF	
LEVEL 16	6,212 SF	
LEVEL 17	1,325 SF	
TOTAL	285,086 SF	





SITE INFORMATION

CITY COMMISSION SECOND READING

0


5

П

 \mathbf{O}

0


ARCHITECTURAL SITE PLAN



RPKL

AGAVE FONCE

82



ARCHITECTURAL SITE PLAN - NORTH PARCEL

BUILDING ENTRANCES ALL SIDEWALKS TO BE CITY COMMISSION SECOND READING





CITY COMMISSION

5

6

П

 \mathbf{O}

ARCHITECTURAL SITE PLAN - CENTRAL PARCEL



NOTE: SITE PLANS INCORPORATE CONCEPTUAL GRADING FOR ALL BUILDING ENTRANCES TO BE FLUSH WITH PUBLIC SIDEWALKS

• IT IS IN THE BEST INTEREST OF THE DEVELOPMENT FOR ALL SIDEWALKS TO BE FLUSH WITH BUILDING ENTRIES

MEDITERRANEAN AT PON

RTKL



SITE INFORMATION





CITY COMMISSION SECOND READING

SITE INFORMATION

85

RTKL

AGAVE FONCE

ARTS CENTER BUILDING

Built by Phineas Paist, the building was completed in 1926. Working together, George Merrick, Denman Fink, and Phineas Paist reviewed all the buildings to ensure their approval was met. In this way Merrick's commisioned second building was important to the growing city. It was once mentioned to house "the artistic soul" of Coral Gables.

These master visionaries did not copy the Spanish style, they incorporated the details of important landmarks and used classical proportioning ideals to leave a unique form of architecture solely known to the Gables.



DECORATIVE MOLDING

SPANISH BARREL ROOF TILE

COQUINA STONE

DECORATIVE FLOOR

CORAL STONE

STUCCO







87

SITE INFORMATION

CITY COMMISSION

<u>MEDITERRAN</u>