



Legislation Details (With Text)

| | | | | | |
|------------------------|---------------|----------------------|---|---------------------|--|
| File #: | 19-8988 | Version: | 1 | Name: | |
| Type: | Agenda Item | Status: | | Agenda Ready | |
| File created: | 7/25/2019 | In control: | | Board of Adjustment | |
| On agenda: | 8/5/2019 | Final action: | | | |
| Enactment date: | | Enactment #: | | | |
| Title: | BA-19-07-5225 | | | | |

Request: Variances for the property located at 430 Costanera Road.

- Variance to allow a boat lift to extend thirty-three feet and five inches (33'-5") from the mean high water vs. watercraft lifts or floating watercraft lifts shall not extend beyond twenty-five (25) feet from the banks of waterways, pursuant to Appendix A Section A-23 Cocoplum Section Two (2) and Section 5-805(E) of the Coral Gables Zoning Code.
- Variance to allow Floating Vessel Platform to extend thirty feet and seven inches (30'-7") from the mean high water vs. watercraft lifts or floating watercraft lifts shall not extend beyond twenty-five (25) feet from the banks of waterways, pursuant to Appendix A Section A-23 Cocoplum Section Two (2) and Section 5-805(E) of the Coral Gables Zoning Code.

Sponsors:

Indexes:

Code sections:

Attachments: 1. 2019_0805_Staff Report_430 Costanera, 2. Attachment A - Applicant Submittal package, 3. Attachment B - 07 25 19 Legal advertisement published, 4. Attachment C - Courtesy Notice 430 Costanera Road, 5. Attachment D - Presentation_430 Costanera Road

| Date | Ver. | Action By | Action | Result |
|------|------|-----------|--------|--------|
|------|------|-----------|--------|--------|

BA-19-07-5225

Request: Variances for the property located at 430 Costanera Road.

- Variance to allow a boat lift to extend thirty-three feet and five inches (33'-5") from the mean high water vs. watercraft lifts or floating watercraft lifts shall not extend beyond twenty-five (25) feet from the banks of waterways, pursuant to Appendix A Section A-23 Cocoplum Section Two (2) and Section 5-805(E) of the Coral Gables Zoning Code.
- Variance to allow Floating Vessel Platform to extend thirty feet and seven inches (30'-7") from the mean high water vs. watercraft lifts or floating watercraft lifts shall not extend beyond twenty-five (25) feet from the banks of waterways, pursuant to Appendix A Section A-23 Cocoplum Section Two (2) and Section 5-805(E) of the Coral Gables Zoning Code.

[Replace with BRIEF HISTORY/SUMMARY]