



Legislation Details (With Text)

File #: CE277304 **Version:** 1 **Name:**
Type: Code Enforcement Board **Status:** Agenda Ready
Violation
File created: 9/11/2018 **In control:** Code Enforcement Board
On agenda: 5/22/2019 **Final action:**
Enactment date: **Enactment #:**
Title: 3511 Alhambra Circle

Violation Description - PWP Violation CC 62-84 - Maintaining low hanging plants on public right-of-way which exceeds 24 inches in height and exceeds the 3 feet permitted radius surrounding City tree without a Public Works Department permit.

Remedy - Must cut back low hanging plants 3 feet from public street and keep all plants within the permitted 3 feet radius around city trees. If owner wants to maintain plants outside the 3 feet radius, owner must apply for permit with the Public Works Department. Must trim all plants below 24 inches in height, this includes plants growing on trees.

Owner - 3511 Alhambra LLC

Code Enforcement Lead Field Supervisor Ortiz

Sponsors:

Indexes:

Code sections:

Attachments: 1. 3511 Alhambra Cir- PWP (Trees) (1), 2. 3511 Alhambra Cir- PWP (Trees) (2), 3. 3511 Alhambra Cir- PWP (Trees) (3), 4. 3511 Alhambra Cir- PWP (Trees) (4), 5. 3511 Alhambra Cir- PWP (Trees) (5), 6. 3511 Alhambra Cir- PWP (Trees) (6), 7. 3511 Alhambra Cir- PWP (Trees) (7), 8. 3511 Alhambra Cir- PWP (Trees) (8), 9. 3511 Alhambra Cir- PWP (Trees) (9), 10. 3511 Alhambra Cir- PWP NOV Posting, 11. 3511 Alhambra- City Swale Letter Posting, 12. 3511 Alhambra- PWP (Trees) (1), 13. 3511 Alhambra- PWP (Trees) (2), 14. 3511 Alhambra- PWP (Trees) (3), 15. 3511 Alhambra- PWP (Trees) (4), 16. 3511 Alhambra- PWP Warning and City Swale Letter Posting, 17. 3511 Alhambra- SUM Failed (1), 18. 3511 Alhambra- SUM Failed (2), 19. 3511 Alhambra- SUM Failed (3), 20. 3511 Alhambra- SUM Failed (4), 21. 3511 Alhambra- SUM Posting (1), 22. 3511 Alhambra- SUM Posting (2), 23. Ownership, 24. SUM Affidavit- 3511 Alhambra Cir, 25. Inspector Report 3511Alhambra Circle, 26. USPS- NOV Tracking, 27. 3511 Alhambra Cir- NOV Affidavit, 28. 3511 Alhambra Cir- Posting Photos, 29. 3511 Alhambra- Violation Photos, 30. 3511 Alhambra- Summons to Appear Affidavit (JAN CEB), 31. 3511 Alhambra- Summons to Appear USPS Tracking® Results

Date	Ver.	Action By	Action	Result
10/17/2018	1	Code Enforcement Board	Continued prior to hearing	

3511 Alhambra Circle

Violation Description - PWP Violation CC 62-84 - Maintaining low hanging plants on public right-of-way which exceeds 24 inches in height and exceeds the 3 feet permitted radius surrounding City tree without a Public Works Department permit.

Remedy - Must cut back low hanging plants 3 feet from public street and keep all plants within the permitted 3 feet radius around city trees. If owner wants to maintain plants outside the 3 feet radius,

owner must apply for permit with the Public Works Department. Must trim all plants below 24 inches in height, this includes plants growing on trees.

Owner - 3511 Alhambra LLC

Code Enforcement Lead Field Supervisor Ortiz