



Legislation Details (With Text)

File #: 19-8988 **Version:** 1 **Name:**
Type: Agenda Item **Status:** Agenda Ready
File created: 7/25/2019 **In control:** Board of Adjustment
On agenda: 8/5/2019 **Final action:**
Enactment date: **Enactment #:**
Title: BA-19-07-5225

Request: Variances for the property located at 430 Costanera Road.

1. Variance to allow a boat lift to extend thirty-three feet and five inches (33'-5") from the mean high water vs. watercraft lifts or floating watercraft lifts shall not extend beyond twenty-five (25) feet from the banks of waterways, pursuant to Appendix A Section A-23 Cocoplum Section Two (2) and Section 5-805(E) of the Coral Gables Zoning Code.
2. Variance to allow Floating Vessel Platform to extend thirty feet and seven inches (30'-7") from the mean high water vs. watercraft lifts or floating watercraft lifts shall not extend beyond twenty-five (25) feet from the banks of waterways, pursuant to Appendix A Section A-23 Cocoplum Section Two (2) and Section 5-805(E) of the Coral Gables Zoning Code.

Sponsors:

Indexes:

Code sections:

Attachments: 1. 2019_0805_Staff Report_430 Costanera, 2. Attachment A - Applicant Submittal package, 3. Attachment B - 07 25 19 Legal advertisement published, 4. Attachment C - Courtesy Notice 430 Costanera Road, 5. Attachment D - Presentation_430 Costanera Road

Date	Ver.	Action By	Action	Result
------	------	-----------	--------	--------

BA-19-07-5225

Request: Variances for the property located at 430 Costanera Road.

1. Variance to allow a boat lift to extend thirty-three feet and five inches (33'-5") from the mean high water vs. watercraft lifts or floating watercraft lifts shall not extend beyond twenty-five (25) feet from the banks of waterways, pursuant to Appendix A Section A-23 Cocoplum Section Two (2) and Section 5-805(E) of the Coral Gables Zoning Code.
2. Variance to allow Floating Vessel Platform to extend thirty feet and seven inches (30'-7") from the mean high water vs. watercraft lifts or floating watercraft lifts shall not extend beyond twenty-five (25) feet from the banks of waterways, pursuant to Appendix A Section A-23 Cocoplum Section Two (2) and Section 5-805(E) of the Coral Gables Zoning Code.

[Replace with BRIEF HISTORY/SUMMARY]