



Legislation Details

File #: CE298656-120820 **Version:** 1 **Name:**
Type: Code Enforcement Board Violation **Status:** Agenda Ready
File created: 5/19/2021 **In control:** Code Enforcement Board
On agenda: 6/17/2021 **Final action:**
Enactment date: **Enactment #:**
Title: 13002 San Jose Street

Violation Description - Roof is dirty. 2 dead trees on the property. A screening of storage issue for some items being stored on the side of the home which is not allowed i.e. floating docks. Expired permit i.e. BL-19-07-4294 for Re-roof.

Remedy - Roof needs to be cleaned. Dead trees need to be removed from the property (might require permits please contact Public Service at 305-460-5000). Items being maintained outside shall be placed in an enclosed structure/area or on the water. Permit must be re-activated, work completed, than call for all final inspections and close out the permit.

Owner - Paul Deneault & Jasmin Deneault

Code Enforcement Officer Quintana

Sponsors:

Indexes:

Code sections:

Attachments: 1. Violation pictures, 2. ownership, 3. warning letter, 4. warning posting, 5. warning posting 2, 6. 13002 san jose warning affi, 7. nov letter, 8. nov posting, 9. nov posting 2, 10. 13002 san jose nov affi, 11. 13002 san jose nov certified, 12. usps for nov, 13. summons letter, 14. summons posting, 15. summons posting 2, 16. 13002 san jose summons affi, 17. usps for summons

| Date | Ver. | Action By | Action | Result |
|------|------|-----------|--------|--------|
|------|------|-----------|--------|--------|